





And especially with the Touring model, it even handles a desire for luxury. With features like a power tailgate, navigation system¹ and *Bluetooth*⁶² HandsFreeLink,^{*} it just may be the most sophisticated tool in the shed.

ENGINEERING	LX	EX/EX-L	TOURING
Engine Type	V-6	V-6	V-6
Engine Type Engine Block/Cylinder Head	Aluminum-Alloy	Aluminum-Alloy	Aluminum-Alloy
Displacement (cc)	3471	3471	3471
Horsepower @ rpm (SAE net)	250 @ 5700	250 @ 5700	250 @ 5700
	253 @ 4800	253 @ 4800	253 @ 4800
Torque (Ib-ft @ rpm) Valve Train	253 @ 4600 24-Valve SOHC i-VTEC [®]	253 @ 4600 24-Valve SOHC i-VTEC	253 @ 4800 24-Valve SOHC i-VTEC
	•	•	•
Drive-by-Wire™ Throttle System Variable Cylinder Management™ (VCM®)	•	•	•
Active Control Engine Mount System (ACM)	•	•	•
Active Control English Mount System (ACM) Active Noise Cancellation™ (ANC)	•	•	•
Hill Start Assist	•	•	•
Variable Torque Management® 4-Wheel Drive System (VTM-4®)	Available	Available	Available
High-Mounted Fresh-Air Intake	•	•	•
CARB Emissions Rating ³	ULEV-2	ULEV-2	ULEV-2
Direct Ignition System with Immobilizer	•	•	•
Heavy-Duty Radiator with 160-Watt Fans (2)	•	•	•
Heavy-Duty Power-Steering Fluid Cooler	•	•	•
100K +/- Miles No Scheduled Tune-Ups*	•	•	•
· ·			
TRANSMISSION	•	•	•
5-Speed Automatic Transmission	•	•	•
Heavy-Duty Automatic-Transmission Fluid Cooler	-	-	-
BODY/SUSPENSION/CHASSIS			
Unit-Body Construction	•	•	•
MacPherson Strut Front Suspension	•	•	•
Multi-Link Rear Suspension with Trailing Arms	•	•	•
Stabilizer Bar (mm, front/rear)	23.0/26.5	23.0/26.5	23.0/26.5
Variable Power-Assisted Rack-and-Pinion Steering	•	•	•
Turning Diameter, Curb-to-Curb (ft)	38.6	38.6	38.6
Power-Assisted Ventilated Front Disc/Solid Rear Disc Brakes (in)	13.0/13.1	13.0/13.1	13.0/13.1
Wheels	17" Steel	17" Alloy	17" Alloy
All-Season Tires	P245/65/R17 105T	P245/65/R17 105T	P245/65/R17 105T
EXTERIOR MEASUREMENTS	100.2	100.2	100.2
Wheelbase (in)	109.2	109.2	109.2
Wheelbase (in) Length (in)	190.9	190.9	190.9
Wheelbase (in) Length (in) Height (in)	190.9 71.0	190.9 72.7	190.9 72.7
Wheelbase (in) Length (in) Height (in) Width (in)	190.9 71.0 78.5	190.9 72.7 78.5	190.9 72.7 78.5
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear)	190.9 71.0 78.5 67.7/67.5	190.9 72.7 78.5 67.7/67.5	190.9 72.7 78.5 67.7/67.5
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen)	190.9 71.0 78.5 67.7/67.5 8.0	190.9 72.7 78.5 67.7/67.5 8.0	190.9 72.7 78.5 67.7/67.5 8.0
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees)	190.9 71.0 78.5 67.7/67.5 8.0 27.8/24.5	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight (lbs, 2WD/4WD)	190.9 71.0 78.5 67.7/67.5 8.0 27.8/24.5 4319/4506	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4310/4504 (4359/4544, EX-L)	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4407/4590
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight (lbs, 2WD/4WD) Weight Distribution (%, front/rear) 2WD (4WD)	190.9 71.0 78.5 67.7/67.5 8.0 27.8/24.5 4319/4506 56/44 (55/45)	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4310/4504 (4359/4544, EX-L) 56/44 (55/45)	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4407/4590 56/44 (54/46)
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight (lbs, 2WD/4WD) Weight Distribution (%, front/rear) 2WD (4WD) Towing Capacity ⁴ (lbs, 2WD/4WD)	190.9 71.0 78.5 67.7/67.5 8.0 27.8/24.5 4319/4506	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4310/4504 (4359/4544, EX-L)	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4407/4590
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight (lbs, 2WD/4WD) Weight Distribution (%, front/rear) 2WD (4WD) Towing Capacity ⁴ (lbs, 2WD/4WD) INTERIOR MEASUREMENTS	190.9 71.0 78.5 67.7/67.5 8.0 27.8/24.5 4319/4506 56/44 (55/45) 3500/4500	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4310/4504 (4359/4544, EX-L) 56/44 (55/45) 3500/4500	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4407/4590 56/44 (54/46) 3500/4500
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight (lbs, 2WD/4WD) Weight Distribution (%, front/rear) 2WD (4WD) Towing Capacity ⁴ (lbs, 2WD/4WD) INTERIOR MEASUREMENTS Headroom (in, front/middle/rear)	190.9 71.0 78.5 67.7/67.5 8.0 27.8/24.5 4319/4506 55/44 (55/45) 3500/4500 40.0/39.8/38.2	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4310/4504 (4359/4544, EX-L) 56/44 (55/45) 3500/4500 40.0 (39.3,EX-L) /39.8/38.2	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4407/4590 56/44 (54/46) 3500/4500 39.3/39.8/38.2
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight (lbs, 2WD/4WD) Weight Distribution (%, front/rear) 2WD (4WD) Towing Capacity* (lbs, 2WD/4WD) INTERIOR MEASUREMENTS Headroom (in, front/middle/rear) Legroom (in, front/middle/rear)	190.9 71.0 78.5 67.7/67.5 8.0 27.8/24.5 4319/4506 56/44 (55/45) 3500/4500 40.0/39.8/38.2 41.4/38.5/32.1	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4310/4504 (4359/4544, EX-L) 56/44 (55/45) 3500/4500 40.0 (39.3,EX-L) /39.8/38.2 41.4/38.5/32.1	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4407/4590 56/44 (54/46) 3500/4500 39.3/39.8/38.2 41.4/38.5/32.1
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight (lbs, 2WD/4WD) Weight Distribution (%, front/rear) 2WD (4WD) Towing Capacity* (lbs, 2WD/4WD) INTERIOR MEASUREMENTS Headroom (in, front/middle/rear) Legroom (in, front/middle/rear) Shoulder Room (in, front/middle/rear)	190.9 71.0 78.5 67.7/67.5 8.0 27.8/24.5 4319/4506 56/44 (55/45) 3500/4500 40.0/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4310/4504 (4359/4544, EX-L) 56/44 (55/45) 3500/4500 40.0 (39.3,EX-L) /39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4407/4590 56/44 (54/46) 3500/4500 39.3/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight (lbs, 2WD/4WD) Weight Distribution (%, front/rear) 2WD (4WD) Towing Capacity ⁴ (lbs, 2WD/4WD) INTERIOR MEASUREMENTS Headroom (in, front/middle/rear) Legroom (in, front/middle/rear) Shoulder Room (in, front/middle/rear) Hiproom (in, front/middle/rear)	190.9 71.0 78.5 67.7/67.5 8.0 27.8/24.5 4319/4506 56/44 (55/45) 3500/4500 40.0/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4310/4504 (4359/4544, EX-L) 56/44 (55/45) 3500/4500 40.0 (39.3,EX-L) /39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4407/4590 56/44 (54/46) 3500/4500 39.3/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight (lbs, 2WD/4WD) Weight Distribution (%, front/rear) 2WD (4WD) Towing Capacity* (lbs, 2WD/4WD) INTERIOR MEASUREMENTS Headroom (in, front/middle/rear) Shoulder Room (in, front/middle/rear) Hiproom (in, front/middle/rear) Hiproom (in, front/middle/rear) Cargo Volume (cu ft, behind 3rd-row)	190.9 71.0 78.5 67.7/67.5 8.0 27.8/24.5 4319/4506 56/44 (55/45) 3500/4500 40.0/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4310/4504 (4359/4544, EX-L) 56/44 (55/45) 3500/4500 40.0 (39.3,EX-L) /39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4407/4590 56/44 (54/46) 3500/4500 39.3/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight (lbs, 2WD/4WD) Weight Distribution (%, front/rear) 2WD (4WD) Towing Capacity ⁴ (lbs, 2WD/4WD) INTERIOR MEASUREMENTS Headroom (in, front/middle/rear) Legroom (in, front/middle/rear) Hiproom (in, front/middle/rear) Hiproom (in, front/middle/rear) Cargo Volume (cu ft, behind 3rd-row) Cargo Volume (cu ft, behind 2nd-row)	190.9 71.0 78.5 67.7/67.5 8.0 27.8/24.5 4319/4506 56/44 (55/45) 3500/4500 40.0/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4310/4504 (4359/4544, EX-L) 56/44 (55/45) 3500/4500 40.0 (39.3, EX-L) / 39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.8/56.9/48.4 18.0 47.7	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4407/4590 56/44 (54/46) 3500/4500 39.3/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight (lbs, 2WD/4WD) Weight Distribution (%, front/rear) 2WD (4WD) Towing Capacity* (lbs, 2WD/4WD) INTERIOR MEASUREMENTS Headroom (in, front/middle/rear) Legroom (in, front/middle/rear) Shoulder Room (in, front/middle/rear) Hiproom (in, front/middle/rear) Cargo Volume (cu ft, behind 3rd-row) Cargo Volume (cu ft, behind 1st-row)	190.9 71.0 78.5 67.7/67.5 8.0 27.8/24.5 4319/4506 56/44 (55/45) 3500/4500 40.0/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4310/4504 (4359/4544, EX-L) 56/44 (55/45) 3500/4500 40.0 (39.3,EX-L) /39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4407/4590 56/44 (54/46) 3500/4500 39.3/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight Distribution (%, front/rear) 2WD (4WD) Weight Distribution (%, front/rear) 2WD (4WD) Towing Capacity* (lbs, 2WD/4WD) INTERIOR MEASUREMENTS Headroom (in, front/middle/rear) Legroom (in, front/middle/rear) Shoulder Room (in, front/middle/rear) Hiproom (in, front/middle/rear) Cargo Volume (cu ft, behind 3rd-row) Cargo Volume (cu ft, behind 1st-row) Passenger Volume (cu ft)	190.9 71.0 78.5 67.7/67.5 8.0 27.8/24.5 4319/4506 56/44 (55/45) 3500/4500 40.0/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0 153.7	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4310/4504 (4359/4544, EX-L) 56/44 (55/45) 3500/4500 40.0 (39.3,EX-L) /39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0 153.7/152.7 (EX-L)	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4407/4590 56/44 (54/46) 3500/4500 39.3/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0 152.7
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight (lbs, 2WD/4WD) Weight Distribution (%, front/rear) 2WD (4WD) Towing Capacity ⁴ (lbs, 2WD/4WD) INTERIOR MEASUREMENTS Headroom (in, front/middle/rear) Legroom (in, front/middle/rear) Shoulder Room (in, front/middle/rear) Hiproom (in, front/middle/rear) Cargo Volume (cu ft, behind 3rd-row) Cargo Volume (cu ft, behind 3rd-row) Cargo Volume (cu ft, behind 3rd-row) Passenger Volume (cu ft) Passenger Volume (cu ft) Seating Capacity	190.9 71.0 78.5 67.7/67.5 8.0 27.8/24.5 4319/4506 56/44 (55/45) 3500/4500 40.0/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4310/4504 (4359/4544, EX-L) 56/44 (55/45) 3500/4500 40.0 (39.3,EX-L) /39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4407/4590 56/44 (54/46) 3500/4500 39.3/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight (lbs, 2WD/4WD) Weight Distribution (%, front/rear) 2WD (4WD) Towing Capacity ⁴ (lbs, 2WD/4WD) INTERIOR MEASUREMENTS Headroom (in, front/middle/rear) Legroom (in, front/middle/rear) Shoulder Room (in, front/middle/rear) Hiproom (in, front/middle/rear) Cargo Volume (cu ft, behind 3rd-row) Cargo Volume (cu ft, behind 3rd-row) Cargo Volume (cu ft, behind 3rd-row) Passenger Volume (cu ft) Seating Capacity EPA MILEAGE ESTIMATES ³ /CAPACITIES	190.9 71.0 78.5 67.7/67.5 8.0 27.8/24.5 4319/4506 56/44 (55/45) 3500/4500 40.0/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0 153.7 8	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4310/4504 (4359/4544, EX-L) 56/44 (55/45) 3500/4500 40.0 (39.3,EX-L) /39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0 153.7/152.7 (EX-L) 8	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4407/4590 56/44 (54/46) 3500/4500 39.3/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0 152.7 8
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight (lbs, 2WD/4WD) Weight Distribution (%, front/rear) 2WD (4WD) Towing Capacity ⁴ (lbs, 2WD/4WD) INTERIOR MEASUREMENTS Headroom (in, front/middle/rear) Legroom (in, front/middle/rear) Shoulder Room (in, front/middle/rear) Hiproom (in, front/middle/rear) Cargo Volume (cu ft, behind 3rd-row) Cargo Volume (cu ft, behind 1st-row) Passenger Volume (cu ft) Seating Capacity EPA MILEAGE ESTIMATES ³ /CAPACITIES 5-Speed Automatic (2WD; City/Highway/Combined)	190.9 71.0 78.5 67.7/67.5 8.0 27.8/24.5 4319/4506 56/44 (55/45) 3500/4500 40.0/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0 153.7 8 17/23/19	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4310/4504 (4359/4544, EX-L) 56/44 (55/45) 3500/4500 40.0 (39.3,EX-L)/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0 153.7/152.7 (EX-L) 8 17/23/19	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4407/4590 56/44 (54/46) 3500/4500 39.3/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0 152.7 8 17/23/19
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight (lbs, 2WD/4WD) Weight Distribution (%, front/rear) 2WD (4WD) Towing Capacity* (lbs, 2WD/4WD) INTERIOR MEASUREMENTS Headroom (in, front/middle/rear) Legroom (in, front/middle/rear) Shoulder Room (in, front/middle/rear) Hiproom (in, front/middle/rear) Cargo Volume (cu ft, behind 3rd-row) Cargo Volume (cu ft, behind 1st-row) Passenger Volume (cu ft) Seating Capacity EPA MILEAGE ESTIMATES ⁵ /CAPACITIES 5-Speed Automatic (2WD; City/Highway/Combined) 5-Speed Automatic (4WD; City/Highway/Combined)	190.9 71.0 78.5 67.7/67.5 8.0 27.8/24.5 4319/4506 56/44 (55/45) 3500/4500 40.0/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0 153.7 8 17/23/19 16/22/18	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4310/4504 (4359/4544, EX-L) 56/44 (55/45) 3500/4500 40.0 (39.3,EX-L) /39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0 153.7/152.7 (EX-L) 8 17/23/19 16/22/18	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4407/4590 56/44 (54/46) 3500/4500 39.3/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0 152.7 8 17/23/19 16/22/18
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight (lbs, 2WD/4WD) Weight Distribution (%, front/rear) 2WD (4WD) Towing Capacity* (lbs, 2WD/4WD) INTERIOR MEASUREMENTS Headroom (in, front/middle/rear) Legroom (in, front/middle/rear) Shoulder Room (in, front/middle/rear) Hiproom (in, front/middle/rear) Cargo Volume (cu ft, behind 3rd-row) Cargo Volume (cu ft, behind 1st-row) Passenger Volume (cu ft) Seating Capacity EPA MILEAGE ESTIMATES*/CAPACITIES 5-Speed Automatic (2WD; City/Highway/Combined)	190.9 71.0 78.5 67.7/67.5 8.0 27.8/24.5 4319/4506 56/44 (55/45) 3500/4500 40.0/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0 153.7 8 17/23/19	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4310/4504 (4359/4544, EX-L) 56/44 (55/45) 3500/4500 40.0 (39.3,EX-L)/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0 153.7/152.7 (EX-L) 8 17/23/19	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4407/4590 56/44 (54/46) 3500/4500 39.3/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0 152.7 8 17/23/19

*Does not apply to fluid and filter changes. May vary with driving conditions. Please see your Honda dealer for details.

CEATING			TOURING
SEATING	LX	EX/EX-L	TOURING
Driver's Seat with 10-Way Power Adjustment including Power Lumbar Support			with Memory
Passenger's Seat with 4-Way Power Adjustment		EX-L	•
Adjustable Seat Belt Anchors (front- and 2nd-row)	•	•	•
Leather-Trimmed Interior		EX-L	•
Heated Front Seats		EX-L	•
60/40 Split, Flat-Folding, Sliding and Reclining 2nd-Row Bench Seat	•	•	•
60/40 Split, Flat-Folding 3rd-Row Bench Seat	•	•	•
Head Restraints at All Seating Positions	•	•	•
AUDIO SYSTEMS			
AM/FM/CD Audio System with 7 Speakers, Including Subwoofer	•		
AM/FM/6-Disc In-Dash Audio System with 7 Speakers, Including Subwoofer		•	
512-Watt AM/FM/6-Disc In-Dash Premium Audio System with 10 Speakers, Including Subwoofer		EX-L with RES	•
XM® Radio ⁶		•	•
Radio Data System (RDS)	•	•	•
MP3/Windows Media® Audio ⁷ (WMA) Playback Capability	•	•	•
MP3/Auxiliary Input Jack	•	•	•
USB Audio Interface ⁸			•
Speed-Sensitive Volume Control (SVC)	•	•	•
INSTRUMENTATION			
Programmable Multi-Information Display			•
Programmable Multi-Information Display Maintenance Minder System	•	•	•
		•	
Digital Odometer and Digital Trip Meters (2)	•		•
Average Fuel Consumption Indicator	•	•	•
Instant Fuel Consumption Indicator	•	•	•
Miles-to-Empty Indicator	•	•	•
Exterior Temperature Indicator		•	•
Corner and Backup Sensor Indicator			•
Compass	•	•	•
Door- /Tailgate- /Glass Hatch-Open Indicator	•	•	•
SAFETY			
3-Point Seat Belts at All Seating Positions	•	•	•
Front 3-Point Seat Belts with Automatic Tensioning System	•	•	•
Driver's and Front Passenger's Seat Belt Reminder	•	•	•
Dual-Stage, Multiple-Threshold Front Airbags (SRS)	•	•	•
Front Side Airbags with Passenger-Side Occupant Position Detection System (OPDS)	•	•	•
Three-Row Side Curtain Airbags with Rollover Sensor	•	•	•
Driver's and Front Passenger's Active Head Restraints	•	•	•
Advanced Compatibility Engineering™ (ACE™) Body Structure	•	•	•
Vehicle Stability Assist™ (VSA®) with Traction Control	•	•	•
Anti-Lock Braking System (ABS)	•	•	•
Electronic Brake Distribution (EBD)	•	•	•
Brake Assist	•	•	•
Tire Pressure Monitoring System ⁹ (TPMS)	•	•	with Location and Pressure Indicators
Daytime Running Lights (DRL)	•	•	•
Side-Impact Door Beams	•	•	•
Lower Anchors and Tethers for CHildren (LATCH) (2nd-row, 3rd-row: passenger-side)	•	•	•
Child-Seat Tether Anchors (3rd-row)	•	•	•
Child-Proof Rear Door Locks	•	•	•
EXTERIOR FEATURES			
One-Touch Power Moonroof with Tilt Feature		EX-L	•
Tailgate with Lift-Up Glass Hatch	•	•	
Power Tailgate with Lift-Up Glass Hatch			•
Variable Intermittent Windshield Wipers	•	•	•
Intermittent Rear Window Wiper/Washer	•	•	•
Remote Entry	•	•	•
Security System		•	•
Body-Colored Power Side Mirrors	Black	Heated	Heated with Memory and
	Didok		Integrated Turn Indicators

EXTERIOR FEATURES (continued)	LX	EX/EX-L	TOURING
Body-Colored Door Handles	Black	•	•
Heat-Rejecting Green-Tinted Glass	•	•	•
Acoustic Windshield		EX-L	•
Rear Privacy Glass	•	•	•
Integrated Class III Trailer Hitch	•	•	•
Pre-Wired for Trailer Harness	•	•	Includes Trailer Harness
Roof Rails		•	•
Fog Lights		•	•
Body Side Molding	Black	Body-Colored	Chrome
Auto-On/Off Multi-Reflector Halogen Headlights	•	•	•
Body-Colored Parking Sensors (front/rear)			•
Chrome Exhaust Finishers		•	•
COMFORT & CONVENIENCE			
Front and Rear Air Conditioning with Air-Filtration System	•		
Tri-Zone Automatic Climate Control System with Humidity Control and Air-Filtration	-	•	•
Honda Satellite-Linked Navigation System™ with Voice Recognition,		•	<u> </u>
Off-Road Tracking and Rearview Camera			•
Bluetooth®2 HandsFreeLink®			•
Interface Dial with Scrolling and Multi-Line Display			•
Honda DVD Rear Entertainment System		Available (EX-L)	Available
Power Windows with Auto-Up/Down Driver's and Passenger's Window	•	Available (EX-L)	•
Power Door and Tailgate Locks	•	•	•
Cruise Control	•	•	•
Leather-Wrapped Steering Wheel	•	EX-L	•
HomeLink® Remote System ¹⁰		•	•
Illuminated Steering Wheel-Mounted Audio and Cruise Controls	Cruice Only	•	•
	Cruise Only	•	•
Steering Wheel-Mounted Navigation and Phone Controls	•	•	•
Multi-Functional Center Console Storage	•	• EX-L	•
Automatic Dimming Rearview Mirror Rearview Mirror with Rearview Camera Display		EX-L EX-L	•
Driver's and Front Passenger's Illuminated Vanity Mirrors		•	•
	•	• EX-L	•
Conversation Mirror with Sunglasses Holder	•	•	•
Tilt and Telescopic Steering Column		• 2/6/4	· · · · · · · · · · · · · · · · · · ·
Beverage Holders (# per row: front/2nd/3rd)	•	•	•
12-Volt Power Outlets (front-, 2nd-row and cargo area) 115-Volt Power Outlet (center console)	•		
	•	EX-L with RES	•
Upper and Lower Seatback Pockets (front-row)			
Map Lights (all rows)	•	•	•
Remote Fuel Filler Door Release	•	•	•
Integrated Sunshades (2nd-row)	Frank and Ord Dave	For set and Quel Dave	
Floor Mats	Front and 2nd-Row	Front and 2nd-Row	All Rows
Hidden Storage Well	•	•	•
Cargo Area Tie-Down Anchors (4 total)	•	•	•
Cargo Area Bag Hooks	•	•	•
Cargo Net			•

¹ The Handa Satellite-Linked Navigation System[®] is standard on Touring models in the United States, except Alaska. Please see your Honda dealer for details. ² The Bluetoath[®] word mark and logos are owned by the Bluetoath SIG, Inc., and any use of such marks by Honda Motor Co., Ltd., is under license. ³ ULEV-2 rated by the California Air Resources Board (CARB). ⁴Maximum towing capacity for 4WD models in 5,500 lbs. Premium unleaded fuel is recommended when towing above 3,500 lbs. Maximum towing capacity for 200B models. These see your Honda dealer for details. ⁵ Based on 2010 EPA mileage estimates, reflecting new EPA fuel corony methods beginning with 2008 models. Use for comparison purposes only. Do not compare to models of separately after 190-day trial period. Subscriptions of see your Honda dealer for details. See SM Customer Agreement available at xmradio. com/serviceterms. Other fees and taxes apply after trial period; see XM Customer Agreement for details. ⁶ Frequined XM Radio Inc. Sirius, XM and all related marks and logos are trademarks or subscriptions of the countries. ⁸ The UBB Audio Interface is used for direct connection to and control of some current digital audio players and other UBS devices with security of the 2009 Rive, the 2009 Giric Hybrid has a gues. Do not rely solely on the monitor system. Please see your Honda dealer for details. ⁹ For optimal tire wear and performance, tire pressure should be checked regularly with a gueg. Do not rely solely on the monitor system. Please see your Honda dealer for details. ¹⁰ Homelink had the Homelink house are registered trademarks of Johnson Controls⁸. ¹¹ Aelley Blue Book's Abz come Agreement, and derificits projected lises may not work. Please Bead dow of Kelley Blue Book is a registered trademarks of Johnson Controls⁸. ¹¹ Aelley Blue Book's Abz come Agreement, and derificits projected tis specific to the 2009 model year. Kelley Blue Book is a registered trademarks of Johnson Controls⁸. ¹¹ Aelley Blue Book Subscriptic

Every Honda is a smart value thanks to timeless design, great reliability and extended maintenance intervals.

Check out our Best Overall Brand Award and Best Resale Value Awards" from Kelley Blue Book's kbb.com,

Best Overall Value Awards from IntelliChoice^{®12} and – for our sixth year in a row – Industry Best Residual Value Award from *Automotive Lease Guide*.¹³





Want your own look? Ask your dealer about Honda Genuine Accessories.

Some accessories include running boards, crossbars, front and rear aluminum under trim and back-up sensors. They're designed, engineered and tested to meet the same exacting standards as your new vehicle – a high-quality way to make your new Honda one of a kind.





Your dealer's team of trained technicians is ready to help keep your Honda in superb shape. All 2010 Honda vehicles – and any Honda Genuine Accessories installed at the time of vehicle purchase – are covered by the 3-year/36,000-mile New-Vehicle Limited Warranty.¹⁴ Plus, Honda cars and trucks are covered by a 5-year/60,000mile Limited Powertrain Warranty, too.¹⁴ For more information or assistance, see your Honda dealer or please give us a call at 1-800-33-Honda.

HONDA

Financial Services

Whether you buy or lease a Honda vehicle, Honda Financial Services can assist you with the process. Please ask your dealer which lease or purchase plan best suits your needs.

Care

Honda Care[®] is an affordable, comprehensive vehicle and travel protection plan backed by Honda reliability, service and parts. Please see your Honda dealer for details.



Visit us at automobiles.honda.com Get the latest photos, MSRPs, specs and more. You can "build" your own Honda, accessorize it – even ask for a dealer price quote, apply for financing and check dealer inventories online.