2008 FCX Clarity Specifications

Drive-by-Wire™ Throttle System	Standard
Shift-by-Wire Gear Selector	Standard
Front-Wheel Drive	Standard
CARB Emissions Rating	ZEV
/ Flow Fuel Cell Stack	
Proton Exchange Membrane Fuel Cell (PEMFC)	Standard
Power Output	100kW
Size (liters)	57
Weight (Ibs)	148
Electric Power Storage	
Lithium-Ion Battery	Standard
Output (Volts)	288
Electric Motor	
AC Synchronous Permanent-Magnet Electric Motor	Standard
Horsepower (SAE net)	134
Torque (Ib-ft @ rpm)	189 @ 0 - 3,056
Power Output	100kW
Body/Suspension/Chassis	
Double Wishbone Front Suspension	Standard
Independent Multi-Link Rear Suspension	Standard
Stabilizer Bar (mm, front/rear)	28.6 / 14.0
Electric Power-Assisted Rack-and-Pinion Steering (EPS)	Standard
Steering Wheel Turns, Lock-to-Lock	3.34
Steering Ratio	16.1 :1
Turning Diameter, Curb-to-Curb (ft)	35.4
Power-Assisted Ventilated Front Disc/Solid Rear Disc Brakes (front/rear)	Standard
Wheels	16" Aluminum Alloy/Resin Aerodynamic Wheels
All-Season Tires	215/60 R16 95H
Exterior Measurements	
Wheelbase (in.)	110.2
Length (in.)	190.3
Height (in.)	57.8
Width (in.)	72.7
	62.2 / 62.8
Curb Weight (lbs.)	3582
Curb Weight (Ibs.) Weight Distribution (%, front/rear)	3582 53/47
Curb Weight (Ibs.) Weight Distribution (%, front/rear) nterior Measurements	53/47
Curb Weight (Ibs.) Weight Distribution (%, front/rear) nterior Measurements Headroom (in, front/rear)	53/47 38.6 / 37.1
Curb Weight (Ibs.) Weight Distribution (%, front/rear) nterior Measurements Headroom (in, front/rear) Legroom (in, front/rear)	53/47 38.6 / 37.1 41.9 / 37.9
Curb Weight (Ibs.) Weight Distribution (%, front/rear) nterior Measurements Headroom (in, front/rear) Legroom (in, front/rear) Shoulder Room (in, front/rear)	53/47 38.6 / 37.1 41.9 / 37.9 58.8 / 56.2
Curb Weight (lbs.) Weight Distribution (%, front/rear) nterior Measurements Headroom (in, front/rear) Legroom (in, front/rear) Shoulder Room (in, front/rear) Hiproom (in, front/rear)	53/47 38.6 / 37.1 41.9 / 37.9
Curb Weight (lbs.) Weight Distribution (%, front/rear) nterior Measurements Headroom (in, front/rear) Legroom (in, front/rear) Shoulder Room (in, front/rear) Hiproom (in, front/rear) Cargo Volume (cu. ft.)	53/47 38.6 / 37.1 41.9 / 37.9 58.8 / 56.2 57.5 / 54.6
Track (in., front/rear) Curb Weight (lbs.) Weight Distribution (%, front/rear) nterior Measurements Headroom (in, front/rear) Legroom (in, front/rear) Shoulder Room (in, front/rear) Hiproom (in, front/rear) Cargo Volume (cu. ft.) Passenger Volume (cu. ft.) Seating Capacity	53/47 38.6 / 37.1 41.9 / 37.9 58.8 / 56.2 57.5 / 54.6 13.1 (includes storage well)
Curb Weight (lbs.) Weight Distribution (%, front/rear) nterior Measurements Headroom (in, front/rear) Legroom (in, front/rear) Shoulder Room (in, front/rear) Hiproom (in, front/rear) Cargo Volume (cu. ft.) Passenger Volume (cu. ft.) Seating Capacity	53/47 38.6 / 37.1 41.9 / 37.9 58.8 / 56.2 57.5 / 54.6 13.1 (includes storage well) 100.8
Curb Weight (lbs.) Weight Distribution (%, front/rear) nterior Measurements Headroom (in, front/rear) Legroom (in, front/rear) Shoulder Room (in, front/rear) Hiproom (in, front/rear) Cargo Volume (cu. ft.) Passenger Volume (cu. ft.) Seating Capacity EPA Mileage Estimates */Capacities *	53/47 38.6 / 37.1 41.9 / 37.9 58.8 / 56.2 57.5 / 54.6 13.1 (includes storage well) 100.8
Curb Weight (lbs.) Weight Distribution (%, front/rear) nterior Measurements Headroom (in, front/rear) Legroom (in, front/rear) Shoulder Room (in, front/rear) Hiproom (in, front/rear) Cargo Volume (cu. ft.) Passenger Volume (cu. ft.) Seating Capacity EPA Mileage Estimates */Capacities *	53/47 38.6 / 37.1 41.9 / 37.9 58.8 / 56.2 57.5 / 54.6 13.1 (includes storage well) 100.8 4
Curb Weight (lbs.) Weight Distribution (%, front/rear) nterior Measurements Headroom (in, front/rear) Legroom (in, front/rear) Shoulder Room (in, front/rear) Hiproom (in, front/rear) Cargo Volume (cu. ft.) Passenger Volume (cu. ft.) Seating Capacity EPA Mileage Estimates [*] /Capacities [*] City/Highway/Combined Driving Range	53/47 38.6 / 37.1 41.9 / 37.9 58.8 / 56.2 57.5 / 54.6 13.1 (includes storage well) 100.8 4 77 / 67 / 72
Curb Weight (lbs.) Weight Distribution (%, front/rear) nterior Measurements Headroom (in, front/rear) Legroom (in, front/rear) Shoulder Room (in, front/rear) Hiproom (in, front/rear) Cargo Volume (cu. ft.) Passenger Volume (cu. ft.) Seating Capacity EPA Mileage Estimates [*] /Capacities [*] City/Highway/Combined Driving Range Fuel Capacity / Tank Pressure	53/47 38.6 / 37.1 41.9 / 37.9 58.8 / 56.2 57.5 / 54.6 13.1 (includes storage well) 100.8 4 77 / 67 / 72 280
Curb Weight (lbs.) Weight Distribution (%, front/rear) nterior Measurements Headroom (in, front/rear) Legroom (in, front/rear) Shoulder Room (in, front/rear) Hiproom (in, front/rear) Cargo Volume (cu. ft.) Passenger Volume (cu. ft.) Seating Capacity EPA Mileage Estimates*/Capacities * City/Highway/Combined Driving Range Fuel Capacity / Tank Pressure Required Fuel	53/47 38.6 / 37.1 41.9 / 37.9 58.8 / 56.2 57.5 / 54.6 13.1 (includes storage well) 100.8 4 77 / 67 / 72 280 4.1 kg @ 5000psi
Curb Weight (lbs.) Weight Distribution (%, front/rear) nterior Measurements Headroom (in, front/rear) Legroom (in, front/rear) Shoulder Room (in, front/rear) Hiproom (in, front/rear) Cargo Volume (cu. ft.) Passenger Volume (cu. ft.)	53/47 38.6 / 37.1 41.9 / 37.9 58.8 / 56.2 57.5 / 54.6 13.1 (includes storage well) 100.8 4 77 / 67 / 72 280 4.1 kg @ 5000psi

Driver's and Front Passenger's Seat Belt Reminder	Standard
Dual-Stage, Dual-Threshold Front Airbags (SRS)	Standard
Front Side Airbags with Passenger-Side Occupant Position Detection System (OPDS)	Standard
Side Curtain Airbags	Standard
Driver's and Front Passenger's Active Head Restraints	Standard
Vehicle Stability Assist™ (VSA®) with Traction Control	Standard
Collision Mitigation Braking System™ (CMBS™)	Standard
Anti-Lock Braking System (ABS)	Standard
Electronic Brake Distribution (EBD)	Standard
Brake Assist	Standard
Tire Pressure Monitoring System (TPMS)	Standard
Daytime Running Lights (DRL)	Standard
Side-Impact Door Beams	Standard
Outboard Lower Anchors and Tethers for Children (LATCH)	Standard
Child-Proof Rear Door Locks	Standard
Emergency Trunk Release	Standard
Exterior Features	
Roof-Mounted Antenna	Standard
Aluminum Alloy/Resin Aerodynamic Wheels	Standard
Security System	Standard
Remote Entry System with Trunk Rlease	Standard
Variable Intermittent Windshield Wipers	Standard
Body-Colored Power Side Mirrors	Standard
Satin-Finish Door Handles	Standard
High-Intensity Discharge (HID) Headlights	Standard
Combination LED Brakelights	Standard
Aluminum Hood/Trunk/Fenders/Doors	Standard
Comfort & Convenience	
Dual-Zone Automatic Climate Control System	Standard
Honda Satellite-Linked Navigation System [™] with Voice	
Recognition and Rearview Camera	Standard
Bluetooth® HandsFreeLink®	Standard
Interface Dial with Scrolling and Multi-Line Display	Standard
Vehicle Start Button	Standard
Adaptive Cruise Control (ACC) HomeLink® Remote System	Standard Standard
Power Windows with Auto-Up/Down Driver's and Front	
Passenger's Windows	Standard
Illuminated Power Window Switches	Standard
Power Windows with Auto-Up/Down Driver's and Front Passenger's Windows	Standard
Power Door Locks	Standard
Illuminated Steering Wheel-Mounted Audio and Cruise Controls	Standard
Steering Wheel-Mounted Navigation and Phone Controls	Standard
Tilt and Telescopic Steering Column	Standard
Beverage Holders, Front and Rear	Standard
Front Passenger's Illuminated Vanity Mirror	Standard
Blue Ambient Console Lighting	Standard
Map Lights	Standard
Sunglasses Holder 12-Volt Power Outlet	Standard Standard
12-Volt Power Outlet Lockable Glove Compartment with Light	Standard Standard
Driver- and Passenger-Side Seatback Pockets	Standard
Remote Trunk Release	Standard
Remote Fuel Filler Door Release	Standard
Rear Window Defroster	Standard
Cargo Area Light	Standard
Floor Mats	Standard
Side Door Pockets	Standard
Seating	
Honda Bio-Fabric-Trimmed Interior	Standard
Honda Bio-Fabric-Trimmed Interior Heated and Cooled Front Seats	Standard Standard

AM/FM/CD Audio System with 6 Speakers	Standard
/P3/Windows Media® Audio (WMA) Playback Capability	Standard
XM® Radio	Standard
USB Audio Interface	Standard
nstrumentation	
Maintenance Minder™ System	Standard
Digital Odometer and Digital Trip Meters (2)	Standard
Door/Trunk-Open Indicators	Standard
Exterior Temperature Indicator	Standard
Instantaneous Hydrogen Consumption Meter	3-D Sphere
Hydrogen Fuel-Level Indicator	Standard
Low Fuel Indicator	Standard
	a
Lithium-lon Battery Charge and Assist Indicators	Standard

* Based on official EPA estimated range and fuel efficiency values for the 2008 FCX Clarity. Use for comparison purposes only. Actual mileage will vary.