
































































 = STANDARD  = OPTIONAL  = NOT APPLICABLE

[Collapse All](#)

	LX I4	LX V6 & EX V6
ENGINE & TRANSMISSION		
Engine Type: 4-Cylinder, iron Block & Aluminum Heads		
Engine Type: 6-Cylinder, iron Block & Aluminum Heads		
Valve Gear: DOHC w/CVVT		
Valve Gear: DOHC		
Displacement: 1975 cc		
Displacement: 2656 cc		
Compression Ratio: 10.1 :1		
Compression Ratio: 10.0 :1		
Horsepower (SAE net): 138.5 hp @ 6,000 rpm		
Horsepower (SAE net): 173 hp @ 6,000 rpm		
Torque (SAE net): 135.7 ft. lbs. @ 4,500 rpm		
Torque (SAE net): 178 ft. lbs. @ 4,000 rpm		
Transmission: 4WD 5-Speed Manual, Overdrive		
Transmission: 2WD 4-Speed Electronically controlled Sportmatic® , Overdrive		
Transmission: 4WD Full-Time, Electronic-Control Opt. Demand		
EPA FUEL ECONOMY		
Estimated MPG (City/Hwy) (5-Speed Manual 4WD)	19/24	
Estimated MPG (City/Hwy) (4-Speed Automatic 2WD)	20/30	18/23
Estimated MPG (City/Hwy) (4-Speed Automatic 4WD)		18/23
Fuel Tank Capacity (Gallons)	15.3	17.2
EXTERIOR DIMENSIONS		
Wheelbase: 103.5 in.		
Track: 60.6 in.		
Length: 171.3 in.		
Width: 70.9 in.		
Height: 66.7 in.		
Ground Clearance: 7.7 in.		
Approach Angle: 29.5 degrees		
Departure Angle: 28.7 degrees		
INTERIOR DIMENSIONS		
Headroom (Front/Rear): 40.7/39.4 inches		
Shoulder Room (Front/Rear): 56.7/56.3 inches		
Legroom (Front/Rear): 42.1/37.2 inches		
Hip Room (Front/Rear): 54.6/54.6 inches		
Passenger Volume: 103.9 cu. ft.		
Cargo Volume (Rear Seat Up): 23.6 cu. ft.		
Cargo Volume (Rear Seat Down): 66.6 cu. ft.		
CURB WEIGHT		
5-Speed Manual 4WD	3,411 LBS	

4-Speed Automatic 2WD	3,254 LBS	3,351 LBS
4-Speed Automatic 4WD	-	3,527 LBS
CAPACITIES		
Towing Capacity (2WD & 4WD)	-	2,000 LBS
BODY & CHASSIS		
Layout: Front Engine, 2WD or 4WD	S	S
Body Type: Steel Unibody	S	S
Front Suspension: MacPherson Struts, Coil Springs	S	S
Rear Suspension: DualLink w/Struts	S	S
Steering Type: Rack-and-Pinion, Power Assisted	S	S
Turning Circle, Curb-to-Curb: 35.4 ft. (16 in. Wheels)	S	S
Turning Circle, Curb-to-Curb: 36.7 ft. (17 in. Wheels)	-	D
BRAKES		
Type: Dual Diagonal, Split-Circuit, Power-Assisted Braking System	S	S
Front: 15.0" Vented Discs	S	S
Rear 2WD: 14.0" Solid Discs	S	S
Rear 4WD: 15.0" Solid Discs	S	S
TIRES		
Size: 215/65R16 (4)	S	-
Size: 235/60R16 (EX)	-	S
Size: 235/65R17 (EXV)	-	S



2010 Kia Sportage SPECIFICATIONS

DISCLAIMER

Kia Motors America reserves the right to make changes at any time without notice, and without incurring any obligations as to colors, materials, specifications, features, options, accessories, and packages. Some vehicles shown may include optional equipment. Kia Motors America, by the publications and dissemination of this web site, does not create any warranties, express or implied, to any Kia product. See dealer for details.