

Specifications - Nissan Altima

MECHANICAL					
	2.5 BASE ¹	2.5 S	3.5 SE	3.5 SL	HYBRID ²
Engine					
QR25DE — 2.5-liter DOHC 16-valve 4-cylinder Horsepower — 175 hp ³ @ 5,600 rpm			0	0	0
Torque — 180 lb-ft ³ @ 3,900 rpm	•	•	0	o o	0
Emissions — Tier 2, Bin 5 (LEV2-SULEV in CA)	•	•	0	0	0
VQ35DE — 3.5-liter DOHC 24-valve V6 Horsepower — 270 hp @ 6,000 rpm Torque — 258 lb-ft @ 4,400 rpm	0	0	•	•	0
Emissions — Tier 2, Bin 5	0	0	•	•	0
Continuously Variable Valve Timing Control System (CVTCS)	•	•	•	•	0
Variable induction system	•	•	•	•	0
Nissan Direct Ignition System	•	•	•	•	0
Iridium-tipped spark plugs	•	•	•	•	0
Electronic drive-by-wire throttle	•	•	•	•	0
Engine Balancer System	•	•	0	0	0
Hybrid System					
Hybrid System Net Power — 198 hp (148 kW)	0	0	0	0	•
Gasoline engine QR25DE — 2.5-liter DOHC 16-valve 4-cylinder Horsepower — 158 hp @ 5,200 — 6,000 rpm Torque — 162 lb-ft @ 2,800 — 4,800 rpm	0	0	0	0	•
Continuously Variable Valve Timing Control System (CVTCS)	0	0	0	0	•
Variable induction system	0	0	0	0	•
Nissan Direct Ignition System	0	0	0	0	•
Iridium-tipped spark plugs	0	0	0	0	•
Electronic drive-by-wire throttle	0	0	0	0	•
Engine Balancer System	0	0	0	0	•
Electric motor Permanent magnet AC synchronous electric motor 199 lb-ft @ $0-1,500$ rpm (105 kW @ $4,500$ rpm) Voltage -650 V maximum	0	0	0	0	•
Battery Sealed Nickel-Metal Hydride (Ni-MH) Battery — 40 hp (30 kW) Voltage 244.8 V	0	0	0	0	•
Emissions — Advanced Technology Partial Zero Emission Vehicle (AT-PZEV)	0	0	0	0	•
Drivetrain					
Front engine/front-wheel drive	•	•	•	•	•
6-speed manual transmission	•	•	•	0	0
$\textbf{Xtronic CVT}^{\text{\tiny{TM}}} \text{ (Continuously Variable Transmission) with manual mode}$	0	♀ [SL]	•	•	0
Electronically controlled Continuously Variable Transmission (eCVT)	0	0	0	0	•

EXTERI	OR					
		2.5 BASE ¹	2.5 S	3.5 SE	3.5 SL	HYBRID ²
	s and Tires	_	_	_	_	_
	0" Steel wheels with bolt-on wheel covers	•	•	0	0	0
	0" Six-spoke aluminum-alloy wheels	0	[CPSL]	0	•	•
17" x 7.	5" Five-spoke aluminum-alloy wheels	0	0	•	0	0
P215/60	TR16 All-season tires	•	•	0	•	•
P215/55	VR17 All-season tires	0	0	•	0	0
Full-size	spare ⁴	0	0	[V]	[V]	0
Styling	9					
Automat	cic on/off headlights	0	[CCPSL]	•	•	[CCT]
High Int	ensity Discharge (HID) xenon headlights	0	0	[PT]	•	0
Fog light	ts	0	AC ⁵	[SPT]	•	0
Rear spo	piler	0	AC ⁵	[SPT]	AC ⁵	[CCT]
Dual exh	naust outlets with chrome tip finishers	•	•	•	•	•
Splash g	juards	0	⊖	⊖	⊖	•
Dual boo	dy-color power outside mirrors	•	•	•	•	•
Folding	outside mirrors with turn signal indicators	0	0	•	•	[CT]
Heated o	outside mirrors with timer	0	0	•	•	[CT]
Power sl	iding glass moonroof with tilt feature	0	[CPSL]	[SPT]	•	[M]
UV-redu	cing solar glass	•	•	•	•	•
		•	•	•	•	•
LEGEND						
[AC ⁵]	Accessory - Required with Technology Package.					
[CPSL]	Part of Convenience Plus Package or 2.5 SL Package					
[SPT]	Part of Sport or Premium or Technology Packages					
[PT]	Part of Premium or Technology Packages					
[CCT]	Part of Convenience or Connection or Technology Packages					
[CT] [M]	Part of Connection Package or Technology Package Part of Hybrid Moonroof Option					
[V]	Part of VDC and Full-size Spare Option					
	<u> </u>					
INTERI	OR					
		2.5 BASE ¹	2.5 S	3.5 SE	3.5 SL	HYBRID ²
Conve	nience					
	nt Key with Push Button Ignition					•
_	lavigation System with DVD atlas, 6.5" touch-screen monitor, and	~				
voice red	cognition	0	[T]	[T]	[T]	[T]
Energy f	low monitor and energy/fuel history monitor	0	0	0	0	[T]
XM® Na	vTraffic $ m e$ — includes activation and 3 months of service $^{ m 6}$	0	[T]	[T]	[T]	[T]
Bluetoot	h® Hands-Free Phone System	0	[CO]	[PT]	•	[CT]
HomeLir	nk® Universal Transceiver	0	[SL]	[PT]	•	[CT]
RearViev	w Monitor	0	[T]	[T]	[T]	[T]
Air cond	itioning with in-cabin microfilter	0	•	•	0	0

Dual Zone Automatic Temperature Control (ATC) with in-cabin microfilter	0	[SL]	[PT]	•	•
Rear Passenger air conditioning vents	0	[SL]	[PT]	•	[CT]
Power windows with one-touch driver-side auto-up/down with auto-reverse	•	•	•	•	•
Passenger-side front-window one-touch auto-up/down with auto-reverse	0	[CCPSL]	•	•	[CCT]
Key-operated windows up/down	0	[CCPSL]	•	•	[CCT]
Remote keyless front windows down	0	[CCPSL]	•	•	[CCT]
Power door locks	•	•	•	•	•
Remote keyless entry with trunk release	•	•	•	•	•
Cruise control with illuminated steering wheel-mounted controls	•	•	•	•	•
Fine Vision electroluminescent gauges	•	•	•	•	•
Multi-functional trip computer	0	•	•	•	•
Tilt and telescoping steering column	•	•	•	•	•
Vehicle speed-sensitive variable intermittent windshield wipers	•	•	•	•	•
Dual visor vanity mirrors	•	•	0	0	•
Dual illuminated visor vanity mirrors with sun visor extenders	0	[CCPSL]	•	•	[CCT]
Digital clock (in radio)	0	•	•	•	•
Auto-dimming inside rearview mirror with compass	0	[SL]	[PT]	•	[CT]
9 Beverage holders (8 with manual transmission)	•	•	•	•	•
Illuminated center console	0	[SL]	[PT]	•	[CT]
Map lights and rear reading lights	•	•	•	•	•
Lockable glove box with light	•	•	•	•	•
Overhead sunglasses holder	•	•	•	•	•
Driver and passenger seatback pocket	0	•	•	•	•
Height-adjustable 3-point front seat belts	•	•	•	•	•
12-volt DC power outlets (2)	•	•	•	•	•
Retained accessory power and battery saver	•	•	•	•	•
Seating and Appointments					
6-way manual adjustable driver's seat	•	•	0	0	•
8-way power adjustable driver's seat	0	[CCPSL]	•	•	[CCT]
Driver's power adjustable lumbar support	0	[SL]	[PT]	•	[CT]
Velour cloth seats	•	•	•	0	•
Leather-appointed seats and door trim	0	[SL]	[PT]	•	[CT]
Heated front seats	0	[SL]	[PT]	•	[CT]
Leather-wrapped steering wheel	0	[CCPSL]	•	•	[CCT]
Leather-wrapped shift knob	0	[SL]	[PT]	•	[CT]
Wood-tone trim (Blond only)	0	[CCPSL]	•	•	[CCT]
Metallic trim (Frost and Charcoal cloth interior only)	•	•	•	0	•
Patterned metallic trim (Frost and Charcoal leather interior only)	0	[SL]	[PT]	•	[CT]
60/40—split fold-down rear seatbacks (lock N/A on 2.5 Base)	•	•	•	•	•
Front sliding armrest	•	•	•	•	•
Rear center armrest	•	•	•	•	•
Carpeted trunk lid trim	0	•	•	•	•
Trunk side cargo net	0	[CCPSL]	•	•	[CCT]
	_	2 - 2	_	_	

LEGEND

[SL] Part of 2.5 SL Package

[T] Part of Technology Package

[CT] Part of Connection Package or Technology Package

[CCT] Part of Convenience or Connection or Technology Packages

[PT] Part of Premium or Technology Packages

[CCPSL] Part of Convenience Plus Package or 2.5 SL Package

AUDIO

	2.5 BASE ¹	2.5 S	3.5 SE	3.5 SL	HYBRID ²
Audio system pre-wiring	•	0	0	0	0
AM/FM/CD audio system	0	•	•	0	•
Digital Bose® audio system with AM/FM/in-dash 6-CD changer	0	[CO]	[PT]	•	[CT]
Illuminated steering wheel-mounted audio controls	0	[CCPSL]	•	•	[CCT]
6 speakers	0	•	•	0	•
9 speakers	0	[CO]	[PT]	•	[CT]
Radio Data System (RDS)	0	[CO]	[PT]	•	[CT]
Speed-compensating volume	0	[CO]	[PT]	•	[CT]
Auxiliary audio input	0	•	•	•	•
MP3/WMA CD playback capability	0	[CO]	[PT]	•	[CT]
XM® Satellite Radio ⁶	0	[CO]	[PT]	•	[T]

LEGEND

[CO] Part of Connection Package

[PT] Part of Premium or Technology Packages

[CCT] Part of Convenience or Connection or Technology Packages

[CT] Part of Connection Package or Technology Package

[CCPSL] Part of Convenience Plus Package or 2.5 SL Package

SAFETY

	2.5 BASE ¹	2.5 S	3.5 SE	3.5 SL	HYBRID ²
Nissan Advanced Air Bag System with dual-stage supplemental front air bags with seat-belt sensor and occupant-classification sensor	•	•	•	•	•
Driver and front-passenger seat-mounted side-impact supplemental air bags	•	•	•	•	•
Roof-mounted curtain side-impact supplemental air bags for front- and rear- seat outboard occupant head protection	•	•	•	•	•
Traction Control System (TCS)	0	0	•	•	•
Vehicle Dynamic Control (VDC) ³	0	0	[V]	[V]	•
3-point ALR/ELR seat belt system	•	•	•	•	•
Front-seat Active Head Restraints	•	•	•	•	•
Front seat belts with pretensioners and load limiters	•	•	•	•	•
LATCH System (Lower Anchors and Tethers for CHildren)	•	•	•	•	•
Zone Body construction with front and rear crumple zones	•	•	•	•	•
Hood buckling creases and safety stops	•	•	•	•	•
Pipe-style steel side-door guard beams	•	•	•	•	•
Energy-absorbing steering column	•	•	•	•	•
Tire Pressure Monitoring System (TPMS)	•	•	•	•	•

LEGEND

[V] Part of VDC and Full-size S	pare Option
---------------------------------	-------------

	2.5 BASE	1 2.5 S	3.5 SE	3.5 SL	HYBRID
Nissan Vehicle Immobilizer System	•	•	•	•	•
Vehicle Security system	•	•	•	•	•
CURB WEIGHTS					
CURB WEIGHTS (LBS)	2.5 BASE	¹ 2.5 S	3.5 SE	3.5 SL	HYBRID
Manual transmission	3,112	3,145	3,292	N/A	N/A
Xtronic CVT	N/A	3,189	3,358	3,417	N/A
eCVT	N/A	N/A	N/A	3,479	N/A
FUEL ECONOMY					
2008 EPA FUEL ECONOMY ESTIMATES	2.5 BASE ¹	2.5 S	3.5 SE	3.5 SL	HYBRID ²
Manual transmission (city/hwy)	23/32	23/32	19/27	N/A	N/A
Automatic transmission (city/hwy)	N/A	23/31	19/26	19/26	N/A
Electronically controlled Continuously Variable Transmission (eCVT) (city/hwy)	N/A	N/A	N/A	N/A	35/33
For model-year 2008, the EPA has revised the way the estimated fuel e the fuel economy label attached to the vehicle for more current informa		termined. P	lease refer t	o your Niss	an dealer o
CAPACITIES					
Interior passenger volume (cu. ft.)					100.7
Altima Cargo capacity (cu. ft.) Cargo capacity (cu. ft.) with full-size spare					15.3 13.1
Altima Hybrid Cargo capacity (cu. ft.)					10.1
Fuel Tank (gals.)					20.0
DIMENSIONS					
Exterior (inches)					
Wheelbase					109.3
Overall length					189.8
Overall width					70.7
Overall height					57.9
Overall height (Hybrid)					58.1
Track width (front/rear)				6	1.0/60.8
Interior (inches)					
Head room (front/rear) without sunroof				40	0.6/36.8
Leg room (front/rear)				4	4.1/35.8
Hip room (front/rear)				50	6.8/52.5
Shoulder room (front/rear)				5	5.7/55.5
Legend					
Standard on this model Not Available on this model					
- Samuel on this model					

Every Nissan is backed by a 36-month/36,000-mile limited vehicle coverage and a 5-year/60,000-mile limited powertrain coverage. (For complete information, see your Nissan dealer and read the actual limited warranty.) For extra protection, you can also add Security+Plus®, the only extended service agreement approved by Nissan.

1 Customer order only. 2 Altima Hybrid is available in California, New York, Massachusetts, Connecticut, Vermont, Rhode Island, Maine and New Jersey. Service of hybrid components outside those states is limited and could involve some days delay. 3 CAL emissions (PZEV) equipment causes normal reductions in horsepower (from 175 hp to 170 hp) and torque (from 180 lb-ft to 175 lb-ft). PZEV vehicles are available in California and some northeastern states. 4 VDC and full-size spare option requires Premium Package on 3.5 SE and Technology Package on 3.5 SL. 5 Requires with Technology Package. 6 Required XM radio and XM NavTraffic monthly subscriptions sold separately after trial period. Installation costs and other fees and taxes may apply, including a one-time activation fee. XM NavTraffic only available in select markets. Subscription fee is consumer only. All fees and programming subject to change. Subscriptions subject to Customer Agreement available at xmradio.com. XM service only available in the 48 contiguous United States and Canada. The XM name and XM NavTraffic are registered trademarks of XM Satellite Radio Inc.

Nissan North America, Inc. reserves the right to make changes at any time, without prior notice, in prices, colors, materials, equipment, specifications, and models and to discontinue models or equipment. Specifications, options and accessories may differ

® HomeLink is a registered trademark of Johnson Controls Technology Company. ® The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc., and any use of such marks by Nissan is under license. ® Bose is a registered trademark of The Bose Corporation. ® XM and NavTraffic are registered trademarks of XM Satellite Radio Inc.

