

Specifications - Nissan cube®

MECHANICAL	_	_	_
	1.8	1.8 S	1.8 SI
Engine			
MR18DE – 1.8-liter DOHC 16-valve 4-cylinder engine Horsepower – 122 hp @ 5,200 rpm Torque – 127 lb-ft @ 4,800 rpm	•	٠	٠
Emissions – Tier 2 Bin 5, LEV2-LEV	•	•	•
Continuously Variable Valve Timing Control System (CVTCS) on intake valves	•	•	•
Nissan Direct Ignition System	•	٠	•
Iridium-tipped spark plugs	•	•	•
Electronic drive-by-wire throttle	•	•	•
Drivetrain			
Front engine/Front-Wheel Drive	•	•	•
6-speed manual transmission	•	•	Ø
Xtronic CVT® (Continuously Variable Transmission)	0	•	•
Active Brake Limited Slip (ABLS)	•	•	•
Brakes			
Power-assisted 11.02" vented front disc/rear drum brakes	•	•	•
Anti-lock Braking System (ABS)		•	•
Electronic Brake force Distribution (EBD)	•	•	•
Brake Assist			
	-	-	-
Suspension and Steering			
Front: Independent strut with stabilizer bar	•	•	•
Rear: Torsion beam with integrated rear stabilizer bar	•	•	•
Ripple-control strut/shock absorbers	•	•	•
Vehicle-speed-sensitive electric power steering	•	•	•

EXTERIOR			
	1.8	1.8 S	1.8 SL
Wheels and Tires			
15" x 6.0" Steel wheels with bolt-on wheel covers	•	•	Ø
16" x 6.0" 8-spoke aluminum-alloy wheels	Ø	0	•
16" x 6.0" Krōm-exclusive aluminum-alloy wheels	Ø	K	EEDBAR
16" x 6.0" 8 split-spoke aluminum-alloy wheels (gunmetal or silver finish)	Ø	0	AC

P195/60HR15 Toyo™ A20 all-season tires	•	•	0
P195/55VR16 Toyo™ A20 all-season tires	Ø	К	•
Styling/Functionality			
Fog lights	0	Ø	Р
Automatic on/off headlights	Ø	К	•
Hood molding accent	0	G	G
Custom front grille	Ø	G	G
Chrome front fascia accent	Ø	G	G
Aero kit - front chin spoiler, body side sills, rear underbody spoiler and rear roof spoiler	Ō	AG	AG
Krōm-exclusive integrated body design – front fascia and grille, body side sills and rear fascia	0	К	0
Krōm rear roof spoiler	0	K	0
Splash guards	AC	AC	AC
Black power outside mirrors	•	Ø	Ø
Body-color power outside mirrors	Ø	•	•
Privacy glass	•	•	•

LEGEND

AC	Accessory
G	Part of Ginormous Package
AG	Part of Aero Kit Option or Ginormous Package
Р	Part of 1.8 SL Preferred Package

INTERIOR

	1.8	1.8 S	1.8 SL
Convenience			
Nissan Intelligent Key® with Push Button Ignition	Q	К	Р
Bluetooth® Hands-free Phone System	Ø	•	•
RearView Monitor [1]	Ø	К	Р
Air conditioning with in-cabin microfilter	•	•	0
Automatic Temperature Control (ATC) with in-cabin microfilter and outside temperature display	Ø	К	•
Rear floor vents	Ø	К	٠
Power windows with driver's window one-touch auto-up/down with auto-reverse feature	•	•	•
Power door locks with auto-locking feature	•	•	•
Integrated Key with remote keyless entry	•	•	•
Cruise control with steering-wheel-mounted controls	Ø	•	•
Fine Vision electroluminescent gauges	•	•	•
Multi-functional trip computer	٠	٠	٠
Tilt steering column	•	•	•
Adjustable front seat belt upper anchors	•	•	•
Variable intermittent windshield wipers	•	•	•
Intermittent rear window wiper	•	•	•
Rear window defroster	•	•	•
Visor vanity mirrors	Ø	٠	•
Dual overhead map lights	Q	•	•
20-color interior accent lighting	Q	IGK	EEDBACK

http://www.nissanusa.com/cube/specifications.html

Illuminated kick plates, stainless steel	Ø	KIG	KIG
12-volt DC power outlet	٠	•	•
Retained accessory power	•	•	•
Battery saver	•	•	•
Digital clock (in radio)	•	•	•
Utility/Storage			
Black ripple hooks (two)	Ø	•	•
Front door bungees (red, yellow, orange, gray)	D	D	D
Front door pockets	•	•	•
Front passenger seatback pocket	Ø	•	•
Cargo area light	Ø	•	•
Cargo area protector	Ø	G	G
Cargo area organizer	Ø	AC	AC
Cargo tie-down hooks (six)	•	•	•
Cup holders (six)	•	•	•
Bottle holders (five)	•	•	٠
Seating and Appointments			
Cloth seat trim	•	Q	Ø
Premium cloth seat trim	Q	•	•
Krōm black/gray cloth seat trim	Ø	ĸ	0
6-way manual adjustable driver's seat	•	•	•
Driver's seat armrest	Q		
4-way manual adjustable passenger's seat	•		
60/40 Split-fold sliding/reclining rear bench seat			
Leather-wrapped steering wheel	Q	•	
Rear seat center armrest	•		
Rear bench seat delete (Cargo Version)	C	Q	Ø
Chrome-plated inside door handles	Q		
Krōm aluminum-trimmed pedals	õ	ĸ	ō
Titanium-tone interior accents	Q	K	õ
Interior trim appliqués	õ	G	G
Shag dash topper	D	D	D
Floor mats, carpeted	D	D	D
Cargo area mat, carpeted	D	D	D
LEGEND			
G Part of Ginormous Package			
IG Part of 20-color Interior Accent Lighting Option, Interior Illumination Pack	age or Ginormous Package		

IGPart of 20-color Interior Accent Lighting Option, Interior Illumination Package or Ginormous PackageIGKPart of 20-color Interior Accent Lighting Option, Interior Illumination Package, Ginormous Package or 1.8 S Krōm™ Edition

KIG Part of Illuminated Kick Plates Option, Interior Illumination Package or Ginormous Package

D Part of Interior Designer Package

C Part of 1.8 Cargo Version Package (Special order only)

AUDIO

AM/FM/CD audio system

2010 Nissan cube $\ensuremath{\mathbb{R}}\xspace$ | Specifications | Nissan USA

Premium AM/FM/CD audio system with 4.3" color display	Ø	К	Р
Two 6.5" speakers	•	Ø	Ø
Six speakers (four 6.5" speakers and two 1.5" tweeters)	Ø	•	•
Six upgraded speakers (four 6.5" speakers and two 1.5" tweeters)	Ø	К	Р
Rockford Fosgate 8" subwoofer and amplifier	0	К	Р
Radio Data System (RDS)	Ø	•	•
MP3/WMA CD playback capability	Ø	•	•
Auxiliary audio input jack [2]	•	•	•
Interface System for iPod® [3]	Ø	•	•
USB connectivity (iPod®-compatible) [2]	Ø	К	Р
XM® Satellite Radio [4]	Ø	Ø	Р
Speed-sensitive volume control	Ø	•	•
Illuminated steering-wheel-mounted audio controls	Ø	•	•

LEGEND

P Part of 1.8 SL Preferred Package

SAFETY			
	1.8	1.8 S	1.8 SL
Nissan Advanced Air Bag System with dual-stage supplemental front air bags with seat belt and occupant -classification sensors	•	٠	٠
Driver and front-passenger seat-mounted side-impact supplemental air bags	•	•	•
Roof-mounted curtain side-impact supplemental air bags for front and rear-seat outboard occupant head protection	•	•	٠
Vehicle Dynamic Control (VDC) [5] with Traction Control System (TCS)	•	•	•
3-point ALR/ELR passenger seat belt system (ELR for driver)	•	•	•
Front seat belts with pretensioners and load limiters	•	•	•
Front-seat Active Head Restraints	•	•	•
LATCH System (Lower Anchors and Tethers for CHildren)	•	•	•
Child-safety rear door locks	•	•	•
Zone Body construction with front and rear crumple zones	•	•	•
Hood buckling creases and safety stops	•	•	•
Energy-absorbing steering column	•	•	•
Pipe-style steel side-door guard beams	•	•	•
Tire Pressure Monitoring System (TPMS)	•	•	•
SECURITY			
	1.8	1.8 S	1.8 SL
Nissan Vehicle Immobilizer System	•	•	٠
Vehicle Security System	•	•	•
Vehicle alarm impact sensor	Ø	AC	AC
CURB WEIGHTS			
Curb Weights (lbs)	1.8	1.8 S	1.8 SL
Manual transmission	2,768	2,801	-
Xtronic CVT (Continuously Variable Transmission)	-	2,834	2,849 EEDBACK
1.8 S Krōm Edition	-	2,869	-

http://www.nissanusa.com/cube/specifications.html

Aanual transmission (city/hwy) Ktronic CVT (Continuously Variable Transmission) (city/hwy)	25/20		
(tronic CVT (Continuously Variable Transmission) (city/hwy)	25/30	25/30	-
	-	27/31	27/3
Actual mileage may vary with driving conditions - use for comparison only.			
CAPACITIES			
nterior passenger volume (cu. ft.)		9	97.7
Cargo capacity (cu. ft.) Rear seats up Rear seats down			11.4 58.1
Fuel Tank (gals.)		1	13.2
DIMENSIONS			
Exterior (inches)			
Vheelbase		9	99.6
Dverall length 1.8, 1.8 S, 1.8 SL 1.8 S Krōm Edition			56.7 57.5
Overall width		6	56.7
Overall height		6	55.0
Track width (front/rear)		58.3	1/58.3
Interior (inches)			
Head room (front/rear)		42.6	6/40.2
Leg room (front/rear)		42.4	4/35.5
lip room (front/rear)		48.8	8/47.6
Shoulder room (front/rear)		52.2	2/52.4
Cargo length		(9.5
Cargo width		3	39.7
Cargo height		4	15.2
egend			

Every Nissan is backed by a 36-month/36,000-mile limited vehicle coverage and a 5-year/60,000-mile limited powertrain coverage. 2003-2010 Vehicles equipped with a Continuously Variable Transmission (CVT) also have a 10-year /120,000 mile CVT limited warranty extension. (For complete information, see your Nissan dealer and read the actual limited warranty.) For extra protection, you can also add Security+Plus®, the only extended service agreement approved by Nissan.

For more warranty information or questions on 2003-2010 vehicles equipped with a Continuously Variable Transmission please visit www.NissanAssist.com

[1] The optional RearView Monitor is a convenience, but not a substitute for proper backing procedures. Always turn and check that it is safe to do so before backing up. The RearView Monitor may not detect every object behind you.

[2] Driving is serious business and requires your full attention. Do not operate any devices connected to the USB or auxiliary audio input jack while driving.

[3] Always give your full attention to driving. Avoid operating your iPod® in such a way that you can be distracted during vehicle operation.

[4] Required XM Radio subscription sold separately. Installation costs, one-time activation fee, other fees and

FEEDBACK

taxes apply. XM Radio U.S. service only available in the 48 contiguous United States and the District of Columbia. Service available in Canada; see www.xmradio.ca. Fees and programming subject to change. Subscription governed by XM Customer Agreement at xmradio.com/service terms. ©2009 SIRIUS XM Radio Inc. SIRIUS, XM and all related marks and logos are trademarks of SIRIUS XM Radio Inc. and its subsidiaries. For more information, see www.xmradio.com.

[5] VDC, which should remain on when driving except when freeing the vehicle from mud or snow, cannot prevent accidents due to abrupt steering, carelessness, or dangerous driving techniques. Always drive safely.

Nissan North America, Inc. reserves the right to make changes at any time, without prior notice, in prices, colors, materials, equipment, specifications and models, and to discontinue models or equipment. Specifications, options and accessories may differ in Hawaii, U.S. territories and other countries. For additional information on availability, options or accessories, see your Nissan dealer.

[™] Toyo is a trademark of Toyo Tire & Rubber Co., LTD.

® The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc., and any use of such marks by Nissan is under license.

® iPod is a registered trademark of Apple, Inc. All rights reserved. iPod not included.

FEEDBACK