



Specifications - Nissan Cube®

MECHANICAL

| | 1.8 | 1.8 S | 1.8 SL |
|--|-----|-------|--------|
| Engine | | | |
| MR18DE – 1.8-liter DOHC 16-valve 4-cylinder engine | ● | ● | ● |
| Horsepower – 122 hp @ 5,200 rpm [*] | ● | ● | ● |
| Torque – 127 lb-ft @ 4,800 rpm [*] | ● | ● | ● |
| Emissions – Tier 2 Bin 5, LEV2-LEV (LEV2-SULEV for CA models) | ● | ● | ● |
| Continuously Variable Valve Timing Control System (CVTCS) on intake valves | ● | ● | ● |
| Nissan Direct Ignition System | ● | ● | ● |
| Iridium-tipped spark plugs | ● | ● | ● |
| Electronic drive-by-wire throttle | ● | ● | ● |
| Drivetrain | | | |
| Front engine/Front-Wheel Drive | ● | ● | ● |
| 6-speed manual transmission | ● | ● | ⊗ |
| Xtronic CVT® (Continuously Variable Transmission) | ⊗ | ⊗ | ● |
| Active Brake Limited Slip (ABLS) | ● | ● | ● |
| Brakes | | | |
| Power-assisted 11.02" vented front disc/rear drum brakes | ● | ● | ● |
| Anti-lock Braking System (ABS) | ● | ● | ● |
| Electronic Brake force Distribution (EBD) | ● | ● | ● |
| Brake Assist | ● | ● | ● |
| Suspension and Steering | | | |
| Front: Independent strut with stabilizer bar | ● | ● | ● |
| Rear: Torsion beam with integrated rear stabilizer bar | ● | ● | ● |
| Ripple-control strut/shock absorbers | ● | ● | ● |
| Vehicle-speed-sensitive electric power steering | ● | ● | ● |

EXTERIOR

| | 1.8 | 1.8 S | 1.8 SL |
|--|-----|-------|--------|
| Wheels and Tires | | | |
| 15" x 6.0" steel wheels with bolt-on wheel covers | ● | ● | ⊗ |
| 15" x 6.0" aluminum-alloy wheels | ⊗ | AS | ⊗ |
| 16" x 6.0" 8-spoke aluminum-alloy wheels | ⊗ | ⊗ | ● |
| 16" x 6.0" Kröm®-exclusive aluminum-alloy wheels | ⊗ | K | ⊗ |
| 16" x 6.0" 8 split-spoke aluminum-alloy wheels (gunmetal or silver finish) | ⊗ | ⊗ | AC |
| P195/60HR15 Toyo™ A20 all-season tires | ● | ● | ⊗ |
| P195/55VR16 Toyo™ A20 all-season tires | ⊗ | K | ● |
| Styling/Functionality | | | |
| Fog lights | ⊗ | ⊗ | P |
| Automatic on/off headlights | ⊗ | K | ● |
| Custom front grille | ⊗ | SP | ⊗ |
| Chrome front fascia accent | ⊗ | EA | EA |
| Aerodynamic kit – front chin spoiler, side sills, rear underbody spoiler and rear roof spoiler | ⊗ | AS | AC |
| Rear roof spoiler | ⊗ | AC | AC |
| Kröm-exclusive integrated body design – front fascia and grille, body side sills and rear fascia | ⊗ | K | ⊗ |
| | - | - | - |

| | | | |
|----------------------------------|----|----|----|
| Kröm rear roof spoiler | ⊗ | K | ⊗ |
| Splash guards | AC | AC | AC |
| Black power outside mirrors | ● | ⊗ | ⊗ |
| Body-color power outside mirrors | ⊗ | ● | ● |
| Chrome side mirror covers | ⊗ | EA | EA |
| Privacy glass | ● | ● | ● |

LEGEND

| | |
|----|--|
| AC | Accessory |
| AS | Available as Standalone Accessory or Part of Sport Package |
| K | Part of 1.8 S Kröm Edition |
| P | Part of 1.8 SL Preferred Package |
| SP | Part of 1.8 S Sport Package |
| EA | Part of Exterior Accent Package |

INTERIOR

| | 1.8 | 1.8 S | 1.8 SL |
|---|-----|-------|--------|
| Convenience | | | |
| Nissan Navigation System with 5.0" color touch-screen monitor | ⊗ | K | P |
| XM NavTraffic® [*] | ⊗ | K | P |
| Bluetooth® Hands-free Phone System | ⊗ | ● | ● |
| RearView Monitor [*] | ⊗ | K | P |
| Air conditioning with in-cabin microfilter | ● | ● | ⊗ |
| Automatic Temperature Control (ATC) with in-cabin microfilter and outside temperature display | ⊗ | K | ● |
| Rear floor vents | ⊗ | K | ● |
| Power windows with driver's window one-touch auto-up/down with auto-reverse feature | ● | ● | ● |
| Power door locks with auto-locking feature | ● | ● | ● |
| Remote keyless entry with Integrated Key | ● | ● | ● |
| Nissan Intelligent Key® with Push Button Ignition | ⊗ | K | P |
| Cruise control with steering-wheel-mounted controls | ⊗ | ● | ● |
| Fine Vision electroluminescent gauges | ● | ● | ● |
| Multi-functional trip computer | ● | ● | ● |
| Tilt steering column | ● | ● | ● |
| Adjustable front seat belt upper anchors | ● | ● | ● |
| Variable intermittent windshield wipers | ● | ● | ● |
| Intermittent rear window wiper | ● | ● | ● |
| Visor vanity mirrors | ⊗ | ● | ● |
| Dual overhead map lights | ⊗ | ● | ● |
| Interior accent lighting | ⊗ | IIK | II |
| Stainless steel illuminated kick plates (set of 4) | ⊗ | II | II |
| 12-volt DC power outlet | ● | ● | ● |
| Retained accessory power | ● | ● | ● |
| Battery saver | ● | ● | ● |
| Utility/Storage | | | |
| Ripple hooks (Set of 2 - black) | ⊗ | ● | ● |
| Front door bungees (Set of 8 - red, yellow, orange, gray) | D | D | D |
| Front door pockets | ● | ● | ● |
| Front passenger seatback pocket | ⊗ | ● | ● |
| Cargo area light | ⊗ | ● | ● |
| Cargo tie-down hooks (6) | ● | ● | ● |
| Cup holders (6) | ● | ● | ● |
| Bottle holders (5) | ● | ● | ● |
| Seating and Appointments | | | |
| Cloth seat trim | ● | ⊗ | ⊗ |
| Premium cloth seat trim | ⊗ | ● | ● |
| Kröm black/gray cloth seat trim | ⊗ | K | ⊗ |
| 6-way manual adjustable driver's seat | ● | ● | ● |
| Driver's seat armrest | ⊗ | ● | ● |
| 4-way manual adjustable passenger's seat | ● | ● | ● |
| 60/40 split fold-down sliding/reclining rear bench seat | ● | ● | ● |
| Leather-wrapped steering wheel | ⊗ | ● | ● |
| Passenger center armrest | ▲ | ▲ | ▲ |

| | | | |
|--|----|----|----|
| Rear-seat center armrest | ● | ● | ● |
| Rear bench seat delete (Cargo Version) | C | ⊗ | ⊗ |
| Chrome-plated inside door handles | ⊗ | ● | ● |
| Kröm aluminum-trimmed pedals | ⊗ | K | ⊗ |
| Titanium-tone interior accents | ⊗ | K | ⊗ |
| Shag dash topper | D | D | D |
| Carpeted floor mats (4-piece) | D | D | D |
| Carpeted cargo area mat | D | D | D |
| Cargo organizer | AC | AC | AC |

LEGEND

| | |
|-----|---|
| AC | Accessory |
| K | Part of 1.8 S Kröm Edition |
| P | Part of 1.8 SL Preferred Package |
| IIK | Part of Interior Illumination Package or 1.8 S Kröm Edition |
| II | Part of Interior Illumination Package |
| D | Part of Interior Designer Package |
| C | Part of 1.8 Cargo Version Package (Special order only) |

AUDIO

| | 1.8 | 1.8 S | 1.8 SL |
|--|-----|-------|--------|
| AM/FM/CD audio system | ● | ● | ● |
| Two 6.5" speakers | ● | ⊗ | ⊗ |
| Six speakers (four 6.5" speakers and two 1.5" tweeters) | ⊗ | ● | ● |
| Six upgraded speakers (four 6.5" speakers and two 1.5" tweeters) | ⊗ | K | P |
| Rockford Fosgate 8" subwoofer and amplifier | ⊗ | K | P |
| Radio Data System (RDS) | ⊗ | ● | ● |
| MP3/WMA CD playback capability | ⊗ | ● | ● |
| Auxiliary audio input jack [*] | ● | ● | ● |
| Interface System for iPod® [*] | ⊗ | ● | ● |
| USB connection port for iPod® interface and other compatible devices [*] | ⊗ | K | P |
| XM® Satellite Radio [*] | ⊗ | K | P |
| Speed-sensitive volume control | ⊗ | ● | ● |
| Illuminated steering-wheel-mounted audio controls | ⊗ | ● | ● |

LEGEND

| | |
|---|----------------------------------|
| K | Part of 1.8 S Kröm Edition |
| P | Part of 1.8 SL Preferred Package |

SAFETY

| | 1.8 | 1.8 S | 1.8 SL |
|---|-----|-------|--------|
| Nissan Advanced Air Bag System with dual-stage supplemental front air bags with seat belt and occupant-classification sensors [*] | ● | ● | ● |
| Driver and front-passenger seat-mounted side-impact supplemental air bags [*] | ● | ● | ● |
| Roof-mounted curtain side-impact supplemental air bags for front and rear-seat outboard occupant head protection [*] | ● | ● | ● |
| Vehicle Dynamic Control (VDC) [*] with Traction Control System (TCS) | ● | ● | ● |
| 3-point ALR/ELR passenger seat belt system (ELR for driver) | ● | ● | ● |
| Front seat belts with pretensioners and load limiters | ● | ● | ● |
| Front-seat Active Head Restraints | ● | ● | ● |
| LATCH System (Lower Anchors and Tethers for Children) | ● | ● | ● |
| Child-safety rear door locks | ● | ● | ● |
| Zone Body construction with front and rear crumple zones | ● | ● | ● |
| Hood buckling creases and safety stops | ● | ● | ● |
| Energy-absorbing steering column | ● | ● | ● |
| Pipe-style steel side-door guard beams | ● | ● | ● |
| Tire Pressure Monitoring System (TPMS) | ● | ● | ● |

SECURITY

| | 1.8 | 1.8 S | 1.8 SL |
|-----------------------------------|-----|-------|--------|
| Nissan Vehicle Immobilizer System | ● | ● | ● |
| Vehicle Security System | ● | ● | ● |
| Vehicle alarm impact sensor | ⊗ | AC | AC |

CURB WEIGHTS

| CURB WEIGHTS (LBS) | 1.8 | 1.8 S | 1.8 SL |
|-----------------------------|-------|-------|--------|
| 6-speed manual transmission | 2 780 | 2 795 | - |

| | | | |
|---|-------|-------|-------|
| 6-speed manual transmission | 2,100 | 2,100 | - |
| Xtronic CVT® (Continuously Variable Transmission) | - | 2,829 | 2,842 |
| 1.8 S Kröm Edition | - | 2,869 | - |

FUEL CONSUMPTION

| 2011 EPA Fuel Consumption Estimates | 1.8 | 1.8 S | 1.8 SL |
|--|-------|-------|--------|
| 6-speed manual transmission (city/hwy) | 25/30 | 25/30 | - |
| Xtronic CVT® (Continuously Variable Transmission) (city/hwy) | - | 27/31 | 27/31 |

Actual mileage may vary with driving conditions - use for comparison only.

CAPACITIES

| | |
|-------------------------------------|------|
| Interior passenger volume (cu. ft.) | 97.7 |
| Cargo capacity (cu. ft.) | |
| Rear seats up | 11.4 |
| Rear seats down | 58.1 |
| Fuel Tank (gals.) | 13.2 |

DIMENSIONS**Exterior (inches)**

| | |
|--------------------------|-----------|
| Wheelbase | 99.6 |
| Overall length | |
| 1.8, 1.8 S, 1.8 SL | 156.7 |
| 1.8 S Kröm Edition | 157.5 |
| Overall width | 66.7 |
| Overall height | 65.0 |
| Track width (front/rear) | 58.1/58.3 |

Interior (inches)

| | |
|----------------------------|-----------|
| Head room (front/rear) | 42.6/40.2 |
| Leg room (front/rear) | 42.4/35.5 |
| Hip room (front/rear) | 48.8/47.6 |
| Shoulder room (front/rear) | 52.2/52.4 |
| Cargo length | 9.5 |
| Cargo width | 39.7 |
| Cargo height | 45.2 |

Every Nissan is backed by a 36-month/36,000-mile limited vehicle coverage and a 5-year/60,000-mile limited powertrain coverage. 2003-2010 Vehicles equipped with a Continuously Variable Transmission (CVT) also have a 10-year /120,000 mile CVT limited warranty extension. (For complete information, see your Nissan dealer and read the actual limited warranty.) For extra protection, you can also add Security+Plus®, the only extended service agreement approved by Nissan.

For more warranty information or questions on 2003-2011 vehicles equipped with a Continuously Variable Transmission please visit www.NissanAssist.com

[Disclaimer](#)