

# **Specifications - Nissan Pathfinder**

| MECHANICAL  |       |   |    |        |
|---|-------|---|----|--------|
|   | S FE+ |   | SE | LE     |
| Engine  |       |   |    |        |
| VQ40DE – 4.0-liter DOHC 24-valve V6 engine [1]<br>Horsepower – 266 hp @ 5,600 rpm<br>Torque – 288 lb-ft @ 4,000 rpm<br>Emissions – ULEV | •     | • | ٠  | V6     |
| /K56DE – 5.6-liter DOHC 32-valve V8 engine [1]<br>Horsepower – 310 hp @ 5,200 rpm<br>Torque – 388 lb-ft @ 3,400 rpm<br>Emissions – LEV  | Ø     | 0 | Ø  | V8     |
| Available with All-Mode 4WD only.   |       |   |    |        |
| Continuously Variable Valve Timing Control System (CVTCS) on intake valves  | •     | • | •  | •      |
| Variable Intake System  | •     | • | •  | V6     |
| Nissan Direct Ignition System   | •     | • | •  | •      |
| Platinum-tipped spark plugs   | •     | • | •  | V6     |
| Iridium-tipped spark plugs  | 0     | Ø | Q  | V8     |
| Electronic drive-by-wire throttle   | •     | • | •  | •      |
| Drivetrain  |       |   |    |        |
| 5-speed automatic transmission  | •     | • | Ø  | Ø      |
| 5-speed automatic transmission with manual mode   | Ø     | 0 | ٠  | •      |
| Shift-on-the-fly 4x4 switch-operated 2-speed transfer case (4x4 only)   | Ø     | • | 0  | 0      |
| All-Mode 4WD with 2-speed transfer case (4x4 only)  | 0     | 0 | Ø  | 0      |
| 2-wheel Active Brake Limited Slip (ABLS) – 4x2  | •     | 0 | ٠  | •      |
| 4-wheel Active Brake Limited Slip (ABLS) – 4x4  | Ø     | • | •  | •      |
| Brakes  |       |   |    |        |
| 4-wheel vented disc brakes  | •     | • | •  | •      |
| 4-wheel Anti-lock Braking System (ABS)  | •     | • | •  | •      |
| Electronic Brake force Distribution (EBD)   | •     | • | •  | •      |
| Suspension and Steering   |       |   |    |        |
| Front: Independent double-wishbone  | •     | • | •  | •      |
| Rear: Independent double-wishbone   | •     | • | •  | •      |
| Front stabilizer bar (33.0 mm)  | •     | • | •  | V6     |
| Front stabilizer bar (34.0 mm)  | 0     | 0 | Q  | V8     |
| Rear stabilizer bar (25.4 mm)   | •     | • | •  | •      |
| Engine-speed-sensitive power steering   | •     | ٠ | ٠  | •      |
| LEGEND  |       |   |    |        |
| V6 V6 models only   |       |   | FE | EDBACK |

V8 V8 models only

| Full-size spare tire  | S FE+            | s<br>©<br>©<br>© | SE<br>Q<br>P<br>Q | LE<br>(0)<br>(0)<br>(0) |
|---|------------------|------------------|-------------------|-------------------------|
| In the second s | 0<br>0<br>0<br>0 | ©<br>©           | P                 | Ø                       |
| T* x 7.5" 6-spoke aluminum-alloy wheels         17" x 7.5" 6-spoke machine-finished aluminum-alloy wheels         18" x 7.5" 12-spoke machine-finished aluminum-alloy wheels         2245/75R16 General Grabber <sup>im</sup> Tires         2265/65R17 BFGoodrich® Long Trail T/A® Radial OWL tires         2265/65R18 BFGoodrich® Long Trail T/A® Radial tires         2265/65R18 BFGoodrich® Long Trail T/A® Radial tires         2265/65R17 BFGoodrich® Long Trail T/A® Radial tires         2265/65R18 BFGoodrich® Long Trail T/A® Radial tires         2260/color front bumper underguard         3210 color front bumper underguard         3225/color fielendlights         3204/color side moldin   | 0<br>0<br>0<br>0 | ©<br>©           | P                 | Ø                       |
| 17" x 7.5" 6-spoke machine-finished aluminum-alloy wheels         18" x 7.5" 12-spoke machine-finished aluminum-alloy wheels         2245/75R16 General Grabber™ Tires         2265/65R17 BFGoodrich® Long Trail T/A® Radial OWL tires         2265/60R18 BFGoodrich® Long Trail T/A® Radial OWL tires         2060/color front bumper underguard         50 Wer forth feadlights         60 ratil crossbars         Running boards         80 dy-color side moldings         80 dy-color side moldings with chrome insert <tr< td=""><td>©<br/>©</td><td>0</td><td></td><td></td></tr<>   | ©<br>©           | 0                |                   |                         |
| 18* x 7.5" 12-spoke machine-finished aluminum-alloy wheels         P245/75R16 General Grabber™ Tires         P265/65R17 BFGoodrich@ Long Trail T/A@ Radial OWL tires         P265/60R18 BFGoodrich@ Long Trail T/A@ Radial tires         Full-size spare tire         Styling/Functionality         Body-color front bumper underguard         Silver front bumper underguard         Skid plate - lower radiator         Front tow hook (4x4 only)         Automatic on/off headlights         Fog lights         Roof rails         Roof rails         Body-color side moldings         Body-color side mirrors         Dual black power outside mirrors         Power siding glass moonroof with one-touch open/close (standard on LE V6)         Front UV-reducing solar glass         Rear black privacy glass         File-up liftgate window   | ©<br>●<br>©      | ©<br>●           |                   | 0                       |
| P245/75R16 General Grabber <sup>™</sup> Tires         P265/65R17 BFGoodrich® Long Trail T/A® Radial OWL tires         P265/60R18 BFGoodrich® Long Trail T/A® Radial tires         Full-size spare tire         Styling/Functionality         Body-color front bumper underguard         Sliver front bumper underguard         Skid plate – lower radiator         Front tow hook (4x4 only)         Automatic on/off headlights         Fog lights         Roof rails         Roof rails         Body-color side moldings         Body-color side moldings with chrome insert         Dual black power outside mirrors         Dual black power outside mirrors         Power sliding glass moonroof with one-touch open/close (standard on LE V6)         Front UV-reducing solar glass         Rear black privacy glass         Plip-up liftgate window         Splash guards  | •                | •                | Ø                 |                         |
| P265/65R17 BFGoodrich@ Long Trail T/A@ Radial OWL tires<br>P265/60R18 BFGoodrich@ Long Trail T/A@ Radial tires<br>Full-size spare tire<br>Styling/Functionality<br>Body-color front bumper underguard<br>Silver front bumper underguard<br>Silver front bumper underguard<br>Skid plate – lower radiator<br>Front tow hook (4x4 only)<br>Automatic on/off headlights<br>Fog lights<br>Roof rails<br>Roof rails<br>Roof rail crossbars<br>Running boards<br>Body-color side moldings<br>Body-color side moldings<br>body-color side moldings with chrome insert<br>Dual black power outside mirrors<br>Dual body-color power outside mirrors<br>Power sliding glass moonroof with one-touch open/close (standard on LE V6)<br>Front UV-reducing solar glass<br>Rear black privacy glass<br>Flip-up liftgate window<br>Splash guards  | 0                |                  |                   | •                       |
| P265/60R18 BFGoodrich® Long Trail T/A® Radial tires<br>Full-size spare tire<br>Styling/Functionality<br>Body-color front bumper underguard<br>Silver front bumper underguard<br>Silver front bumper underguard<br>Front tow hook (4x4 only)<br>Automatic on/off headlights<br>Fog lights<br>Roof rails<br>Roof rail crossbars<br>Running boards<br>Body-color side moldings<br>Body-color side moldings with chrome insert<br>Dual black power outside mirrors<br>Dual body-color power outside mirrors<br>Heated outside mirrors<br>Power sliding glass moonroof with one-touch open/close (standard on LE V6)<br>Front UV-reducing solar glass<br>Rear black privacy glass<br>Flip-up liftgate window<br>Splash guards  |                  | 0                | Ø                 | 0                       |
| Front UV-reducing solar glass Rear black privacy glass Flip-up liftgate window Splash guards  | 0                |                  | •                 | Ø                       |
| Styling/Functionality         Body-color front bumper underguard         Silver front bumper underguard         Silver front bumper underguard         Skid plate - lower radiator         Front tow hook (4x4 only)         Automatic on/off headlights         Fog lights         Roof rails         Roof rails         Body-color side moldings         Body-color side moldings with chrome insert         Dual black power outside mirrors         Power sliding glass moonroof with one-touch open/close (standard on LE V6)         Front UV-reducing solar glass         Rear black privacy glass         Flip-up liftgate window         Splash guards   | •                | Ø                | Q                 | •                       |
| Body-color front bumper underguard<br>Silver front bumper underguard<br>Skid plate – lower radiator<br>Front tow hook (4x4 only)<br>Automatic on/off headlights<br>Fog lights<br>Roof rails<br>Roof rails<br>Roof rails cossbars<br>Running boards<br>Body-color side moldings<br>Body-color side moldings with chrome insert<br>Dual black power outside mirrors<br>Dual body-color power outside mirrors<br>Power sliding glass moonroof with one-touch open/close (standard on LE V6)<br>Front UV-reducing solar glass<br>Rear black privacy glass<br>Flip-up liftgate window  |                  | •                | •                 | •                       |
| Body-color front bumper underguard<br>Silver front bumper underguard<br>Skid plate – lower radiator<br>Front tow hook (4x4 only)<br>Automatic on/off headlights<br>Fog lights<br>Roof rails<br>Roof rails<br>Roof rails cossbars<br>Running boards<br>Body-color side moldings<br>Body-color side moldings with chrome insert<br>Dual black power outside mirrors<br>Dual body-color power outside mirrors<br>Power sliding glass moonroof with one-touch open/close (standard on LE V6)<br>Front UV-reducing solar glass<br>Rear black privacy glass<br>Flip-up liftgate window  |                  |                  |                   |                         |
| Skid plate – lower radiator<br>Front tow hook (4x4 only)<br>Automatic on/off headlights<br>Fog lights<br>Roof rails<br>Roof rails<br>Roof rail crossbars<br>Running boards<br>Body-color side moldings<br>Body-color side moldings with chrome insert<br>Dual black power outside mirrors<br>Dual black power outside mirrors<br>Heated outside mirrors<br>Heated outside mirrors<br>Rower sliding glass moonroof with one-touch open/close (standard on LE V6)<br>Front UV-reducing solar glass<br>Rear black privacy glass  | •                | •                | •                 | 0                       |
| Skid plate – lower radiator<br>Front tow hook (4x4 only)<br>Automatic on/off headlights<br>Fog lights<br>Roof rails<br>Roof rails<br>Roof rail crossbars<br>Running boards<br>Body-color side moldings<br>Body-color side moldings with chrome insert<br>Dual black power outside mirrors<br>Dual black power outside mirrors<br>Heated outside mirrors<br>Heated outside mirrors<br>Rower sliding glass moonroof with one-touch open/close (standard on LE V6)<br>Front UV-reducing solar glass<br>Rear black privacy glass  | õ                | õ                | ō                 |                         |
| Front tow hook (4x4 only)<br>Automatic on/off headlights<br>Fog lights<br>Roof rails<br>Roof rail crossbars<br>Running boards<br>Body-color side moldings<br>Body-color side moldings with chrome insert<br>Dual black power outside mirrors<br>Dual black power outside mirrors<br>Heated outside mirrors<br>Power sliding glass moonroof with one-touch open/close (standard on LE V6)<br>Front UV-reducing solar glass<br>Rear black privacy glass<br>Flip-up liftgate window  |                  |                  |                   |                         |
| Automatic on/off headlights<br>Fog lights<br>Roof rails<br>Roof rails<br>Running boards<br>Body-color side moldings<br>Body-color side moldings with chrome insert<br>Dual black power outside mirrors<br>Dual body-color power outside mirrors<br>Power sliding glass moonroof with one-touch open/close (standard on LE V6)<br>Front UV-reducing solar glass<br>Rear black privacy glass<br>Flip-up liftgate window   | Q                | õ                | •                 |                         |
| Fog lights<br>Foof rails<br>Roof rail crossbars<br>Running boards<br>Body-color side moldings<br>Body-color side moldings with chrome insert<br>Dual black power outside mirrors<br>Dual black power outside mirrors<br>Heated outside mirrors<br>Power sliding glass moonroof with one-touch open/close (standard on LE V6)<br>Front UV-reducing solar glass<br>Rear black privacy glass<br>Flip-up liftgate window  | 0                | Q                | P                 |                         |
| Roof rail crossbars Running boards Running boards Body-color side moldings Body-color side moldings with chrome insert Dual black power outside mirrors Dual body-color power outside mirrors Heated outside mirrors Power sliding glass moonroof with one-touch open/close (standard on LE V6) Front UV-reducing solar glass Rear black privacy glass Flip-up liftgate window Splash guards  | 0                | Ø                | •                 |                         |
| Running boards<br>Body-color side moldings<br>Body-color side moldings with chrome insert<br>Dual black power outside mirrors<br>Dual body-color power outside mirrors<br>Heated outside mirrors<br>Power sliding glass moonroof with one-touch open/close (standard on LE V6)<br>Front UV-reducing solar glass<br>Rear black privacy glass<br>Flip-up liftgate window<br>Splash guards   | •                | •                | •                 |                         |
| Body-color side moldings<br>Body-color side moldings with chrome insert<br>Dual black power outside mirrors<br>Dual body-color power outside mirrors<br>Heated outside mirrors<br>Power sliding glass moonroof with one-touch open/close (standard on LE V6)<br>Front UV-reducing solar glass<br>Rear black privacy glass<br>Flip-up liftgate window<br>Splash guards   | Q                | Q                | P                 |                         |
| Body-color side moldings with chrome insert<br>Dual black power outside mirrors<br>Dual body-color power outside mirrors<br>Heated outside mirrors<br>Power sliding glass moonroof with one-touch open/close (standard on LE V6)<br>Front UV-reducing solar glass<br>Rear black privacy glass<br>Flip-up liftgate window<br>Splash guards   | 0                | 0                | •                 |                         |
| Dual black power outside mirrors<br>Dual body-color power outside mirrors<br>Heated outside mirrors<br>Power sliding glass moonroof with one-touch open/close (standard on LE V6)<br>Front UV-reducing solar glass<br>Rear black privacy glass<br>Flip-up liftgate window<br>Splash guards  | 0                | Ø                | •                 | Q                       |
| Dual body-color power outside mirrors<br>Heated outside mirrors<br>Power sliding glass moonroof with one-touch open/close (standard on LE V6)<br>Front UV-reducing solar glass<br>Rear black privacy glass<br>Flip-up liftgate window<br>Splash guards  | 0                | Ø                | Q                 | •                       |
| Heated outside mirrors<br>Power sliding glass moonroof with one-touch open/close (standard on LE V6)<br>Front UV-reducing solar glass<br>Rear black privacy glass<br>Flip-up liftgate window<br>Splash guards   | •                | •                | Ø                 | Q                       |
| Power sliding glass moonroof with one-touch open/close (standard on LE V6)<br>Front UV–reducing solar glass<br>Rear black privacy glass<br>Flip-up liftgate window<br>Splash guards   | 0                | Ø                | •                 | •                       |
| Power sliding glass moonroof with one-touch open/close (standard on LE V6)<br>Front UV–reducing solar glass<br>Rear black privacy glass<br>Flip-up liftgate window<br>Splash guards<br>Tow receiver hitch   | 0                | 0                | Q                 |                         |
| Rear black privacy glass<br>Flip-up liftgate window<br>Splash guards  | 0                | 0                | Ø                 | V                       |
| Flip-up liftgate window<br>Splash guards  | •                | •                | •                 | •                       |
| Splash guards   | •                | •                | •                 | •                       |
|   | •                | •                | •                 |                         |
| Tow receiver hitch  | Q                | Ø                | •                 | •                       |
|   | •                | •                | •                 | •                       |
| LEGEND  |                  |                  |                   |                         |
| P Part of Premium Journey Package   |                  |                  |                   |                         |
| V Part of Value Package   |                  |                  |                   |                         |
| INTERIOR  |                  |                  |                   |                         |
|   |                  | s                | SE                | LE                      |

http://www.nissanusa.com/pathfinder/specifications.html

## 2010 Nissan Pathfinder | Specifications | Nissan USA

### Convenience

| Convenience  |   |   |      |        |
|--|---|---|------|--------|
| Nissan Intelligent Key™ keyless entry and ignition system  | Ø | Ø | Р    | •      |
| Nissan Hard Drive Navigation System with 7.0" color LCD touch-screen monitor and voice recognition (standard on LE V8) | 0 | Ø | Ø    | Ν      |
| XM NavTraffic $\ensuremath{\mathbb{R}}$ – includes activation and 3 months of service [2] (standard on LE V8)          | Ø | 0 | Ø    | Ν      |
| Information Center with 7.0" color display   | Ø | Ø | ٠    | •      |
| RearView Monitor [3]   | 0 | Ø | Р    | •      |
| Bluetooth® Hands-free Phone System   | 0 | Ø | Р    | •      |
| HomeLink® Universal Transceiver  | Ø | Ø | Р    | •      |
| Manual air conditioning  | ٠ | ٠ | Ø    | Ø      |
| Dual Zone Automatic Temperature Control (ATC)  | Ø | 0 | •    | •      |
| Rear air conditioning with rear controls   | 0 | 0 | •    | •      |
| In-cabin microfilter   | • | • | •    | •      |
| Power adjustable pedals  | Ø | Ø | •    | •      |
| Power door locks with auto-locking feature   | ٠ | ٠ | •    | •      |
| Power windows with front one-touch auto-up/down  | ٠ | • | ٠    | •      |
| Remote keyless entry   | • | • | •    | •      |
| Cruise control with steering wheel-mounted controls  | • | ٠ | ٠    | •      |
| Tilt steering column   | • | • | •    | •      |
| Variable intermittent windshield wipers  | • | • | Ø    | 0      |
| Variable intermittent speed-sensitive windshield wipers  | Ø | Ø | •    | •      |
| Rear intermittent wiper  | • | • | ٠    | •      |
| Auto-dimming rearview mirror   | 0 | Ø | Р    | •      |
| Digital compass (deleted when equipped with Nissan Hard Drive Navigation System)                                       | 0 | 0 | Р    | ٠      |
| Outside temperature display  | Ø | Ø | •    | •      |
| Front map lights   | • | • | •    | •      |
| Rear reading lights  | Ø | Ø | •    | ٠      |
| Four 12-volt DC power outlets  | • | • | ٠    | •      |
| Trip computer  | • | • | •    | •      |
| Voltage and oil pressure gauges  | ٠ | ٠ | ٠    | ٠      |
| Dual visor vanity mirrors  | • | • | Ø    | Ø      |
| Dual sun visors with extenders   | • | • | Q    | 0      |
| Dual sun visors with extenders and dual illuminated visor vanity mirrors   | Ø | Ø | •    | •      |
|  |   |   |      |        |
| Seating and Appointments   | - | - | ~    | -      |
| 8-way adjustable driver's seat with manual lumbar  | • | • | Q    | Ø      |
| 8-way power adjustable driver's seat with manual lumbar  | 0 | 0 | •    | •      |
| 4-way power adjustable passenger's seat  | Ø | Ø | Ø    | •      |
| Driver's memory system – driver's seat, mirrors, and pedals (remote-activated), and driver's entry/exit system         | Ø | Ø | Ø    | •      |
| Fold-down front-passenger's seat(deleted when equipped with leather interior)  | Ø | Ø | •    | Ø      |
| Second-row 40/20/40-split fold-flat bench seat with tip-up easy entry for third row                                    | • | • | •    | •      |
| Third-row 50/50-split fold-flat bench seat   | ٠ | • | •    | •      |
| Second-row fold-down center armrest  | 0 | 0 | •    | •      |
| Cloth seat trim  | • | • | •    | Ø      |
| Leather-appointed seats (front- and second-row)  | Ø | Ø | Q FE | EDBAGK |

## http://www.nissanusa.com/pathfinder/specifications.html

| Heated front seats                             | 0 | Ø | Ø | • |
|--|---|---|---|---|
| Heated steering wheel                          | Ø | Ø | Ø | • |
| Leather-wrapped steering wheel and shift knob  | Ø | Ø | • | • |
| Wood-tone trim                                 | 0 | 0 | Ø | • |
| Eight cup holders including two bottle holders | • | • | • | • |
| Driver's seatback pocket                       | • | • | • | • |
| Front and rear door storage pockets            | • | • | • | • |
| Cargo tie-down hooks (twelve)                  | • | • | • | • |
| Side cargo nets                                | • | • | • | • |
| Under-floor storage                            | • | • | • | • |

#### LEGEND

P Part of Premium Journey Package

N Part of Nissan Navigation Package

### ENTERTAINMENT

| ENTERTAINMENT   |       |   |    |    |
|---|-------|---|----|----|
|   | S FE+ |   | SE | LE |
| Nissan DVD Entertainment System with 7.0" monitor, DVD player with auxiliary inputs, remote control and two wireless headphones   | 0     | Ø | 0  | D  |
| AM/FM/CD audio system   | •     | • | Ø  | Ø  |
| AM/FM/in-dash 6-CD audio system   | Ø     | Ø | •  | 0  |
| Digital Bose ${ m I}$ audio system with AM/FM/in-dash 6-CD changer (single CD on Navigation Package-equipped LE)  | 0     | Ø | Р  | •  |
| 9.3 GB Music Box <sup><math>TM</math></sup> hard drive for digital music storage and playback (standard on LE V8)   | 0     | Ø | 0  | Ν  |
| In-dash CompactFlash $\ensuremath{\mathbb{R}}$ card reader for MP3/WMA playback (standard on LE V8)   | Ø     | Ø | Ø  | Ν  |
| Dual Media Playback   | 0     | Ø | Ρ  | •  |
| Radio Data System (RDS)   | 0     | 0 | •  | •  |
| Speed-sensitive volume control  | Ø     | Ø | ٠  | •  |
| MP3/WMA CD playback capability  | 0     | Ø | •  | •  |
| Auxiliary audio input jack [4]  | 0     | Ø | ٠  | •  |
| Illuminated steering-wheel-mounted audio controls   | Ø     | Ø | ٠  | •  |
| Six speakers  | •     | • | •  | 0  |
| Ten speakers, including two 2.5" Twiddler® front speakers, two 6" x 9" front door speakers, two 1.5" rear door tweeters, two 6.5" neodymium rear door speakers and two 5.25" Nd® Richbass® enclosed woofers | Ø     | Ø | Р  | ٠  |
| Satellite radio pre-wiring [2]  | Ø     | Ø | •  | •  |
| XM® Satellite Radio – includes activation and 3 months of service [2]   | Ø     | Ø | Р  | •  |
|   |       |   |    |    |

#### LEGEND

D Part of Nissan DVD Entertainment System or Value Package

P Part of Premium Journey Package

N Part of Nissan Navigation Package

### SAFETY

| S FE+ |       | SE             | LE         |
|-------|-------|----------------|------------|
| •     | •     | ٠              | ٠          |
| •     | •     | •              |            |
|       | S FE+ | S FE+ S<br>• • | S FE+ S SE |

## 2010 Nissan Pathfinder | Specifications | Nissan USA

| Roof-mounted curtain supplemental air bags for side-impact and rollover head protectio all three rows of outboard occupants [5]                       | on for     | ٠            | ٠                    | ٠              |
|---|------------|--------------|----------------------|----------------|
| Vehicle Dynamic Control (VDC) [6]   | •          | •            | •                    | •              |
| 3-point ALR/ELR passenger seat belt system (ELR for driver)   | •          | •            | •                    | •              |
| Front-seat Active Head Restraints   | •          | •            | •                    | •              |
| Front seat belts with pretensioners and load limiters   | •          | •            | •                    | •              |
| LATCH System (Lower Anchors and Tethers for CHildren)   | •          | •            | •                    | •              |
| Zone Body construction with front and rear crumple zones  | •          | •            | •                    | •              |
| Hood buckling creases and safety stops  | •          | •            |                      |                |
| Energy-absorbing steering column  |            |              |                      |                |
| Pipe-style steel side-door guard beams  | •          | •            | •                    |                |
| Tire Pressure Monitoring System (TPMS)  |            |              |                      |                |
|   |            |              |                      | -              |
| SECURITY  |            |              |                      |                |
|   | S FE+      |              | SE                   | LE             |
| Nissan Vehicle Immobilizer System   | •          | •            | ٠                    | ٠              |
| Vehicle Security System   | •          | •            | ٠                    | •              |
| CURB WEIGHTS  |            |              |                      |                |
|   | S FE+      |              | SE                   | LE             |
|   |            |              |                      |                |
| Curb Weights (lbs)  |            |              |                      |                |
| 4x2 V6  | 4,427      | N/A          | 4,563                | 4,676          |
| 4x4 V6<br>4x4 V8  | N/A<br>N/A | 4,645<br>N/A | 4,779<br>N/A         | 4,931<br>5,034 |
| FUEL CONSUMPTION  | 14/74      |              | 14/74                | 5,054          |
|   |            |              |                      |                |
| 2010 EPA Fuel Consumption Estimates   | S FE+      |              | SE                   | LE             |
| 4x2 V6 (city/highway)   | 15/22      | N/A          | 15/22                | 15/22          |
| 4x4 V6 (city/highway)   | N/A        | 14/20        | 14/20                | 14/20          |
| 4x4 V8 (city/highway)   | N/A        | N/A          | N/A                  | 13/18          |
| Actual mileage may vary with driving conditions – use for comparison only.  |            |              |                      |                |
| CAPACITIES  |            |              |                      |                |
| EPA Interior volume (cu. ft.)   |            |              | 100.6                |                |
| Cargo capacity (cu. ft.)<br>All seats in user positions<br>Second row upright, third row folded flat<br>Second row folded flat, third row folded flat |            |              | 16.5<br>49.2<br>79.2 |                |
| Fuel tank (gals)  |            |              | 21.1                 |                |
| Maximum towing capacity (lbs) [7]<br>V6<br>V8   |            |              | 6,000                |                |
| 7-pin connector trailer wire harness required.  |            |              | 7,000                |                |
| DIMENSIONS  |            |              |                      |                |
| Exterior (inches)   |            |              |                      |                |
| Exterior (inches) Wheelbase   |            |              | 112.2                |                |
| Overall length  |            |              | 192.3                |                |
|   |            |              |                      |                |

| Overall height 4x2 – with roof rack<br>S FE+, S<br>SE, LE V6                    | 72.0<br>72.2   |
|---|----------------|
| Overall height 4x4 – with roof rack<br>S FE+, S, SE<br>LE V8                    | 72.6<br>72.7   |
| Track width   | 61.8           |
| Interior (inches)   |                |
| Head room (front/rear) — without Moonroof                                       | 40.0/39.0/36.7 |
| Leg room (front/rear)   | 42.4/34.2/28.1 |
| Hip room (front/rear)   | 55.5/57.6/44.0 |
| Shoulder room (front/rear)  | 58.3/58.4/57.1 |
| Step-in height (front/rear)   | 19.5/20.0      |
| Cargo Space (inches)  |                |
| Maximum length  | 73.9           |
| Maximum width   | 44.4           |
| Maximum height  | 34.8           |
| Off-road Abilities  |                |
| Ground clearance  | 8.6" - 9.0"    |
| Angle of approach   | 27.8° - 29.8°  |
| Angle of departure  | 22.1° - 24.3°  |
| Break-over angle  | 21.9° - 23.9°  |
| Legend  |                |
| <ul> <li>Standard on this model</li> <li>Not Available on this model</li> </ul> |                |
|   |                |

Every Nissan is backed by a 36-month/36,000-mile limited vehicle coverage and a 5-year/60,000-mile limited powertrain coverage. 2003-2010 Vehicles equipped with a Continuously Variable Transmission (CVT) also have a 10-year /120,000 mile CVT limited warranty extension. (For complete information, see your Nissan dealer and read the actual limited warranty.) For extra protection, you can also add Security+Plus®, the only extended service agreement approved by Nissan.

For more warranty information or questions on 2003-2010 vehicles equipped with a Continuously Variable Transmission please visit www.NissanAssist.com

[1] Use regular unleaded fuel with 87 octane. For maximum power, use premium fuel.

[2] XM® Satellite Radio and XM NavTraffic® require subscriptions sold separately after three-month trial period. Fees and taxes apply, including any installation costs and a one-time activation fee. XM NavTraffic® available in select markets and XM radio service not available in Canada, AK and HI. Subscriptions governed by Customer Agreement, at xmradio.com. Fees and programming subject to change. © 2009 XM Satellite Radio Inc. XM nawTraffic are registered trademarks of XM Satellite Radio Inc. All other trademarks and channel names are property of their respective owners.

[3] The optional RearView Monitor is a convenience, but is not a substitute for proper backing procedures. Always turn and check that it is safe to do so before backing up. The RearView Monitor may not detect every object behind you.

[4] Driving is serious business and requires your full attention. Do not operate any devices connected to the auxiliary audio input jack while driving.

[5] Air bags are only a supplemental restraint system; always wear your seat belt. Even with the occupantclassification sensor, rear-facing child restraints should not be placed in the front-passenger's seat. Also, all children 12 and under should ride in the rear seat properly secured in child restraints, booster seats, or seat belts according to their size. Air bags will only inflate in certain accidents; see your owner's manual for more details.

FEEDBACK

[6] VDC, which should remain on when driving except when freeing the vehicle from mud or snow, cannot

prevent accidents due to abrupt steering, carelessness, or dangerous driving techniques. Always drive safely.

[7] Towing performance and speed are affected by vehicle payload, tow weight, road grades, and weather conditions, including high temperatures. See owner's manual at dealership before purchase for details. Wire harness available separately. Required for use with trailer brakes.

Nissan North America, Inc. reserves the right to make changes at any time, without prior notice, in prices, colors, materials, equipment, specifications, and models, and to discontinue models or equipment. Specifications, options, and accessories may differ in Hawaii, U.S. territories, and other countries. For additional information on availability, options, or accessories, see your Nissan dealer.

™ General Grabber is a trademark of General Tire & Rubber Company.

® BFGoodrich is a registered trademark of Goodrich Corporation.

® Long Trail T/A is a registered trademark of Uniroyal Goodrich Licensing Services, Inc.

® The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc., and any use of such marks by Nissan is under license.

® HomeLink is a registered trademark of Johnson Controls Technology Company.

® Bose, Nd, Richbass and Twiddler are registered trademarks of the Bose Corporation.

® CompactFlash is a registered trademark of SanDisk Corporation.

FEEDBACK