

Specifications - Nissan Versa Hatchback

MECHANICAL		
	1.8 S	1.8 9
Engine		
MR18DE — 1.8-liter DOHC 16-valve 4-cylinder engine 122 hp @ 5,200 rpm 127 lb-ft of torque @ 4,800 rpm	•	•
Emissions — ULEV	•	•
Continuously Variable Valve Timing Control System (CVTCS)	•	•
Nissan Direct Ignition System	•	•
Electronic drive-by-wire throttle	•	•
Drivetrain		
Front engine/front-wheel drive	•	•
4-speed automatic transmission	⊖	0
6-speed manual transmission	•	•
Xtronic CVT™ (Continuously Variable Transmission)	0	⊖
Brakes		
11.02" vented front disc/rear drum brakes	•	•
4-wheel Anti-lock Braking System (ABS)	[AB]	[AB]
Electronic Brake force Distribution (EBD)	[AB]	[AB]
Brake Assist	[AB]	[AB]
Suspension and Steering		
Front: Independent strut suspension with stabilizer bar	•	•
Rear: Torsion beam suspension with integrated rear stabilizer bar	•	•
Ripple-control shock absorbers	•	•
Electric power-assisted steering	•	•
LEGEND		
[AB] Part of ABS Package		
EXTERIOR		
	1.8 S	1.8 \$
Wheels and Tires		
15" x 5.5" Steel wheels with wheel covers	•	0
15" x 5.5" 6-spoke aluminum-alloy wheels	0	•

P185/65HR15 All-season tires	•	•
Styling/Functionality		
Fog lights	0	[S]
Unique front and rear fascia	0	[S]
Lower body side sill extensions	0	[S]
Rear roof spoiler	0	[S]
LED center high-mounted brake light	•	•
Dual power body-color outside mirrors	•	•
Power sliding glass moonroof with tilt feature	0	[M]
One-touch rear hatch release	•	•
LEGEND		
[S] Part of 1.8 SL Sport Package		
[M] Part of 1.8 SL Sunroof Option		
INTERIOR		
	1.8 S	1.8 SL
Convenience		
Intelligent Key keyless entry and ignition system	0	[C]
Bluetooth® Hands-Free Phone System	0	[C]
Air conditioning with in-cabin microfilter	•	•
Remote keyless entry	[P]	•
Power door locks	[P]	•
Power windows with driver's one-touch auto-up/down feature	[P]	•
Tilt steering column	•	•
Cruise control	⊖	•
Variable intermittent windshield wipers	•	•
Rear intermittent wiper with washer	•	•
Rear window defroster	•	•
Overhead sunglass storage and front map lights	0	•
Upper dash storage	•	•
Front door pockets	•	•
Rear door pockets	[P]	•
Front and rear cup holders	•	•
Glove compartment light	[P]	•
Cargo cover	•	•
Driver visor vanity mirror with strap	0	•
Passenger visor vanity mirror	•	•
Dual illuminated visor vanity mirrors	0	[M]
Digital clock (in radio)	•	•

Seating and Appointments

Auxiliary 12-volt DC power outlet

Retained accessory power

Battery saver

	4-way manual driver's seat	•	0
	6-way manual driver's seat	0	•
	4-way manual front-passenger's seat	•	•
	Suede/tricot cloth seats	•	0
	Woven cloth seats	0	•
	Front seat center armrest with storage	0	•
	Rear seat armrest	0	•
	60/40 Split fold-down rear seatbacks	•	•
	Leather-wrapped steering wheel	0	[C]
	Door armrest pad	[P]	•
	Upgraded interior touch-points	0	•
	Upgraded interior accents	0	•
	LEGEND Selection of the Color o		
	[C] Part of 1.8 SL Convenience Package [P] Part of 1.8 S Power Package		
	[P] Part of 1.8 S Power Package [M] Part of 1.8 SL Sunroof Option		
Г	AUDIO		
L	AUDIO		
		1.8 S	1.8 SL
	AM/FM/CD audio system	•	0
	Premium AM/FM/In-dash 6-CD audio system	0	•
	Steering wheel-mounted audio controls	0	[C]
	Auxiliary audio input	0	•
	MP3/WMA CD playback capability	0	•
	Radio Data System (RDS)	0	•
	Speed-sensitive audio volume	0	•
	Four speakers	•	0
	Six speakers	0	•
	Premium speaker upgrade plus Rockford Fosgate-powered subwoofer	0	[A]
	XM® Satellite Radio ¹ - Includes free activation and 3 months of service.	0	[XM]
	LEGEND		
	[C] Part of 1.8SL Convenience Package		
	[A] Part of 1.8 SL Audio Package [XM] Part of XM® Satellite Radio Option		
Г	SAFETY		
L	SAFELL		
		1.8 S	1.8 SL
	Nissan Advanced Air Bags System with dual-stage supplemental front air bags with seat belt and occupant- classification sensors	•	•
	Driver and front-passenger seat-mounted side-impact supplemental air bags	•	•
	Roof-mounted curtain side-impact supplemental air bags for front and rear-seat outboard occupants' head protection	•	•
	3-point ALR/ELR passenger seat belt system (ELR for driver)	•	•
	Front seat belts with pretensioners and load limiters	•	•
	Front-seat Active Head Restraints	•	•
	LATCH System (Lower Anchors and Tethers for CHildren)	•	•

Child-safety rear door locks		•	•
Zone Body construction with front and rear crumple zones		•	•
Energy-absorbing steering column		•	•
Pipe-strength side-door guard beams		•	•
Hood buckling creases and safety stops		•	•
Tire Pressure Monitoring System (TPMS)		•	•
SECURITY			
<u></u>			
		1.8 S	1.8 9
Nissan Vehicle Immobilizer System		•	•
Vehicle Security System		0	•
CURB WEIGHTS			
		1.8 S	1.8 9
		1.0 3	1.0
Curb Weights (lbs)			
Manual transmission		2,693	2,71
Automatic transmission		2,722	N/A
Xtronic CVT (Continuously Variable Transmission) (city/hwy)		N/A	2,75
FUEL ECONOMY			
2008 EPA Fuel Economy Estimates	1.8 S	1.8 S	L
Manual transmission (city/hwy)	26/31	5	26/31
	20/31		-0/ 5 1
	24/32		N/A
Automatic transmission (city/hwy) Xtronic CVT (Continuously Variable Transmission) (city/hwy)			
Automatic transmission (city/hwy) Xtronic CVT (Continuously Variable Transmission) (city/hwy) For model-year 2008, the EPA has revised the way the estimated fuel economy rating	24/32 N/A	2	N/A 27/33
Automatic transmission (city/hwy) Xtronic CVT (Continuously Variable Transmission) (city/hwy) For model-year 2008, the EPA has revised the way the estimated fuel economy rating	24/32 N/A	2	N/A 27/33
Automatic transmission (city/hwy) Xtronic CVT (Continuously Variable Transmission) (city/hwy) For model-year 2008, the EPA has revised the way the estimated fuel economy rating conditions—use for comparison only. CAPACITIES	24/32 N/A	2 may vary w	N/A 27/33
Automatic transmission (city/hwy) Xtronic CVT (Continuously Variable Transmission) (city/hwy) For model-year 2008, the EPA has revised the way the estimated fuel economy rating conditions—use for comparison only. CAPACITIES Interior passenger volume (cu. ft.) without sunroof Cargo volume (cu. ft.) Rear seats up	24/32 N/A	may vary w	N/A 27/33 with driv 44.7
Automatic transmission (city/hwy) Xtronic CVT (Continuously Variable Transmission) (city/hwy) For model-year 2008, the EPA has revised the way the estimated fuel economy rating conditions—use for comparison only. CAPACITIES Interior passenger volume (cu. ft.) without sunroof Cargo volume (cu. ft.) Rear seats up Rear seats down	24/32 N/A	may vary w	N/A 27/33 with driv
Automatic transmission (city/hwy) Xtronic CVT (Continuously Variable Transmission) (city/hwy) For model-year 2008, the EPA has revised the way the estimated fuel economy rating conditions—use for comparison only. CAPACITIES Interior passenger volume (cu. ft.) without sunroof Cargo volume (cu. ft.) Rear seats up Rear seats down Fuel tank (gals.)	24/32 N/A	may vary w	N/A 27/33 with driv 04.7 7.8 60.4
Automatic transmission (city/hwy) Xtronic CVT (Continuously Variable Transmission) (city/hwy) For model-year 2008, the EPA has revised the way the estimated fuel economy rating conditions—use for comparison only. CAPACITIES Interior passenger volume (cu. ft.) without sunroof Cargo volume (cu. ft.) Rear seats up Rear seats down Fuel tank (gals.)	24/32 N/A	may vary w	N/A 27/33 vith driv 14.7 7.8 10.4 3.2
Automatic transmission (city/hwy) Xtronic CVT (Continuously Variable Transmission) (city/hwy) For model-year 2008, the EPA has revised the way the estimated fuel economy rating conditions—use for comparison only. CAPACITIES Interior passenger volume (cu. ft.) without sunroof Cargo volume (cu. ft.) Rear seats up Rear seats down Fuel tank (gals.) Engine oil (qts.) DIMENSIONS (inches)	24/32 N/A	may vary w	N/A 27/33 vith driv 14.7 7.8 10.4 3.2
Automatic transmission (city/hwy) Xtronic CVT (Continuously Variable Transmission) (city/hwy) For model-year 2008, the EPA has revised the way the estimated fuel economy rating conditions—use for comparison only. CAPACITIES Interior passenger volume (cu. ft.) without sunroof Cargo volume (cu. ft.) Rear seats up Rear seats down Fuel tank (gals.) Engine oil (qts.) DIMENSIONS (inches) Exterior	24/32 N/A	may vary w	N/A 27/33 with driv 14.7 7.8 10.4 3.2
Automatic transmission (city/hwy) Xtronic CVT (Continuously Variable Transmission) (city/hwy) For model-year 2008, the EPA has revised the way the estimated fuel economy rating conditions—use for comparison only. CAPACITIES Interior passenger volume (cu. ft.) without sunroof Cargo volume (cu. ft.) Rear seats up Rear seats down Fuel tank (gals.) Engine oil (qts.) DIMENSIONS (inches) Exterior Wheelbase	24/32 N/A	may vary w	N/A 27/33 with driv 04.7 7.8 60.4 3.2 3.2
Automatic transmission (city/hwy) Xtronic CVT (Continuously Variable Transmission) (city/hwy) For model-year 2008, the EPA has revised the way the estimated fuel economy rating conditions—use for comparison only. CAPACITIES Interior passenger volume (cu. ft.) without sunroof Cargo volume (cu. ft.) Rear seats up Rear seats down Fuel tank (gals.) Engine oil (qts.) DIMENSIONS (inches) Exterior Wheelbase Overall length	24/32 N/A	2 may vary w 9 1 5 1	N/A 27/33 with driv 44.7 7.8 10.4 3.2 3.2
Automatic transmission (city/hwy) Xtronic CVT (Continuously Variable Transmission) (city/hwy) For model-year 2008, the EPA has revised the way the estimated fuel economy rating conditions—use for comparison only. CAPACITIES Interior passenger volume (cu. ft.) without sunroof Cargo volume (cu. ft.) Rear seats up Rear seats down Fuel tank (gals.) Engine oil (qts.) DIMENSIONS (inches) Exterior Wheelbase Overall length Overall width	24/32 N/A	2 may vary w	N/A 27/33 with driv 04.7 .7.8 .60.4 .3.2 .3.2
Automatic transmission (city/hwy) Xtronic CVT (Continuously Variable Transmission) (city/hwy) For model-year 2008, the EPA has revised the way the estimated fuel economy rating conditions—use for comparison only. CAPACITIES Interior passenger volume (cu. ft.) without sunroof Cargo volume (cu. ft.) Rear seats up Rear seats down Fuel tank (gals.) Engine oil (qts.) DIMENSIONS (inches) Exterior Wheelbase Overall length Overall width Overall height	24/32 N/A	2 may vary w	N/A 27/33 with driv 04.7 7.8 60.4 3.2 3.2 3.2
Automatic transmission (city/hwy) Xtronic CVT (Continuously Variable Transmission) (city/hwy) For model-year 2008, the EPA has revised the way the estimated fuel economy rating conditions—use for comparison only. CAPACITIES Interior passenger volume (cu. ft.) without sunroof Cargo volume (cu. ft.) Rear seats up Rear seats down Fuel tank (gals.) Engine oil (qts.) DIMENSIONS (inches) Exterior Wheelbase Overall length Overall width Overall height Track width (front/rear)	24/32 N/A	2 may vary w	N/A 27/33 with driv 14.7 7.8 10.4 3.2 3.2 02.4 69.1 16.7 16.7
Automatic transmission (city/hwy) Xtronic CVT (Continuously Variable Transmission) (city/hwy) For model-year 2008, the EPA has revised the way the estimated fuel economy rating conditions—use for comparison only. CAPACITIES Interior passenger volume (cu. ft.) without sunroof Cargo volume (cu. ft.) Rear seats up Rear seats down Fuel tank (gals.) Engine oil (qts.) DIMENSIONS (inches) Exterior Wheelbase Overall length Overall width Overall height Track width (front/rear) Aerodynamics	24/32 N/A	10 66 58.3	N/A 27/33 with driv 14.7 7.8 10.4 3.2 3.2 02.4 69.1 16.7 16.7
Automatic transmission (city/hwy) Xtronic CVT (Continuously Variable Transmission) (city/hwy) For model-year 2008, the EPA has revised the way the estimated fuel economy rating conditions—use for comparison only. CAPACITIES Interior passenger volume (cu. ft.) without sunroof Cargo volume (cu. ft.) Rear seats up Rear seats down Fuel tank (gals.) Engine oil (qts.)	24/32 N/A	10 66 58.3	N/A 27/33 with driv 14.7 .7.8 .60.4 .3.2 .3.2 .02.4 .69.1 .66.7 .60.4 .3/58.5
Automatic transmission (city/hwy) Xtronic CVT (Continuously Variable Transmission) (city/hwy) For model-year 2008, the EPA has revised the way the estimated fuel economy rating conditions—use for comparison only. CAPACITIES Interior passenger volume (cu. ft.) without sunroof Cargo volume (cu. ft.) Rear seats up Rear seats down Fuel tank (gals.) Engine oil (qts.) DIMENSIONS (inches) Exterior Wheelbase Overall length Overall width Overall width Overall height Track width (front/rear) Aerodynamics Drag coefficient (Cd)	24/32 N/A	10 10 66 58.3	N/A 27/33 with driv 14.7 .7.8 .60.4 .3.2 .3.2 .02.4 .69.1 .66.7 .60.4 .3/58.5
Automatic transmission (city/hwy) Xtronic CVT (Continuously Variable Transmission) (city/hwy) For model-year 2008, the EPA has revised the way the estimated fuel economy rating conditions—use for comparison only. CAPACITIES Interior passenger volume (cu. ft.) without sunroof Cargo volume (cu. ft.) Rear seats up Rear seats down Fuel tank (gals.) Engine oil (qts.) DIMENSIONS (inches) Exterior Wheelbase Overall length Overall width Overall height Track width (front/rear) Aerodynamics Drag coefficient (Cd) Interior	24/32 N/A	2 may vary w 9 11 5 11 10 6 6 58.3	N/A 27/33 with driv 14.7 7.8 10.4 3.2 3.2 3.2 166.7 10.4 3/58.5

Shoulder room (front/rear) 53.5/50.7

Legend

- Standard on this model
- Not Available on this model
- Optional on this model

Every Nissan is backed by a 36-month/36,000-mile limited vehicle coverage and a 5-year/60,000-mile limited powertrain coverage. (For complete information, see your Nissan dealer and read the actual limited warranty.) For extra protection, you can also add Security+Plus®, the only extended service agreement approved by Nissan.

1 XM® Satellite Radio requires XM subscription sold separately after first three trial months. All fees and programming subject to change. Subscriptions subject to Customer Agreement available at xmradio.com. XM service only available in the 48 contiguous United States and Canada. The XM name is a registered trademark of XM Satellite Radio Inc.

Nissan North America, Inc. reserves the right to make changes at any time, without prior notice, in prices, colors, materials, equipment, specifications and models, and to discontinue models or equipment. Specifications, options and accessories may differ in Hawaii, U.S. territories and other countries. For additional information on availability, options or accessories, see your Nissan dealer.

® The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc., and any use of such marks by Nissan is under license.

PLEASE CLICK HERE To give US FEEDBACK

