

Specifications - Nissan Xterra

MECHANICAL				_
	x		OFF ROAD	SE
Engine				
VQ40DE – 4.0-liter DOHC 24-valve V6 engine 261 hp @ 5,600 rpm 281 lb-ft of torque @ 4,000 rpm	•	•	•	•
Emissions – LEV2-ULEV	•	•	•	•
Continuously Variable Valve Timing Control System (CVTCS) on intake valves	•	•	•	•
Variable Intake System	•	•	•	•
Nissan Direct Ignition System	•	•	•	•
Platinum-tipped spark plugs	•	•	•	•
Electronic drive-by-wire throttle	•	•	•	•
Drivetrain	_	_	_	_
6-speed manual transmission	•	0	•	0
5-speed automatic transmission	•	•	•	•
Switch-operated 2-speed transfer case	•	٥	•	0
Dana® rear axle (manual transmission only)	•	0	•	0
Electronic locking rear differential	0	0	•	0
2-wheel Active Brake Limited Slip (ABLS) – 4x2 only	•	•	0	•
4-wheel Active Brake Limited Slip (ABLS) – 4x4 only	•	•	•	•
Clutch Start/Cancel (manual transmission only)	0	0	•	Ø
Hill descent control and hill start assist (automatic transmission only)	0	0	•	0
Brakes				
Front vented disc brakes/rear vented disc brakes	•	•	•	•
4-wheel Anti-lock Braking System (ABS) – G-sensor on 4x4 models	•	•	•	•
Electronic Brake force Distribution (EBD)	•	•	•	•
Suspension and Steering	_	_		_
Front: Independent double-wishbone with front stabilizer bar	•	•	•	•
Rear: Multi-leaf with solid axle and stabilizer bar	•	•	•	•
Bilstein® off-road performance shock absorbers	0	Ø	•	0
Engine-speed-sensitive power steering	•	•	•	•

EXTERIOR		
	х	OFF ROAD

Wheels and Tires				
16" x 7" steel wheels	•	Ø	0	0
16" x 7" 5-spoke aluminum-alloy wheels	Ø	•	Ø	0
16" x 7" 6-spoke machined-finished aluminum-alloy wheels	0	Ø	•	0
17" x 7.5" 8-spoke aluminum-alloy wheels	0	Ø	0	•
P265/70R16 General Grabber™ Tires (not available on 4x4 manual transmission models)	•	0	Ø	0
P265/70R16 BFGoodrich® Radial Long Trail® T/A outlined white letter tires (standard on X 4x4 manual transmission models)	•	•	0	0
P265/75R16 BFGoodrich® Rugged Trail® T/A outlined white letter tires	Ø	Ø	•	0
P265/65R17 BFGoodrich® Radial Long Trail® T/A outlined white letter tires	0	0	0	•
Full-size spare tire	•	•	•	•
5. II. (5 III.				
Styling/Functionality Child plate - Javan and lister	_	_	_	_
Skid plate – lower radiator	•	•	•	•
Skid plates – oil pan, fuel tank, 4x4 transfer case	0	0	•	0
Tubular roof rack with air dam	•	•	•	•
Roof rack-mounted off-road lights	0	0	•	0
Roof rack crossbars	0	•	•	•
Covered gear box	0	•	•	•
Tubular step rails	0	•	0	•
Rear bumper steps	•	•	•	•
Front tow hook (4x4 only)	0	•	•	•
Sandblast aluminum/black front bumper	•	•	•	•
Black body side moldings	0	0	•	0
Body-color outside door handles, mirrors and side moldings	0	Ø	0	•
Splash guards	0	•	•	•
Black inner headlight color	•	•	Ø	0
Silver inner headlight color	0	0	•	•
Fog lights	0	•	•	•
Dual power outside mirrors	0	•	•	•
UV-reducing solar glass	•	•	•	•
Rear privacy glass	•	•	•	•
INTERIOR				
	x		OFF ROAD	SE
Convenience				
Bluetooth® Hands-free Phone System	0	Ø	•	•
Air conditioning	•	•	•	•
In-cabin microfilter	0	•	•	•
Trip computer (distance to empty, average speed, and miles per gallon)	0	0	0	•
	•	•	•	•
Voltage and oil pressure gauges				
Voltage and oil pressure gauges Power windows with driver's one-touch auto-down feature	•	•	•	•
	•	•	•	•
Power windows with driver's one-touch auto-down feature	•	•	•	•

Retained accessory power and battery saver	•	•	•	•
Tilt steering column	•	•	•	•
Variable intermittent windshield wipers	•	•	•	•
Rear wiper	•	•	•	•
Auto-dimming rearview mirror and digital compass	0	0	•	•
Front map lights	0	•	•	•
Sun visor extenders and visor vanity mirrors (illuminated on SE)	0	•	•	•
Digital clock (in radio)	•	•	•	•
Three 12-volt DC power outlets (two "live")	•	•	•	
Overhead sunglasses storage	0	0	•	•
Four cup holders and two bottle holders	•	•	•	•
Driver's seatback pocket	Ø	0	•	•
Luggage side nets	•	•	•	•
Cargo net	0	0	•	•
Easy Clean cargo area	Ø	•	•	•
Under-floor cargo area storage	•	•	•	•
Utili-track™ Cargo Channel System with four adjustable cleats	0	•	•	•
Four ceiling hooks and two side hooks	0	•	•	•
Height-adjustable 3-point front and rear outboard seat belts	•	•	•	•
First-aid kit	Ø	0	•	•
Seating/Appointments	_	_	_	_
8-way manual driver's seat with adjustable lumbar support	0	•	•	•
Fold-flat front-passenger's seat	0	0	•	0
60/40-split fold-flat rear seats	•	•	•	•
Removable rear seat cushions	•	•	•	•
Second-row height-adjustable head restraints (outboard positions)	•	•	•	•
Cloth seat trim	•	•	•	0
Leather-appointed seats	Ø	0	Ø	•
Leather-wrapped steering wheel	0	0	•	•
Titanium-tinted gauge accents	Ø	<u> </u>	0	•
AUDIO				
	x		OFF ROAD	SE
AM/FM/CD audio system	•	•	0	0
Rockford Fosgate-powered audio system with AM/FM/in-dash 6-CD changer	0	0	•	•
Auxiliary audio input jack [1]	0	Ø	•	•
Radio Data System (RDS)	0	0	•	•
Steering-wheel-mounted audio controls	0	0	•	•
MP3/WMA CD playback capability	0	0	•	•
Speed-sensitive volume control	0	0	•	•
Six speakers	•	•	0	0
Nine high-performance speakers, including 8" subwoofer	0	0		
XM® Satellite Radio – includes activation and 3 months of service [2] (automatic	0	Ø	•	•
transmission models only)	~			EUBHCK

Nissan Advanced Air Bag System with dual-stage supplemental front air bags with seat belt and occupant-classification sensors or priver and front-passenger seat-mounted side-impact supplemental air bags or side-impact and rollover head protection for outboard occupants. Vehicle Dynamic Control (VDC) [3] Front-seat Active Head Restraints Front seat belts with pretensioners and load limiters LATCH System (Lower Anchors and Tethers for CHildren) Zone Body construction with front and rear crumple zones Hood buckling creases and energy-absorbing steering column Pipe-style steel side-door guard beams Tire Pressure Monitoring System (TPMS) SECURITY X S Vehicle Security System Nissan Vehicle Immobilizer System CURB WEIGHTS CURB WEIGHTS CURB WEIGHTS CURB WEIGHTS CURB WEIGHTS CURB WEIGHTS TELE CONSUMPTION 2010 EPA Fuel Consumption Estimates X S 4×2 Automatic transmission (city/highway) Manual transmission (city/highway)	OFF ROAD	SE SE
Driver and front-passenger seat-mounted side-impact supplemental air bags Roof-mounted curtain supplemental air bags for side-impact and rollover head protection for outboard occupants Vehicle Dynamic Control (VDC) [3] Front-seat Active Head Restraints Front seat belts with pretensioners and load limiters LATCH System (Lower Anchors and Tethers for CHildren) Zone Body construction with front and rear crumple zones Hood buckling creases and energy-absorbing steering column Pipe-style steel side-door guard beams Tire Pressure Monitoring System (TPMS) SECURITY X S Vehicle Security System Nissan Vehicle Immobilizer System CURB WEIGHTS **Curb Weights (Ibs) 4x2 Automatic transmission 4, 169 4, 169 4, 206 Manual transmission 4, 381 4, 418 Manual transmission FUEL CONSUMPTION 2010 EPA Fuel Consumption Estimates X S 4x4 Automatic transmission (city/highway) Automatic transmission (city/highway) Manual transmission (city/highway) Automatic transmission (city/highway) Manual transmission (city/highway) Manual transmission (city/highway) 15/20 15/20	OFF ROAD	•
Avehicle Dynamic Control (VDC) [3] Front-seat Active Head Restraints Front seat belts with pretensioners and load limiters LATCH System (Lower Anchors and Tethers for CHildren) Zone Body construction with front and rear crumple zones Hood buckling creases and energy-absorbing steering column Pipe-style steel side-door guard beams Tire Pressure Monitoring System (TPMS) SECURITY X S Vehicle Security System Nissan Vehicle Immobilizer System CURB WEIGHTS X S Curb Weights (Ibs) 4x2 Automatic transmission Manual transmission (city/highway) Manual tra	OFF ROAD	•
Vehicle Dynamic Control (VDC) [3] Front-seat Active Head Restraints Front seat belts with pretensioners and load limiters LATCH System (Lower Anchors and Tethers for CHildren) Zone Body construction with front and rear crumple zones Hood buckling creases and energy-absorbing steering column Pipe-style steel side-door guard beams Tire Pressure Monitoring System (TPMS) SECURITY X S Vehicle Security System Vehicle Security System Vehicle Immobilizer System CURB WEIGHTS CURB WEIGHTS X S Curb Weights (Ibs) 4x2 Automatic transmission Manual transmission Manual transmission Manual transmission Manual transmission Manual transmission Manual transmission Vehicle Consumption Estimates X S 4x2 Automatic transmission (city/highway) Manual	OFF ROAD	•
Front seat belts with pretensioners and load limiters LATCH System (Lower Anchors and Tethers for CHildren) Zone Body construction with front and rear crumple zones Hood buckling creases and energy-absorbing steering column Pipe-style steel side-door guard beams Tire Pressure Monitoring System (TPMS) SECURITY X S Wehicle Security System Wissan Vehicle Immobilizer System CURB WEIGHTS Curb Weights (Ibs) 4x2 Automatic transmission Manual transmission Manual transmission Automatic transmission Manual transmission Manual transmission Manual transmission Manual transmission Manual transmission Manual transmission Automatic transmission Manual transmission Manual transmission Manual transmission Manual transmission Manual transmission Automatic transmission Manual transmission (city/highway)	OFF ROAD OFF ROAD	•
ATCH System (Lower Anchors and Tethers for CHildren) Zone Body construction with front and rear crumple zones Hood buckling creases and energy-absorbing steering column Pipe-style steel side-door guard beams Tire Pressure Monitoring System (TPMS) SECURITY X S Wehicle Security System Nissan Vehicle Immobilizer System CURB WEIGHTS X S Curb Weights (Ibs) 4x2 Automatic transmission Automatic transmission (city/highway)	OFF ROAD OFF ROAD	•
Zone Body construction with front and rear crumple zones Hood buckling creases and energy-absorbing steering column Pipe-style steel side-door guard beams Tire Pressure Monitoring System (TPMS) SECURITY X S Vehicle Security System Vehicle Immobilizer System Vehicle Immobilizer System CURB WEIGHTS X S Curb Weights (Ibs) 4x2 Automatic transmission Manual transmission 2010 EPA Fuel Consumption Estimates X S 4x2 Automatic transmission (city/highway) Manual transmission (city/highway) Manua	OFF ROAD OFF ROAD	•
Hood buckling creases and energy-absorbing steering column Pipe-style steel side-door guard beams Tire Pressure Monitoring System (TPMS) SECURITY X S Vehicle Security System Nissan Vehicle Immobilizer System CURB WEIGHTS X S Curb Weights (Ibs) 4x2 Automatic transmission Manual transmission TURE CONSUMPTION 2010 EPA Fuel Consumption Estimates X S 4x4 Automatic transmission (city/highway) Manual transmissi	OFF ROAD OFF ROAD	•
Pipe-style steel side-door guard beams Tire Pressure Monitoring System (TPMS) SECURITY X S Vehicle Security System Nissan Vehicle Immobilizer System CURB WEIGHTS X S Curb Weights (Ibs) 4x2 Automatic transmission Manual transmission Manual transmission Manual transmission Manual transmission Manual transmission Manual transmission (city/highway) Manual tra	OFF	•
Tire Pressure Monitoring System (TPMS) SECURITY X S Vehicle Security System Nissan Vehicle Immobilizer System CURB WEIGHTS X S Curb Weights Automatic transmission (city/highway)	OFF	•
SECURITY X S Vehicle Security System Nissan Vehicle Immobilizer System CURB WEIGHTS X S Curb Weights (lbs) 4x2 Automatic transmission Manual transmission (city/highway)	OFF	•
Vehicle Security System Nissan Vehicle Immobilizer System CURB WEIGHTS X S Curb Weights (lbs) 4x2 Automatic transmission Manual transmission Manual transmission Manual transmission Manual transmission 4,169 4,206 4,206 4,154 - 4x4 Automatic transmission 4,381 Manual transmission 4,381 Manual transmission 5 FUEL CONSUMPTION 2010 EPA Fuel Consumption Estimates X S 4x2 Automatic transmission (city/highway) Manual transmission (city/highway) Manual transmission (city/highway) Manual transmission (city/highway) Manual transmission (city/highway) 4x4 Automatic transmission (city/highway) 15/21 Manual transmission (city/highway) 15/22 15/20	OFF	•
Nissan Vehicle Immobilizer System CURB WEIGHTS X S Curb Weights (Ibs) 4x2 Automatic transmission Manual transmission Manual transmission Manual transmission Manual transmission Manual transmission Manual transmission X S 4,169 4,206 4,154 - 4x4 Automatic transmission 4,381 Manual transmission 4,365 - FUEL CONSUMPTION 2010 EPA Fuel Consumption Estimates X S 4x2 Automatic transmission (city/highway) Manual transmission (city/highway) 15/21 15/20	OFF	•
Nissan Vehicle Immobilizer System CURB WEIGHTS X S Curb Weights (Ibs) 4x2 Automatic transmission Manual transmission 7 FUEL CONSUMPTION 2010 EPA Fuel Consumption Estimates X S 4x2 Automatic transmission (city/highway) Manual transmission (city/highway) 15/21 4x4 Automatic transmission (city/highway) 15/20 15/20	ROAD	SE
Curb Weights (lbs) 4x2 Automatic transmission Manual transmission 5x 5x 4,206 4,169 4,206 4,154 - 4x4 Automatic transmission Manual transmission Manual transmission Manual transmission Manual transmission (city/highway)	ROAD	SE
Curb Weights (Ibs) 4x2 Automatic transmission Manual transmission A,169 A,154 Automatic transmission A,181 Automatic transmission A,381 A,4418 Automatic transmission A,365 A FUEL CONSUMPTION 2010 EPA Fuel Consumption Estimates X S 4x2 Automatic transmission (city/highway) Manual transmission (city/highway)	ROAD	SE
Curb Weights (lbs) 4x2 Automatic transmission Manual transmission	ROAD	SE
Curb Weights (lbs) 4x2 Automatic transmission Manual transmission		
4x2 4,169 4,206 Manual transmission 4,154 — 4x4 Automatic transmission 4,381 4,418 Manual transmission 4,365 — FUEL CONSUMPTION 2010 EPA Fuel Consumption Estimates X S 4x2 Automatic transmission (city/highway) 15/21 15/21 Manual transmission (city/highway) 16/20 — 4x4 Automatic transmission (city/highway) 15/20 15/20	_	
4x2 4,169 4,206 Manual transmission 4,154 — 4x4 Automatic transmission 4,381 4,418 Manual transmission 4,365 — FUEL CONSUMPTION 2010 EPA Fuel Consumption Estimates X S 4x2 Automatic transmission (city/highway) 15/21 15/21 Manual transmission (city/highway) 16/20 — 4x4 Automatic transmission (city/highway) 15/20 15/20	_	
Manual transmission 4,154 — 4x4 Automatic transmission 4,381 4,418 Anual transmission 4,365 — FUEL CONSUMPTION 2010 EPA Fuel Consumption Estimates X S 4x2 Automatic transmission (city/highway) 15/21 15/21 Manual transmission (city/highway) 16/20 — 4x4 Automatic transmission (city/highway) 15/20 15/20		4,22
Automatic transmission Manual transmission FUEL CONSUMPTION 2010 EPA Fuel Consumption Estimates X S 4x2 Automatic transmission (city/highway) Manual transmission (city/highway) Manual transmission (city/highway) Automatic transmission (city/highway) Automatic transmission (city/highway) Automatic transmission (city/highway) 15/21 4x4 Automatic transmission (city/highway) 15/20 15/20	_	-
FUEL CONSUMPTION 2010 EPA Fuel Consumption Estimates X S 4x2 Automatic transmission (city/highway) Manual transmission (city/highway) 15/21 15/21 15/21 16/20 - 4x4 Automatic transmission (city/highway) 15/20 15/20	4,453 4,438	4,43 —
2010 EPA Fuel Consumption Estimates 4x2 Automatic transmission (city/highway) Manual transmission (city/highway) 15/21 15/21 16/20 - 4x4 Automatic transmission (city/highway) 15/20 15/20	.,	
4x2 Automatic transmission (city/highway) Manual transmission (city/highway) 4x4 Automatic transmission (city/highway) 15/20 15/20		
Automatic transmission (city/highway) 15/21 15/21 16/20 — 4x4 Automatic transmission (city/highway) 15/20 15/20	OFF ROAD	SE
4x4 Automatic transmission (city/highway) 15/20 15/20	_	15/2
3 17	15/20 16/20	15/2
Actual mileage may vary with driving conditions – use for comparison only.	-, -	
CAPACITIES		
Interior passenger volume (cu. ft.)	98.8	
Cargo capacity (cu. ft.) All seats in user positions Second row folded flat	36.3 65.7	
Fuel tank (gals.)	21.1	
Maximum towing capacity (lbs.)	5,000	
DIMENSIONS		
Exterior (inches)		
Exterior (inches) Wheelbase		

Overall length Overall width - without mirrors Overall height with roof rack Frack width (front/rear) Interior (inches) Head room (front/rear) Leg room (front/rear)	178.7 72.8 74.9 61.8/61.8
Overall height with roof rack Frack width (front/rear) Interior (inches) Head room (front/rear) Leg room (front/rear)	74.9 61.8/61.8
Interior (inches) Head room (front/rear) Leg room (front/rear)	61.8/61.8
Interior (inches) Head room (front/rear) Leg room (front/rear)	
Head room (front/rear) Leg room (front/rear)	39.9/39.3
Leg room (front/rear)	39.9/39.3
	42.4/34.4
Hip room (front/rear)	55.9/46.1
Shoulder room (front/rear)	58.3/58.3
Vehicle Clearance	
Minimum ground clearance	8.3" - 9.5"
Angle of approach	30.5° - 33.2°
Angle of departure	27.3° - 29.4°
Ramp over angle	22.9° - 24.6°

Every Nissan is backed by a 36-month/36,000-mile limited vehicle coverage and a 5-year/60,000-mile limited powertrain coverage. 2003-2010 Vehicles equipped with a Continuously Variable Transmission (CVT) also have a 10-year /120,000 mile CVT limited warranty extension. (For complete information, see your Nissan dealer and read the actual limited warranty.) For extra protection, you can also add Security+Plus®, the only extended service agreement approved by Nissan.

For more warranty information or questions on 2003-2010 vehicles equipped with a Continuously Variable Transmission please visit www.NissanAssist.com

- [1] Driving is serious business and requires your full attention. Do not operate any devices connected to the auxiliary audio input jack while driving.
- [2] XM® Satellite Radio requires XM subscription sold separately after three month trial period. See Customer Agreement at xmradio.com. Fees and programming subject to change. Not available in Canada, AK and HI. © 2009 XM Satellite Radio Inc. XM name and logos are registered trademarks of XM Satellite Radio. Other trademarks and channel names are property of their respective owners.
- [3] VDC, which should remain on when driving except when freeing the vehicle from mud or snow, cannot prevent accidents due to abrupt steering, carelessness, or dangerous driving techniques. Always drive safely.

Nissan reserves the right to make changes at any time, without prior notice, in prices, colors, materials, equipment, specifications, and models and to discontinue models or equipment. Specifications, options, and accessories may differ in Hawaii, U.S. territories, and other countries.

- ® Dana is a registered trademark of Dana Corporation.
- $^{\mbox{\tiny TM}}$ General Grabber is a trademark of General Tire & Rubber Company.
- ® BFGoodrich is a registered trademark of Goodrich Corporation.
- ® Bilstein is a registered trademark of ThyssenKrupp Bilstein GmbH.
- ® Rugged Trail and Long Trail are registered trademarks of Uniroyal Goodrich Licensing Services, Inc.
- ® The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc., and any use of such marks by Nissan is under license.

FEEDBACK