

Specifications - Nissan Nissan Z® Roadster

MECHANICAL			
	ENTH	TOUR	GRANI
Engine			
VQ35HR—3.5-liter DOHC 24-valve V6 engine 306 hp @ 6,800 rpm 268 lb-ft @ 4,800 rpm	•	٠	٠
Emissions — LEV2	•	•	•
Continuously Variable Valve Timing Control System (CVTCS) Hydraulic on intake cam Electromagnetic on exhaust cam	•	٠	•
Twin-intake system	•	•	•
Nissan Direct Ignition System	•	•	•
Iridium-tipped spark plugs	•	•	•
Electronic drive-by-wire throttle	•	•	٠
Brakes			
Power-assisted brakes — 12.6" x 1.10" vented front discs and 12.1" x 0.63" vented rear discs	•	٠	0
Brembo® braking system 4-piston caliper with 12.8" x 1.18" vented front discs and 2-piston caliper with 12.7" x 0.87" vented rear discs	0	0	•
4-wheel Anti-lock Braking System (ABS)	•	•	•
Electronic Brake force Distribution (EBD)	•	•	•
Brake Assist	•	•	٠
Drivetrain			
Longitudinally mid-mounted front engine/rear-wheel drive	•	•	•
Carbon-fiber composite driveshaft	•	٠	•
6-speed close-ratio manual transmission	•	•	•
5-speed automatic transmission with manual shift mode and Downshift Rev Matching	•	9	9
Viscous limited-slip differential (VLSD)	•	٠	٠
Suspension and Steering			
Front: Independent 3-link aluminum-alloy suspension	•	•	•
Rear: Independent 4-link aluminum-alloy suspension with aluminum-alloy subframe	•	•	•
Front and rear stabilizer bars	•	•	•
Front strut bar	•	•	•
Ripple-control shock absorbers	•	•	•
Vehicle-speed-sensitive power-assisted rack-and-pinion steering	•	•	•

	ENTH	TOUR	GRAN
Wheels and Tires	-	-	-
18" x 8.0" (front) 18" x 8.5" (rear) 5-spoke cast aluminum-alloy wheels	•	•	•
P225/45WR18 (front) and P245/45WR18 (rear) Bridgestone Potenza RE050A high-performance tires	•	•	•
Aerodynamics			
Comprehensive underbody airflow management	•	•	•
Front: Zero-lift	•	•	٠
Styling			
High Intensity Discharge (HID) bi-xenon headlights	•	•	•
LED parking lights	•	•	•
LED taillights	•	•	•
Dual power heated outside mirrors	•	•	•
Dual exhaust tip finishers	•	•	•
Aluminum hood	•	•	•
One-touch trunk release	•	•	•
UV-reducing solar glass	•	•	•
Power convertible soft-top with glass window	•	•	•
Rear glass wind deflector	•	•	•
Electronically moving tonneau cover	•	•	•
INTERIOR			
	ENTH	TOUR	GRAN
Convenience			
Nissan Navigation System with GPS, DVD atlas and 7" color LCD monitor	0	•	•
Nissan Navigation System with GPS, DVD atlas and 7" color LCD monitor Automatic Temperature Control (ATC)	© ●	⊖ ●	⊖ ●
	© ● ●	⊖ ● ●	• • •
Automatic Temperature Control (ATC)	© • •	•	•
Automatic Temperature Control (ATC) 3-bay gauge cluster (trip computer,oil pressure and voltmeter)	© • •	• • •	0 0 0
Automatic Temperature Control (ATC) 3-bay gauge cluster (trip computer,oil pressure and voltmeter) Trip computer with multiple functions	© • •	0 0 0 0	0 0 0 0
Automatic Temperature Control (ATC) 3-bay gauge cluster (trip computer,oil pressure and voltmeter) Trip computer with multiple functions Shift up indicator (M/T only)	© • • •	0 0 0 0 0	
Automatic Temperature Control (ATC) 3-bay gauge cluster (trip computer,oil pressure and voltmeter) Trip computer with multiple functions Shift up indicator (M/T only) Power windows with one-touch auto-up/down feature	S • • • •	0 0 0 0 0 0	•
Automatic Temperature Control (ATC) 3-bay gauge cluster (trip computer,oil pressure and voltmeter) Trip computer with multiple functions Shift up indicator (M/T only) Power windows with one-touch auto-up/down feature Auto-reverse feature	© • • • •	0 0 0 0 0 0 0	• • • • •
Automatic Temperature Control (ATC) 3-bay gauge cluster (trip computer,oil pressure and voltmeter) Trip computer with multiple functions Shift up indicator (M/T only) Power windows with one-touch auto-up/down feature Auto-reverse feature Partial-down window mechanism	S • • • • • •	÷	•
Automatic Temperature Control (ATC) 3-bay gauge cluster (trip computer,oil pressure and voltmeter) Trip computer with multiple functions Shift up indicator (M/T only) Power windows with one-touch auto-up/down feature Auto-reverse feature Partial-down window mechanism Power door locks	S • • • • • •	0 0 0 0 0 0 0 0 0	• • • • • •
Automatic Temperature Control (ATC) 3-bay gauge cluster (trip computer,oil pressure and voltmeter) Trip computer with multiple functions Shift up indicator (M/T only) Power windows with one-touch auto-up/down feature Auto-reverse feature Partial-down window mechanism Power door locks Remote keyless entry with rolling code protection	S • • • • • • • • •	0 0 0 0 0 0 0 0 0 0 0 0 0	
Automatic Temperature Control (ATC) 3-bay gauge cluster (trip computer,oil pressure and voltmeter) Trip computer with multiple functions Shift up indicator (M/T only) Power windows with one-touch auto-up/down feature Auto-reverse feature Partial-down window mechanism Power door locks Remote keyless entry with rolling code protection Remote front windows down	S • • • • • • • • •	0 0 0 0 0 0 0 0 0 0	• • • • • • • • •
Automatic Temperature Control (ATC) 3-bay gauge cluster (trip computer,oil pressure and voltmeter) Trip computer with multiple functions Shift up indicator (M/T only) Power windows with one-touch auto-up/down feature Auto-reverse feature Partial-down window mechanism Power door locks Remote keyless entry with rolling code protection Remote front windows down Remote trunk release	S • • • • • • • • • • • • • • • • • • •		
Automatic Temperature Control (ATC) 3-bay gauge cluster (trip computer,oil pressure and voltmeter) Trip computer with multiple functions Shift up indicator (M/T only) Power windows with one-touch auto-up/down feature Auto-reverse feature Partial-down window mechanism Power door locks Remote keyless entry with rolling code protection Remote front windows down Remote trunk release Key-operated front windows up/down			
Automatic Temperature Control (ATC) 3-bay gauge cluster (trip computer,oil pressure and voltmeter) Trip computer with multiple functions Shift up indicator (M/T only) Power windows with one-touch auto-up/down feature Auto-reverse feature Partial-down window mechanism Power door locks Remote keyless entry with rolling code protection Remote front windows down Remote trunk release Key-operated front windows up/down Illuminated steering wheel-mounted cruise control			0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Automatic Temperature Control (ATC) 3-bay gauge cluster (trip computer,oil pressure and voltmeter) Trip computer with multiple functions Shift up indicator (M/T only) Power windows with one-touch auto-up/down feature Auto-reverse feature Partial-down window mechanism Power door locks Remote keyless entry with rolling code protection Remote front windows down Remote trunk release Key-operated front windows up/down Illuminated steering wheel-mounted cruise control			

http://www.nissanusa.com/z/specifications-roadster.html

Passenger seatback fall-down lever for driver	•	•	•
Variable intermittent windshield wipers	•	•	•
Rear window wiper	•	•	•
Auto-dimming rearview mirror	•	•	•
Dual illuminated visor vanity mirrors	•	•	•
Sun visor extenders	•	•	•
Digital clock (in radio)	•	•	•
Two 12-volt power outlets	•	•	•
Five cup holders	•	•	•
Dash-mounted storage (N/A with Nissan Navigation System)	•	•	•
Padded center console storage	•	•	•
Lockable rear luggage box	•	•	•
Rear parcel box (2:1 with Nissan Navigation System)	•	•	•
Passenger storage net	•	٠	•
Seating and Appointments			
Carbon seat cloth	•	Ø	0
Perforated leather-appointed seats	0	•	•
Ventilated leather- and mesh-appointed seats (Burnt Orange Leather only)	0	•	•
Power front seats	•	•	•
Heated seats	0	•	•
Driver-shaped bucket seat(N/A with ventilated leather)	•	•	•
Passenger-shaped bucket seat(N/A with ventilated leather)	•	•	•
Passenger seatback pocket	•	•	•
Driver's and passenger's side knee support	•	•	•
Leather-wrapped steering wheel	•	•	•
Leather-wrapped shift knob	•	•	•
Leather-wrapped parking-brake lever	•	•	•
Cross-drilled aluminum pedals	•	•	•
AUDIO			

	ENTH	TOUR	GRAND
AM/FM/CD audio system	•	0	0
Digital Bose® audio system with AM/FM/in-dash 6-CD changer	0	•	•
Six speakers	•	0	0
Seven speakers, including 10" Nd® subwoofer	0	•	•
Radio Data System (RDS)	0	•	•
AudioPilot [™] noise-compensating technology	0	•	•
MP3/WMA CD capability	0	•	•
Illuminated steering wheel-mounted audio controls	•	•	•
SAFETY			
	ENTH	TOUR	GRAND
Nissan Advanced Air Dag System (AARS) with dual stage supplemental front air bage with cost balt			

 Nissan Advanced Air Bag System (AABS) with dual-stage supplemental front air bags with seat belt sensors and occupant-classification sensor
 •

 Driver and passenger seat mounted side-impact supplemental air bags
 •

http://www.nissanusa.com/z/specifications-roadster.html

Traction Control System (TCS)	•	•	•
Vehicle Dynamic Control (VDC)	0	0	•
Seat belts with pretensioners and load limiters	•	•	•
3-point ALR/ELR passenger seat belt system	•	•	•
Active Head Restraints (N/A with ventilated leather)	•	•	•
Child-seat anchors	•	•	•
Energy-absorbing steering column		•	
Zone Body construction with front and rear crumple zones			
Pipe-style steel side-door guard beams			
Hood buckling creases			
Tire Pressure Monitoring System (TPMS)			
	•	•	•
SECURITY			
	ENTH	TOUR	GRAND
Nissan Vehicle Immobilizer System	•	•	•
Vehicle Security System	•	•	•
CURB WEIGHTS			
	ENTH	TOUR	GRAND
	LINIT	TOOK	GRAND
Curb Weights (lbs)			
Manual transmission	3,575	3,595	3,596
Automatic transmission	3,596	3,615	3,616
Weight distribution	53/47	53/47	53/47
FUEL ECONOMY			
2008 EPA Fuel Economy Estimates	ENTH	TOUR	GRAND
- 	17/04	47/24	47/24
Manual transmission (city/hwy)	17/24	17/24	17/24
Automatic transmission (city/hwy)	17/23	17/23	17/23
For model-year 2008, the EPA has revised the way the estimated fuel e Actual mileage may vary with driving conditions — use for comparison			
CAPACITIES			
Interior passenger volume (cu. ft.)	51.8		
Cargo capacity (cu. ft.)	4.1		
Fuel tank (gals.)	20.0		
Engine oil (qts.)	5.3 max (5.0 recomm	ended)	
DIMENSIONS			
Exterior (inches)			
Wheelbase		-	L04.3
Overall length		:	169.8
Overall width			71.5

Track Width (inches)

18"/18" cast aluminum- alloy wheels (front/rear)

Interior (inches)

Head room

Overall height

http://www.nissanusa.com/z/specifications-roadster.html

52.1

60.5/60.6

39.2

Leg room		42.6
Hip room		53.2
Shoulder room		53.6
Legend ● Standard on this model ● Optional on this model	S Not Available on this model	

Every Nissan is backed by a 36-month/36,000-mile limited vehicle coverage and a 5-year/60,000-mile limited powertrain coverage. (For complete information, see your Nissan dealer and read the actual limited warranty.) For extra protection, you can also add Security+Plus®, the only extended service agreement approved by Nissan.

Nissan North America, Inc. reserves the right to make changes at any time, without prior notice, in prices, colors, materials, equipment, specifications and models, and to discontinue models or equipment. Specifications, options and accessories may differ in Hawaii, U.S. territories and other countries. For additional information on availability, options or accessories, see your Nissan dealer.

® Brembo is a registered trademark of Freni Brembo S.p.A.

- ® HomeLink is a registered trademark of Johnson Controls, Inc.
- ® Bose is a registered trademark of The Bose Corporation.
- [™] Audiopilot is a trademark of Bose Corporation.

