

Trans Order Code	MM5	MM5	MM5	MM5
SAE Net Torque @ RPM	167 @ 4500	260 @ 5300	167 @ 4500	260 @ 5300
SAE Net Horsepower @ RPM	173 @ 5800	260 @ 5300	173 @ 5800	260 @ 5300
Fuel System	SFI	SFI	SFI	SFI
Displacement	2.4L/145	2.0L/122	2.4L/145	2.0L/122
Engine Type	Gas 4-Cyl	Turbo Gas 4-Cyl	Gas 4-Cyl	Turbo Gas 4-Cy
Engine Order Code	LE5	LNF	LE5	LNF
Cruising Range - Hwy	325.00	364.00	325.00	364.00
Cruising Range - City	247.00	247.00	247.00	247.00
EPA Fuel Economy Est - Hwy	25	28	25	28
EPA Fuel Economy Est - City	19	19	19	19
Drivetrain	Rear Wheel Drive	Rear Wheel Drive	Rear Wheel Drive	Rear Wheel Dri
M/T	Standard	Standard	Standard	Standard
A/T	Available	Available	Available	Available
5-Speed M/T	Standard	Standard	Standard	Standard
5-Speed A/T	Available	Available	Available	Available
Gasoline Fuel	Standard	Standard	Standard	Standard
Turbocharged	Not Available	Standard	Not Available	Standard
4 Cylinder Engine	Standard	Standard	Standard	Standard
Rear Wheel Drive	Standard	Standard	Standard	Standard
Locking Rear Differential	Standard	Standard	Standard	Standard
				Solstice GXP
Dimensions	Solstice	Solstice GXP	Solstice Coupe	Coupe
Trunk Volume	5.4 ft ³	5.4 ft ³	5.4 ft ³	5.4 ft ³
Liftover Height	N/A	N/A	N/A	N/A
Length, Overall	157.2 in	157.2 in	157.2 in	157.2 in
Front Hip Room	50.6 in	50.6 in	50.6 in	50.6 in
Min Ground Clearance	N/A	N/A	N/A	N/A
Second Leg Room Tread Width, Rear	N/A	N/A	N/A 61.4 in	N/A 61.4 in
	61.4 in 60.7 in	61.4 in 60.7 in	60.7 in	60.7 in
Tread Width, Front	50.1 in	50.1 in	50.1 in	50.1 in
Height, Overall Wheelbase	95.1 in	95.1 in	95.1 in	95.1 in
Width, Max w/o mirrors	71.3 in	71.3 in	71.3 in	71.3 in
Front Head Room	38.5 in	38.5 in	38.5 in	38.5 in
Front Leg Room	42.7 in	42.7 in	42.7 in	42.7 in
Second Hip Room	N/A	N/A	N/A	N/A
Second Shoulder Room	N/A	N/A	N/A	N/A
Second Head Room	N/A	N/A	N/A	N/A
Front Shoulder Room	52.4 in	52.4 in	52.4 in	52.4 in
Passenger Volume	50 ft ³	50 ft ³	50 ft ³	50 ft ³
Passenger Capacity	2	2	2	2
Exterior				
	Solstice	Solstice GXP	Solstice Coupe	Solstice GXP Coupe
Tires - Rear Performance	Solstice Standard	Solstice GXP Standard	Solstice Coupe Standard	Solstice GXP Coupe Standard
Tires - Rear Performance Tires - Front Performance				Coupe
	Standard	Standard	Standard	Coupe Standard

Rear Wheel Material	Aluminum	Aluminum	Aluminum	Aluminum
Front Wheel Material	Aluminum	Aluminum	Aluminum	Aluminum
Rear Wheel Size	18 x 8 in	18 x 8 in	18 x 8 in	18 x 8 in
Front Wheel Size	18 x 8 in	18 x 8 in	18 x 8 in	18 x 8 in
Interior	Solstice	Solstice GXP	Solstice Coupe	Solstice GXP Coupe
Bucket Seats	Standard	Standard	Standard	Standard
Leather Seats	Available	Available	Available	Available
Cloth Seats	Selected	Selected	Selected	Selected
CD Player	Standard	Standard	Standard	Standard
CD Changer	Available	Available	Available	Available
AM/FM Stereo	Standard	Standard	Standard	Standard
Safety	Solstice	Solstice GXP	Solstice Coupe	Solstice GXP Coupe
Driver Air Bag	Standard	Standard	Standard	Standard
Traction Control	Standard	Standard	Standard	Standard
Daytime Running Lights	Standard	Standard	Standard	Standard
Auto-On Headlights	Standard	Standard	Standard	Standard
Electronic Stability Control	Standard	Standard	Standard	Standard
Passenger Air Bag On/Off Switch	Standard	Standard	Standard	Standard
Passenger Air Bag	Standard	Standard	Standard	Standard
				Solstice GXP
Chassis	Solstice	Solstice GXP	Solstice Coupe	Coupe
Drum - Rear (Yes or)				
Fuel Tank Capacity, Approx	13	13	13	13
Fuel Tank Capacity, Approx Rear Brake Rotor Diam x Thickness	13 10.9 × 0.5	13 10.9 × 0.5	13 10.9 x 0.5	13 10.9 × 0.5
Rear Brake Rotor Diam x Thickness	10.9 x 0.5	10.9 x 0.5	10.9 x 0.5	10.9 x 0.5
Rear Brake Rotor Diam x Thickness Front Brake Rotor Diam x Thickness	10.9 × 0.5 11.7 × 1.0	10.9 x 0.5 11.7 x 1.0	10.9 x 0.5 11.7 x 1.0	10.9 × 0.5 11.7 × 1.0
Rear Brake Rotor Diam x Thickness Front Brake Rotor Diam x Thickness Disc - Rear (Yes or)	10.9 x 0.5 11.7 x 1.0 Yes	10.9 x 0.5 11.7 x 1.0 Yes	10.9 x 0.5 11.7 x 1.0 Yes	10.9 x 0.5 11.7 x 1.0 Yes
Rear Brake Rotor Diam x Thickness Front Brake Rotor Diam x Thickness Disc - Rear (Yes or) Disc - Front (Yes or)	10.9 x 0.5 11.7 x 1.0 Yes	10.9 x 0.5 11.7 x 1.0 Yes	10.9 x 0.5 11.7 x 1.0 Yes	10.9 x 0.5 11.7 x 1.0 Yes
Rear Brake Rotor Diam x Thickness Front Brake Rotor Diam x Thickness Disc - Rear (Yes or) Disc - Front (Yes or) Brake ABS System (Second Line)	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A	10.9 x 0.5 11.7 x 1.0 Yes Yes	10.9 x 0.5 11.7 x 1.0 Yes Yes	10.9 x 0.5 11.7 x 1.0 Yes Yes
Rear Brake Rotor Diam x Thickness Front Brake Rotor Diam x Thickness Disc - Rear (Yes or) Disc - Front (Yes or) Brake ABS System (Second Line) Brake ABS System	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel
Rear Brake Rotor Diam x Thickness Front Brake Rotor Diam x Thickness Disc - Rear (Yes or) Disc - Front (Yes or) Brake ABS System (Second Line) Brake ABS System Brake Type	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel
Rear Brake Rotor Diam x Thickness Front Brake Rotor Diam x Thickness Disc - Rear (Yes or) Disc - Front (Yes or) Brake ABS System (Second Line) Brake ABS System Brake Type Turning Diameter - Wall to Wall	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A
Rear Brake Rotor Diam x Thickness Front Brake Rotor Diam x Thickness Disc - Rear (Yes or) Disc - Front (Yes or) Brake ABS System (Second Line) Brake ABS System Brake Type Turning Diameter - Wall to Wall Turning Diameter - Curb to Curb	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0
Rear Brake Rotor Diam x Thickness Front Brake Rotor Diam x Thickness Disc - Rear (Yes or) Disc - Front (Yes or) Brake ABS System (Second Line) Brake ABS System Brake Type Turning Diameter - Wall to Wall Turning Diameter - Curb to Curb Lock to Lock Turns (Steering)	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7
Rear Brake Rotor Diam x Thickness Front Brake Rotor Diam x Thickness Disc - Rear (Yes or) Disc - Front (Yes or) Brake ABS System (Second Line) Brake ABS System Brake Type Turning Diameter - Wall to Wall Turning Diameter - Curb to Curb Lock to Lock Turns (Steering) Steering Ratio (:1), Overall	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7 16.4	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7
Rear Brake Rotor Diam x Thickness Front Brake Rotor Diam x Thickness Disc - Rear (Yes or) Disc - Front (Yes or) Brake ABS System (Second Line) Brake ABS System Brake Type Turning Diameter - Wall to Wall Turning Diameter - Curb to Curb Lock to Lock Turns (Steering) Steering Ratio (:1), Overall Aux Fuel Tank Capacity, Approx	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7 16.4 N/A	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7 16.4 N/A	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7 16.4 N/A	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7 16.4 N/A
Rear Brake Rotor Diam x Thickness Front Brake Rotor Diam x Thickness Disc - Rear (Yes or) Disc - Front (Yes or) Brake ABS System (Second Line) Brake ABS System Brake Type Turning Diameter - Wall to Wall Turning Diameter - Curb to Curb Lock to Lock Turns (Steering) Steering Ratio (:1), Overall Aux Fuel Tank Capacity, Approx Spare Wheel Material	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7 16.4 N/A N/A	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7 16.4 N/A	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7 16.4 N/A	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7 16.4 N/A
Rear Brake Rotor Diam x Thickness Front Brake Rotor Diam x Thickness Disc - Rear (Yes or) Disc - Front (Yes or) Brake ABS System (Second Line) Brake ABS System Brake Type Turning Diameter - Wall to Wall Turning Diameter - Curb to Curb Lock to Lock Turns (Steering) Steering Ratio (:1), Overall Aux Fuel Tank Capacity, Approx Spare Wheel Material Rear Wheel Material	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7 16.4 N/A N/A Aluminum	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7 16.4 N/A N/A Aluminum	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7 16.4 N/A N/A Aluminum	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7 16.4 N/A Aluminum
Rear Brake Rotor Diam x Thickness Front Brake Rotor Diam x Thickness Disc - Rear (Yes or) Disc - Front (Yes or) Brake ABS System (Second Line) Brake ABS System Brake Type Turning Diameter - Wall to Wall Turning Diameter - Curb to Curb Lock to Lock Turns (Steering) Steering Ratio (:1), Overall Aux Fuel Tank Capacity, Approx Spare Wheel Material Rear Wheel Material	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7 16.4 N/A N/A Aluminum Aluminum	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7 16.4 N/A N/A Aluminum Aluminum	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7 16.4 N/A N/A Aluminum Aluminum	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7 16.4 N/A N/A Aluminum Aluminum
Rear Brake Rotor Diam x Thickness Front Brake Rotor Diam x Thickness Disc - Rear (Yes or) Disc - Front (Yes or) Brake ABS System (Second Line) Brake ABS System Brake Type Turning Diameter - Wall to Wall Turning Diameter - Curb to Curb Lock to Lock Turns (Steering) Steering Ratio (:1), Overall Aux Fuel Tank Capacity, Approx Spare Wheel Material Front Wheel Material Front Wheel Material Spare Wheel Size	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7 16.4 N/A N/A Aluminum Aluminum	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7 16.4 N/A N/A Aluminum Aluminum	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7 16.4 N/A N/A Aluminum Aluminum	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7 16.4 N/A N/A Aluminum Aluminum
Rear Brake Rotor Diam x Thickness Front Brake Rotor Diam x Thickness Disc - Rear (Yes or) Disc - Front (Yes or) Brake ABS System (Second Line) Brake ABS System Brake Type Turning Diameter - Wall to Wall Turning Diameter - Curb to Curb Lock to Lock Turns (Steering) Steering Ratio (:1), Overall Aux Fuel Tank Capacity, Approx Spare Wheel Material Rear Wheel Material Front Wheel Material Spare Wheel Size Rear Wheel Size	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7 16.4 N/A N/A Aluminum Aluminum N/A 18 x 8	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7 16.4 N/A N/A Aluminum Aluminum N/A 18 x 8	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7 16.4 N/A N/A Aluminum Aluminum N/A 18 x 8	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7 16.4 N/A Aluminum Aluminum N/A 18 x 8
Rear Brake Rotor Diam x Thickness Front Brake Rotor Diam x Thickness Disc - Rear (Yes or) Disc - Front (Yes or) Brake ABS System (Second Line) Brake ABS System Brake Type Turning Diameter - Wall to Wall Turning Diameter - Curb to Curb Lock to Lock Turns (Steering) Steering Ratio (:1), Overall Aux Fuel Tank Capacity, Approx Spare Wheel Material Front Wheel Material Spare Wheel Size Rear Wheel Size Front Wheel Size	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7 16.4 N/A N/A Aluminum Aluminum N/A 18 x 8 18 x 8	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7 16.4 N/A N/A Aluminum Aluminum Aluminum N/A 18 x 8	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7 16.4 N/A N/A Aluminum Aluminum N/A 18 x 8	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7 16.4 N/A N/A Aluminum Aluminum Aluminum N/A 18 x 8
Rear Brake Rotor Diam x Thickness Front Brake Rotor Diam x Thickness Disc - Rear (Yes or) Disc - Front (Yes or) Brake ABS System (Second Line) Brake ABS System Brake Type Turning Diameter - Wall to Wall Turning Diameter - Curb to Curb Lock to Lock Turns (Steering) Steering Ratio (:1), Overall Aux Fuel Tank Capacity, Approx Spare Wheel Material Front Wheel Material Spare Wheel Size Rear Wheel Size Front Wheel Size Front Wheel Size	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7 16.4 N/A N/A Aluminum Aluminum N/A 18 x 8 18 x 8 N/A	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7 16.4 N/A N/A Aluminum Aluminum N/A 18 x 8 18 x 8 N/A	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7 16.4 N/A Aluminum Aluminum N/A 18 x 8 18 x 8 N/A	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7 16.4 N/A Aluminum Aluminum N/A 18 x 8 18 x 8 N/A
Rear Brake Rotor Diam x Thickness Front Brake Rotor Diam x Thickness Disc - Rear (Yes or) Disc - Front (Yes or) Brake ABS System (Second Line) Brake ABS System Brake Type Turning Diameter - Wall to Wall Turning Diameter - Curb to Curb Lock to Lock Turns (Steering) Steering Ratio (:1), Overall Aux Fuel Tank Capacity, Approx Spare Wheel Material Front Wheel Material Spare Wheel Size Rear Wheel Size Front Wheel Size Spare Tire Size Rear Tire Size	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7 16.4 N/A N/A Aluminum Aluminum N/A 18 x 8 18 x 8 N/A P245/45R18	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7 16.4 N/A N/A Aluminum Aluminum N/A 18 x 8 18 x 8 N/A P245/45R18	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7 16.4 N/A N/A Aluminum Aluminum N/A 18 x 8 18 x 8 N/A P245/45R18	10.9 x 0.5 11.7 x 1.0 Yes Yes N/A 4-Wheel Pwr N/A 35.0 2.7 16.4 N/A N/A Aluminum Aluminum N/A 18 x 8 18 x 8 N/A P245/45R18

Rear Tire Order Code	QFX	QSL	QFX	QSL
Front Tire Order Code	QFX	QSL	QFX	QSL
Stabilizer Bar Diameter - Rear	0.96	1.00	0.96	1.00
Stabilizer Bar Diameter - Front	1.07	1.31	1.07	1.31
Shock Absorber Diameter - Rear	N/A	N/A	N/A	N/A
Shock Absorber Diameter - Front	N/A	N/A	N/A	N/A
Suspension Type - Rear (Cont.)				
Suspension Type - Front (Cont.)				
Suspension Type - Rear	Independent	Independent	Independent	Independent
Suspension Type - Front	Independent	Independent	Independent	Independent
Base Curb Weight	2860	2976	2930	3018
Rear Drum Diam x Width				
Chrome Wheels	Available	Available	Available	Available
Aluminum Wheels	Standard	Standard	Standard	Standard
Power Steering	Standard	Standard	Standard	Standard
4-Wheel Disc Brakes	Standard	Standard	Standard	Standard
4-Wheel ABS	Standard	Standard	Standard	Standard
Tire Pressure Monitoring System	Standard	Standard	Standard	Standard
Food	Colonia	Calatian CVB	Calatian Carra	Solstice GXP
Fuel	Solstice	Solstice GXP	Solstice Coupe	Coupe
EPA Fuel Economy Est - City	19 MPG	19 MPG	19 MPG	19 MPG
EPA Fuel Economy Est - Hwy	25 MPG	28 MPG	25 MPG	28 MPG
Warranty	Solstice	Solstice GXP	Solstice Coupe	Solstice GXP Coupe
Basic	3 Years/36,000 Miles	3 Years/36,000 Miles	3 Years/36,000 Miles	3 Years/36,000 Miles
Drivetrain	5 Years/100,000 Miles	5 Years/100,000 Miles	5 Years/100,000 Miles	5 Years/100,000 Miles
Corrosion	6 Years/100,000 Miles	6 Years/100,000 Miles	6 Years/100,000 Miles	6 Years/100,000 Miles
Roadside Assistance	5 Years/100,000 Miles	5 Years/100,000 Miles	5 Years/100,000 Miles	5 Years/100,000 Miles





- Manufacturer's suggested retailer price. Tax, title, license, dealer fees, and optional equipment extra.
- Go to gm.com/bluetooth to find out which Bluetooth phones are compatible with the vehicle.
- 3 Always use safety belts and the correct child restraint for your child's age and size. Even in vehicles equipped with air bags, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See your vehicle's owner's manual for more information.
- 4 XM Radio requires a subscription, sold separately by Sirius/XM after the first 90 days. Not available in Canada, AK or HI. For more information, visit gm.xmradio.com
- 5 Call 1-888-4-ONSTAR (466-7827) or visit <u>onstar.com</u> for details and system limitations.