

Detailed Specifications

2008 Lexus GS 460 RWD



Base MSRP: \$52,620 [1] Delivery, Processing & Handling Fee: \$765 [2]

Engine & Performance

Engine Type	4.6- <u>liter V8</u>	
Horsepower	342 @ 6,200 RPM [3]	
Torque (lb-ft)	339 @ 3,600 RPM [3]	
Displacement (L /cu in)	4.6 / 281	
Valves	32	
Cam Type	Four cam	
Electronic Timing	Dual Variable Valve Timing with intelligence and Electronic intake valve timing (VVT-iE)	
Compression Ratio	11:8:1	
Emissions	Ultra-Low Emission Vehicle (ULEV II)	
Performance		
0 - 60 mph (sec)	5.4 [3] [4]	
Top Track Speed (mph)	149 (electronically limited) [3] [4]	
1/4-Mile Acceleration	13.9 [3] [4]	
(sec)		_
Aerodynamic Drag Coefficient	0.27	

Fuel Economy

City (mpg) - estimated	17 [5]	
Highway (<u>mpg</u>) - estimated	24 [5]	
Fuel-Tank Capacity (gal / L)	18.8 / 71	

Transmission & Drivetrain

Drive Type	Rear-wheel drive	
Electronic Traction Control	Traction Control (TRAC)	
Electronic Stability Control	Vehicle Dynamics Integrated Management (VDIM) [6] (includes Traction Control (TRAC) and Vehicle Stability Control (VSC) [7]) with cutoff switch	

Final Drive Ratio Transmission	2.937:1	
Transmission	Eight-speed sequential-shift automatic Electronically Controlled Transmission (ECT)	
	Electronically Controlled Transmission (ECT)	
Body & Chassis		
Body Type	Five-passenger luxury sport sedan	
Doors	Four	
Construction	Welded-steel unibody	
Suspension		
Suspension, Front	Independent, double-wishbone with coil springs, gas-pressurized shock absorbers and stabilizer bar	
Suspension, Rear	Independent, multi-link with coil springs, gas-pressurized shock absorbers and stabilizer bar	
Electronic Suspension	Adaptive Variable Suspension (AVS) with electronically modulated damping	
Steering		
Steering	Electronic vehicle-speed-sensing, progressive-power rack-and-pinion	
Electronic Steering	Variable Gear-Ratio Steering (VGRS)	
Turning Circle (ft)	36.4	
Steering Turns (Lock to Lock)	2.7-3.2	
Brakes		
Brakes	Four-wheel, ventilated, power-assisted disc brakes	
Anti-Lock Braking (<u>ABS</u>)	Four-sensor, four-channel (integrated with <u>VSC</u>) [6]	
Braking Assist	Brake Assist	
Electronic Braking	Electronic Controlled Braking (ECB), Electronic Brakeforce Distribution (EBD)	
Discs, front (in)	13.1 ventilated [8]	
Discs, rear (in)	12.2 ventilated	
Wheels & Tires	19 in five cooks aluminum alley	
Rim Type Wheel Size (in)	18-in five-spoke aluminum alloy	
	18 x 8.0 [9] 245/40ZR18 [9]	
Tire		
	245/40\/D10 all assess was flat times to 1403	0-4:1
	245/40VR18 all-season run-flat tires [9] [10]	Optional
Safety & Security	245/40VR18 all-season run-flat tires [9] [10]	Optional
Safety & Security Airbag	245/40VR18 all-season run-flat tires [9] [10]	Optional
Safety & Security Airbag Driver	245/40VR18 all-season run-flat tires [9] [10] Dual-stage front (SRS) [11]	Optional
Airbag	Dual-stage front (SRS) [11]	Optional
Airbag	Dual-stage front (SRS) [11] Side seat-mounted (SRS) [11]	Optional
Airbag	Dual-stage front (SRS) [11] Side seat-mounted (SRS) [11] Side curtain (SRS) [11]	Optional
Airbag	Dual-stage front (SRS) [11] Side seat-mounted (SRS) [11] Side curtain (SRS) [11] Knee (SRS) [11]	Optional
Airbag Driver	Dual-stage front (SRS) [11] Side seat-mounted (SRS) [11] Side curtain (SRS) [11] Knee (SRS) [11] Dual-stage (SRS) [11]	Optional
Airbag Driver	Dual-stage front (SRS) [11] Side seat-mounted (SRS) [11] Side curtain (SRS) [11] Knee (SRS) [11] Dual-stage (SRS) [11] Side seat-mounted (SRS) [11]	Optional
Airbag Driver	Dual-stage front (SRS) [11] Side seat-mounted (SRS) [11] Side curtain (SRS) [11] Knee (SRS) [11] Dual-stage (SRS) [11] Side seat-mounted (SRS) [11] Side curtain (SRS) [11]	Optional
Airbag Driver Front Passenger	Dual-stage front (SRS) [11] Side seat-mounted (SRS) [11] Side curtain (SRS) [11] Knee (SRS) [11] Dual-stage (SRS) [11] Side seat-mounted (SRS) [11] Side curtain (SRS) [11] Knee (SRS) [11]	Optional
Airbag Driver	Dual-stage front (SRS) [11] Side seat-mounted (SRS) [11] Side curtain (SRS) [11] Knee (SRS) [11] Dual-stage (SRS) [11] Side seat-mounted (SRS) [11] Side curtain (SRS) [11] Knee (SRS) [11] Side curtain (SRS) [11]	Optional
Airbag Driver Front Passenger Rear Passenger	Dual-stage front (SRS) [11] Side seat-mounted (SRS) [11] Side curtain (SRS) [11] Knee (SRS) [11] Dual-stage (SRS) [11] Side seat-mounted (SRS) [11] Side curtain (SRS) [11] Knee (SRS) [11] Side curtain (SRS) [11] Side seat-mounted (SRS) [11]	Optional
Airbag Driver Front Passenger Rear Passenger Electronic Traction Control	Dual-stage front (SRS) [11] Side seat-mounted (SRS) [11] Side curtain (SRS) [11] Knee (SRS) [11] Dual-stage (SRS) [11] Side seat-mounted (SRS) [11] Side curtain (SRS) [11] Knee (SRS) [11] Side curtain (SRS) [11] Side curtain (SRS) [11] Traction Control (TRAC) Vehicle Dynamics Integrated Management with cutoff switch (VDIM) [6] (includes	Optional
Airbag Driver Front Passenger Rear Passenger Electronic Traction Control Electronic Stability Control	Dual-stage front (SRS) [11] Side seat-mounted (SRS) [11] Side curtain (SRS) [11] Knee (SRS) [11] Dual-stage (SRS) [11] Side seat-mounted (SRS) [11] Side curtain (SRS) [11] Knee (SRS) [11] Side curtain (SRS) [11] Side curtain (SRS) [11] Traction Control (TRAC) Vehicle Dynamics Integrated Management with cutoff switch (VDIM) [6] (includes Traction Control (TRAC) and Vehicle Stability Control (VSC) [7])	Optional
Airbag Driver Front Passenger Rear Passenger Electronic Traction Control Electronic Stability Control Anti-Lock Braking (ABS)	Dual-stage front (SRS) [11] Side seat-mounted (SRS) [11] Side curtain (SRS) [11] Knee (SRS) [11] Dual-stage (SRS) [11] Side seat-mounted (SRS) [11] Side curtain (SRS) [11] Knee (SRS) [11] Side curtain (SRS) [11] Side curtain (SRS) [11] Side curtain (SRS) [11] Side curtain (SRS) [11] Side rutain (SRS) [11] Side seat-mounted (SRS) [11] Traction Control (TRAC) Vehicle Dynamics Integrated Management with cutoff switch (VDIM) [6] (includes Traction Control (TRAC) and Vehicle Stability Control (VSC) [7]) Four-sensor, four-channel (integrated with VSC) [6]	Optional
Airbag Driver Front Passenger Rear Passenger Electronic Traction Control Electronic Stability Control Anti-Lock Braking (ABS) Braking Assist	Dual-stage front (SRS) [11] Side seat-mounted (SRS) [11] Side curtain (SRS) [11] Knee (SRS) [11] Dual-stage (SRS) [11] Side seat-mounted (SRS) [11] Side curtain (SRS) [11] Knee (SRS) [11] Side curtain (SRS) [11] Side curtain (SRS) [11] Side curtain (SRS) [11] Side curtain (SRS) [11] Side routain (SRS) [11] Traction Control (TRAC) Vehicle Dynamics Integrated Management with cutoff switch (VDIM) [6] (includes Traction Control (TRAC) and Vehicle Stability Control (VSC) [7]) Four-sensor, four-channel (integrated with VSC) [6] Brake Assist [12]	Optional
Airbag Driver Front Passenger Rear Passenger Electronic Traction Control Electronic Stability Control Anti-Lock Braking (ABS)	Dual-stage front (SRS) [11] Side seat-mounted (SRS) [11] Side curtain (SRS) [11] Knee (SRS) [11] Dual-stage (SRS) [11] Side seat-mounted (SRS) [11] Side curtain (SRS) [11] Knee (SRS) [11] Side curtain (SRS) [11] Side curtain (SRS) [11] Side curtain (SRS) [11] Side curtain (SRS) [11] Side rutain (SRS) [11] Side seat-mounted (SRS) [11] Traction Control (TRAC) Vehicle Dynamics Integrated Management with cutoff switch (VDIM) [6] (includes Traction Control (TRAC) and Vehicle Stability Control (VSC) [7]) Four-sensor, four-channel (integrated with VSC) [6]	Optional

Electronic Tire Pressure	Direct Tire Pressure Monitor System [13]	
Frame	Rigid body structure	
Impact Resistance	Side-impact door beams	
Crumple Zones	Front and rear	
Seatbelts	Three-point seatbelts for all seating positions with front seatbelt-anchor-height adjusters	
	Front and outboard rear seatbelts with pre-tensioners and force limiters	
Locking Seatbelt Control	Automatic Locking Retractor/Emergency Locking Retractor (ALR/ELR) seatbelts for all passenger seating positions. Driver's-seat with Emergency Locking Retractor (ELR) only	
Child Restraint	Child Restraint Seat (CRS) tether anchor brackets for rear outboard seating positions	
Child Safety Locks	Manual for the rear passenger doors. Window lock button on driver door control	
Backup Camera	Full-color display [14]	Optional
Electronic Park Assist	Intuitive Parking Assist	Optional
Anti-Theft Protection	Theft-deterrent and engine-immobilizer system	- p
Headlamps	Automatic on/off projector-beam High-Intensity Discharge (HID) headlamps with dynamic auto leveling and 30-second delay	
	Adaptive Front Lighting System (AFS)	
Headlamp Washers	With mist control	Optional
Running Lights	Daytime running lights	
Foglamps	Integrated foglamps	
Taillamps	LED taillamps	
Defogger	Rear window with auto-off timer	
Windshield Wipers	Variable intermittent wipers with mist cycle	
	Rain-sensing variable intermittent windshield wipers	Optional
Mirrors	Power-adjustable, electrochromic (auto-dimming) outside mirrors with defoggers	
	and auto tilt-down in reverse	
Glass	Sound-absorbing windshield	
	Water-repellent front-door glass	
Evtavia Casa		
Exterior Specs		
Length (in / mm)	190.0 / 4,826	
•	190.0 / 4,826 71.7 / 1,821	
Length (in / mm)		
Length (in / mm) Width (in / mm)	71.7 / 1,821	
Length (in / mm) Width (in / mm) Height (in / mm)	71.7 / 1,821 56.1 / 1,425	
Length (in / mm) Width (in / mm) Height (in / mm) Wheelbase (in / mm)	71.7 / 1,821 56.1 / 1,425 112.2 / 2,850	
Length (in / mm) Width (in / mm) Height (in / mm) Wheelbase (in / mm) Curb Weight (lb / kg)	71.7 / 1,821 56.1 / 1,425 112.2 / 2,850	
Length (in / mm) Width (in / mm) Height (in / mm) Wheelbase (in / mm) Curb Weight (lb / kg) Exterior Features	71.7 / 1,821 56.1 / 1,425 112.2 / 2,850 3,945 / 1,789 Automatic on/off projector-beam High-Intensity Discharge (HID) headlamps with	
Length (in / mm) Width (in / mm) Height (in / mm) Wheelbase (in / mm) Curb Weight (lb / kg) Exterior Features Headlamps	71.7 / 1,821 56.1 / 1,425 112.2 / 2,850 3,945 / 1,789 Automatic on/off projector-beam <u>High-Intensity Discharge (HID) headlamps</u> with dynamic auto leveling and 30-second delay	Optional
Length (in / mm) Width (in / mm) Height (in / mm) Wheelbase (in / mm) Curb Weight (lb / kg) Exterior Features Headlamps Headlamp Washers	71.7 / 1,821 56.1 / 1,425 112.2 / 2,850 3,945 / 1,789 Automatic on/off projector-beam High-Intensity Discharge (HID) headlamps with dynamic auto leveling and 30-second delay Adaptive Front Lighting System (AFS)	Optional
Length (in / mm) Width (in / mm) Height (in / mm) Wheelbase (in / mm) Curb Weight (lb / kg) Exterior Features Headlamps Headlamp Washers Running Lights	71.7 / 1,821 56.1 / 1,425 112.2 / 2,850 3,945 / 1,789 Automatic on/off projector-beam High-Intensity Discharge (HID) headlamps with dynamic auto leveling and 30-second delay Adaptive Front Lighting System (AFS) With mist control	Optional
Length (in / mm) Width (in / mm) Height (in / mm) Wheelbase (in / mm) Curb Weight (lb / kg) Exterior Features Headlamps Headlamp Washers Running Lights Foglamps	71.7 / 1,821 56.1 / 1,425 112.2 / 2,850 3,945 / 1,789 Automatic on/off projector-beam High-Intensity Discharge (HID) headlamps with dynamic auto leveling and 30-second delay Adaptive Front Lighting System (AFS) With mist control Daytime running lights Integrated projector-beam foglamps	Optional
Length (in / mm) Width (in / mm) Height (in / mm) Wheelbase (in / mm) Curb Weight (lb / kg) Exterior Features Headlamps Headlamp Washers Running Lights Foglamps	71.7 / 1,821 56.1 / 1,425 112.2 / 2,850 3,945 / 1,789 Automatic on/off projector-beam High-Intensity Discharge (HID) headlamps with dynamic auto leveling and 30-second delay Adaptive Front Lighting System (AFS) With mist control Daytime running lights	Optional
Length (in / mm) Width (in / mm) Height (in / mm) Wheelbase (in / mm) Curb Weight (lb / kg) Exterior Features Headlamps Headlamp Washers Running Lights Foglamps Taillamps	71.7 / 1,821 56.1 / 1,425 112.2 / 2,850 3,945 / 1,789 Automatic on/off projector-beam High-Intensity Discharge (HID) headlamps with dynamic auto leveling and 30-second delay Adaptive Front Lighting System (AFS) With mist control Daytime running lights Integrated projector-beam foglamps LED taillamps	Optional
Length (in / mm) Width (in / mm) Height (in / mm) Wheelbase (in / mm) Curb Weight (lb / kg) Exterior Features Headlamps Headlamp Washers Running Lights Foglamps Taillamps	71.7 / 1,821 56.1 / 1,425 112.2 / 2,850 3,945 / 1,789 Automatic on/off projector-beam High-Intensity Discharge (HID) headlamps with dynamic auto leveling and 30-second delay Adaptive Front Lighting System (AFS) With mist control Daytime running lights Integrated projector-beam foglamps LED taillamps Variable intermittent wipers with mist cycle Rain-sensing intermittent windshield wipers Power-adjustable, electrochromic (auto-dimming) outside mirrors with defoggers	
Length (in / mm) Width (in / mm) Height (in / mm) Wheelbase (in / mm) Curb Weight (lb / kg) Exterior Features Headlamps Headlamp Washers Running Lights Foglamps Taillamps Windshield Wipers Mirrors	71.7 / 1,821 56.1 / 1,425 112.2 / 2,850 3,945 / 1,789 Automatic on/off projector-beam High-Intensity Discharge (HID) headlamps with dynamic auto leveling and 30-second delay Adaptive Front Lighting System (AFS) With mist control Daytime running lights Integrated projector-beam foglamps LED taillamps Variable intermittent wipers with mist cycle Rain-sensing intermittent windshield wipers Power-adjustable, electrochromic (auto-dimming) outside mirrors with defoggers and auto tilt-down in reverse	
Length (in / mm) Width (in / mm) Height (in / mm) Wheelbase (in / mm) Curb Weight (lb / kg) Exterior Features Headlamps Headlamp Washers Running Lights Foglamps Taillamps Windshield Wipers	71.7 / 1,821 56.1 / 1,425 112.2 / 2,850 3,945 / 1,789 Automatic on/off projector-beam High-Intensity Discharge (HID) headlamps with dynamic auto leveling and 30-second delay Adaptive Front Lighting System (AFS) With mist control Daytime running lights Integrated projector-beam foglamps LED taillamps Variable intermittent wipers with mist cycle Rain-sensing intermittent windshield wipers Power-adjustable, electrochromic (auto-dimming) outside mirrors with defoggers	•
Length (in / mm) Width (in / mm) Height (in / mm) Wheelbase (in / mm) Curb Weight (lb / kg) Exterior Features Headlamps Headlamp Washers Running Lights Foglamps Taillamps Windshield Wipers Mirrors	71.7 / 1,821 56.1 / 1,425 112.2 / 2,850 3,945 / 1,789 Automatic on/off projector-beam High-Intensity Discharge (HID) headlamps with dynamic auto leveling and 30-second delay Adaptive Front Lighting System (AFS) With mist control Daytime running lights Integrated projector-beam foglamps LED taillamps Variable intermittent wipers with mist cycle Rain-sensing intermittent windshield wipers Power-adjustable, electrochromic (auto-dimming) outside mirrors with defoggers and auto tilt-down in reverse Sound-absorbing windshield	

Headroom, Front (in / mm)	37.8 / 960	
Headroom, Rear (in / mm)	37.0 / 940	
Legroom, Front (in / mm)	43.5 / 1,105	
Legroom, Rear (in / mm)	36.4 / 925	
Shoulder Room, Front (in / mm)	56.3 / 1,430	
Shoulder Room, Rear (in / mm)	55.1 / 1,400	
Hip Room, Front (in / mm)	54.4 / 1,382	
Hip Room, Rear (in / mm)	51.4 / 1,306	
Trunk Capacity (cu ft/ L)	12.7 / 360	

Interior Features

Dash Trim	Golden or dark gray bird's-eye maple or red walnut	Optional
Center Console Trim	Golden or dark gray bird's-eye maple or red walnut	
Center Console	Center console with sliding armrest and storage bins	
Door Trim	Golden or dark gray bird's-eye maple or red walnut and leather	
Seat Trim	Perforated leather	
Steering-Wheel Trim	Wood and leather	
Shift Knob Trim	Wood and leather	
Power Seats	10-way controls (including lumbar) for driver and front passenger	
Heated Seats, Front	Heated seats	
Ventilated Seats, Front	Ventilated seats with multi-stage fan	
Headrests	Height-adjustable headrests for all seating positions including rear center	
Memory Systems	Lexus Memory System to control power driver's and front passenger's seats (except lumbar), outside mirrors and steering wheel	
	Lexus Personalized Settings (LPS) [15] to customize select electronic functions	
Electronic Releases	Trunk-lid and fuel-filler door releases	
Floor Mats	Carpeted floor mats	
Sunshade	Power rear sunshade	Optional
Cupholders	Front and rear	
Storage Pockets	Foldable front-door storage pockets	

Comfort & Convenience

Cruise Control	Cruise Control	
	Dynamic Radar Cruise Control [16]	Optional
Air Conditioning	Automatic	
Climate Control	Dual-zone automatic climate control and automatic recirculation mode	
Air Filtration	Interior air filter with smog sensor	
Navigation System	Voice-activated DVD Navigation System [17] with backup camera [14]	Optional
Bluetooth® Technology	Bluetooth® technology [18]	
Backup Camera	Full-color display [14]	Optional
Remote Keyless Entry	SmartAccess [19]	
Remote Keyless Ignition	SmartAccess [19]	
Push-Button Ignition	Push-button ignition	
Remote Windows	Remote-linked windows	
Moonroof	Power tilt-and-slide remote-linked moonroof with one-touch open/close and sliding sunshade	
HomeLink® Transceiver	Operates compatible garage, gate, home lighting and home security systems	_
Lexus Link® [20] [21]	Dedicated cellular phone, Global Positioning Satellite (GPS) technology and 24-hour live support provide assistance at the touch of a button. Services include Remote Door Lock/Unlock, Emergency Services Notification, Stolen	Optional
	Vehicle Location Assistance, Driving Directions and Personal Calling.	_
Anti-Theft Protection	Theft-deterrent and engine-immobilizer system	

Power Windows	Power windows with one-touch auto open/close	
Power Door Locks	Power door locks with driver's two-turn unlock feature	
Power Mirrors	Auto-dimming inside rearview mirror and outside mirrors	
Power Seats	10-way controls (including lumbar) for driver and front passenger	
Heated Seats, Front	Heated seats	
Ventilated Seats, Front	Ventilated seats with multi-stage fan	
Power Trunk Closer	Power trunk closer	,
Electronic Park Assist	Intuitive Parking Assist	Optional
Adjustable Steering Wheel	Power tilt-and-telescopic steering column with automatic tilt-away	
Steering-Wheel Controls	Audio and display controls	
Sunshade	Power rear sunshade	Optional
Retained Accessory Power	Retained accessory power for windows and moonroof	,
Instrumentation	Electroluminescent instrumentation, Electronic Chromatic Device (ECD) instrumentation	
Illuminated Entry	Illuminated entry system	
Temperature Gauge	Outside temperature gauge	
Compass	Included on rearview mirror [22]	

Audio & Entertainment

Audio System	Lexus Premium Sound System with <u>Automatic Sound Levelizer (ASL)</u> and in-dash, six-disc CD auto-changer	
Speakers	10	
Auxiliary Port	Auxiliary iPod® [23]/MP3/Windows Media® Audio (WMA) port	
Audio System	Mark Levinson® Premium Surround Sound Audio System [24] with 7.1 architecture and in-dash, single-feed, six-disc DVD/CD auto-changer	Optional
Speakers	14	Optional
Watts	330 @ less than 0.1% THD; 20-20,000 Hz [25]	Optional
Antenna	In-glass antenna with FM-diversity system	
Satellite Radio	XM® Satellite Radio capability [26] or SIRIUS® Satellite Radio [27] capability	Optional

Limited Warranty (see your Lexus dealer for details)

Basic (months)	48	
Basic (miles)	50,000	
Powertrain (months)	72	
Powertrain (miles)	70,000	
Rust (months)	72	
Rust (miles)	Unlimited	
Roadside Assistance (months)	48 [28]	

Vehicle(s) shown may feature optional equipment.

MSRP does not include delivery, processing and handling fee of \$765. Excludes taxes, title, license and optional equipment. Dealer price may vary.

©2006-2008 Lexus, a Division of Toyota Motor Sales, U.S.A., Inc. All information contained herein applies to U.S. vehicles only.

Specifications, features, equipment, technical data, performance figures, options, and color and trim are based upon information available at time of posting, are subject to change without notice, are for mainland U.S.A. vehicles and may differ in the state of Hawaii, Puerto Rico, the U.S. Virgin Islands and in other regions.

Some vehicles shown with optional equipment. Optional equipment listed may not be available separately or in all regions. Please see your Lexus dealer for details. Lexus reminds you to wear seatbelts, secure children in rear seat, obey all traffic laws and drive responsibly.

For more information, call 800-USA-LEXUS (872-5398). To learn more about your financing options, contact your Lexus dealer or call Lexus Financial Services at 800-874-7050.

- [1] MSRP does not include delivery, processing and handling fee of \$765. Excludes taxes, title, license and optional equipment. Dealer price may vary.
- [2] "Delivery, processing and handling fee" is based on the value of the processing, handling and delivery services Lexus provides, as well as Lexus' overall pricing structure. Lexus may make a profit on the delivery, processing and handling fee.

- [3] Ratings achieved using the required premium unleaded gasoline with an octane rating of 91 or higher. If premium fuel is not used, performance will decrease.
- [4] Performance figures are for comparison only and were obtained with prototype vehicles by professional drivers using special safety equipment and procedures. Do not attempt.
- [5] EPA-estimated ratings. Actual mileage will vary. For more information on MPG and EPA ratings please visit the FAQ page.
- [6] Vehicle Stability Control (VSC) and Vehicle Dynamics Integrated Management (VDIM) are electronic systems designed to help the driver maintain control under adverse conditions. They are not substitutes for safe driving practices. Factors including speed, road conditions and driver steering input can all affect whether VSC and VDIM will be effective in preventing a loss of control. Please see your *Owner's Manual* for further details.
- [7] Vehicle Stability Control (VSC) is an electronic system designed to help the driver maintain vehicle control under adverse conditions. It is not a substitute for safe driving practices. Factors including speed, road conditions and driver steering input can all affect whether VSC will be effective in preventing a loss of control. Please see your *Owner's Manual* for further details.
- [8] High-friction brakes are standard equipment for the front brakes only and require periodic inspection and measurement as outlined in the *Warranty and Services Guide*. The pads and rotors are expected to experience greater wear than conventional brakes. Pad life may be less than 20,000 miles, and brake rotor life may be less than 50,000 miles depending on driving conditions.
- [9] 18-in tires are expected to experience greater tire wear than conventional tires. Tire life may be substantially less than 15,000 miles, depending on driving conditions. Please see your Lexus dealer for details and other information relating to tire selection.
- [10] Run-flat tire technology is designed for limited emergency use only. If air pressure is lost, vehicle speed must remain below 55 mph; cornering, braking and accelerating must be done with extreme caution; and the tire should be replaced within 100 miles. See your Lexus dealer for details.
- [11] All the airbag ("AB") systems are Supplemental Restraint Systems. All ABs (if installed) are designed to inflate only under certain conditions and in certain types of severe collisions: frontal and knee ABs typically inflate in frontal collisions; side and side curtain ABs in side collisions; Roll-Sensing Curtain ABs at a severe tilt degree, roll or lateral G-force. In all other accidents, the ABs will not inflate. To decrease the risk of injury from an inflating AB, always wear seatbelts, sit upright in the middle of the seat as far back as possible and do not lean against the door. Do not put objects in front of an AB or around the seatback. Do not use a rearward-facing child seat in any front passenger seat. The force of an inflating AB may cause serious injury or death. Please see your Owner's Manual for further information/warnings.
- [12] Brake Assist is designed to help the driver take full advantage of the benefits of ABS. It is not a substitute for safe driving practices. Braking effectiveness also depends on proper brake-system maintenance and tire and road conditions.
- [13] The Lexus Tire Pressure Monitor System alerts the driver when tire pressure is critically low. For optimal tire wear and performance, tire pressure should be checked regularly with a gauge; do not rely solely on the monitor system. Please see your *Owner's Manual* for details.
- [14] The backup camera does not provide a comprehensive view of the rear area of the vehicle. You should also look around outside your vehicle and use your mirrors to confirm rearward clearance. Cold weather will limit effectiveness and view may become cloudy.
- [15] The Lexus Personalized Settings (LPS) Program is a one-time, complimentary offer for the first 12 months from the date the vehicle is sold. Please see your Lexus dealer for more information.
- [16] Dynamic Radar Cruise Control is designed to assist the driver and is not a substitute for safe and attentive driving practices. Please see your Owner's Manual for important cautions and instructions.
- [17] The Navigation System is designed to assist in locating an address or point of interest. Discrepancies may be encountered between the system and your actual location. Road system changes may affect the accuracy of the information provided. Rely on your common sense to decide whether to follow a specified route. Detailed coverage not available in every city or roadway. Periodic updates available at an additional cost. Please see your Navigation System Owner's Manual for further details.
- [18] The Bluetooth® technology phones listed on lexus.com have been tested for compatibility with Lexus vehicles. Performance will vary based on phone software version, coverage and your wireless carrier. Phones are warranted by their manufacturer, not Lexus.
- [19] The SmartAccess system may interfere with some pacemakers or cardiac defibrillators. If you have one of these medical devices, please talk to your doctor to see if you should deactivate this system.
- [20] Lexus Link® is a factory-installed option and is available for LS 600h L and LX 570 (2008 model year and later), LS 460, GS 430/350, GS 450h (2007 model year and later) and LX 470 and GX 470 (2006 model year and later).
- [21] An active Lexus Link® subscription (including a signed Lexus Link Service Subscription Agreement) is required in order to receive Lexus Link services. Lexus Link services require vehicle electrical system and wireless service to be available and operating for features to function properly. Lexus Link uses existing emergency service providers as well as wireless and satellite technologies. A one-year subscription to the Safety Plan is included with the purchase of a new vehicle. Other plans are available at an additional cost.
- [22] On vehicles equipped with the available Lexus DVD Navigation System, the compass is displayed on the navigation screen.
- [23] iPod is a registered trademark of Apple Inc.
- [24] Mark Levinson is a registered trademark of Harman International Industries, Inc.
- [25] Continuous average power, all channels driven, at less than 0.1% THD; 20–20,000 Hz.
- [26] Functioning XM® Satellite Radio requires a compatible receiver and monthly service fee. Please see your Lexus dealer for further details. Reception of the satellite signal may vary depending on location. All fees and programming subject to change. Subscriptions subject to the terms and conditions available at www.xmradio.com. Available only in the 48 contiguous United States.
- [27] Functioning SIRIUS® Satellite Radio requires a compatible receiver and monthly service fee. Please see your Lexus dealer for further details. Reception of the satellite signal may vary depending on location. All fees and programming subject to change. Subscriptions subject to the terms and conditions available at www.sirius.com. Available only in the 48 contiguous United States.

- [28] Coverage only available in the continental U.S. and Canada. Please see your Lexus dealer for details.
- [29] 17-in tires are expected to experience greater tire wear than conventional tires. Tire life may be substantially less than 20,000 miles, depending on driving conditions. Please see your Lexus dealer for details and other information relating to tire selection.
- [30] The Pre-Collision System is designed to help reduce the crash speed and damage in certain frontal collisions only. It is not a collision-avoidance system and is not a substitute for safe and attentive driving. System effectiveness depends on many factors, such as speed, driver input and road conditions. Please see your *Owner's Manual* for further information.

7 of 7