



## Detailed Specifications

### 2008 Lexus LX 570



Base MSRP: \$73,800 <sup>[1]</sup> Delivery, Processing & Handling Fee: \$765 <sup>[2]</sup>

#### Engine & Performance

Engine Type	5.7-liter V8
Horsepower	383 @ 5,600 RPM <sup>[3]</sup>
Torque (lb-ft)	403 @ 3,600 RPM <sup>[3]</sup>
Displacement (L/cu. in.)	5.7 / 345.6
Valves	32
Cam Type	Four cam
Electronic Timing	Dual Variable Valve Timing with intelligence (dual VVT-i)
Compression Ratio	10.2:1
Emissions	Ultra-Low Emission Vehicle (ULEV II)
Electronic Throttle	Electronic Throttle Control System with intelligence (ETCS-i)
<b>Performance</b>	
0 - 60 mph (sec)	7.4 <sup>[3]</sup> <sup>[4]</sup>
Top Track Speed (mph)	137 (electronically limited) <sup>[3]</sup> <sup>[4]</sup>
1/4-Mile Acceleration (sec)	15.8 <sup>[3]</sup> <sup>[4]</sup>
Aerodynamic Drag Coefficient	0.35
Max Towing (lb / kg)	8,500 / 3,856 <sup>[5]</sup>
Max Payload (lb / kg)	1,411 / 640 <sup>[6]</sup>

#### Fuel Economy

City (mpg) - estimated	12 <sup>[7]</sup>
Highway (mpg) - estimated	18 <sup>[7]</sup>
Fuel-Tank Capacity (gal / L)	24.6 / 93

#### Transmission & Drivetrain

Transmission	Six-speed sequential-shift automatic
	Electronically Controlled Transmission (ECT)

Drive Type	Four-wheel drive
Differential	Full-time four-wheel drive with TORSEN® [8] limited-slip center differential (with manual locking feature)
Transfer Case	Two-speed (1.000:1 / 2.618:1)
Electronic Traction Control	Active Traction Control (A-TRAC)
Electronic Stability Control	Vehicle Stability Control (VSC) [9]
Crawl Control	Crawl Control [10] with Downhill Assist Control (DAC) [11]
Electronic Grade Control	Hill-start Assist Control (HAC) [12]
Final Drive Ratio	3.909

### Body & Chassis

Body Type	Eight-passenger luxury utility vehicle
Doors	Four
Construction	High-strength, rigid body structure, axial-compression safety frame
Suspension	
Suspension, Front	Independent, double-wishbone, electronically controlled shock absorbers and stabilizer bar
Suspension, Rear	Four-link with coil springs, electronically controlled shock absorbers and stabilizer bar
Suspension System	Adaptive Variable Suspension (AVS) with Active Height Control System (X-AHC) and automatic load leveling
Steering	
Steering	Engine-speed-sensing, progressive power-assisted rack-and-pinion Variable Gear-Ratio Steering (VGRS)
Steering Turns (Lock to Lock)	3.1
Turning Circle (ft)	38.7
Brakes	
Brakes	Four-wheel, power-assisted ventilated disc brakes
Anti-lock Braking (ABS)	Multi-terrain Anti-lock Braking System (ABS)
Braking Assist	Brake Assist [13]
Electronic Brakeforce Distribution (EBD)	Electronic Brakeforce Distribution (EBD)
Discs, Front (in / mm)	13.4 / 340 ventilated with four-piston calipers
Discs, Rear (in / mm)	13.6 / 345 ventilated

### Wheels & Tires

Rim Type	20-in ten-spoke aluminum alloy
Wheel Size (in)	20 x 8.5 [14] [15]
Tire	285/50R20 mud- and snow-rated [14] [15] including spare
Tire Pressure	Direct Tire Pressure Monitor System [16]
Spare Tire	Full-size spare with aluminum alloy wheel

### Safety & Security

Airbags	
Driver	Advanced front airbag system (SRS) [17] Seat-mounted side airbag (SRS) [17] Side Roll-Sensing Curtain Airbag (RSCA) (SRS) [17] Knee airbag (SRS) [17]
Front Passenger	Advanced front airbag system (SRS) with occupant sensor [17] Seat-mounted side airbag (SRS) [17] Side Roll-Sensing Curtain Airbag (RSCA) (SRS) [17] Knee airbag (SRS) [17]
Second-Row Passengers	Seat-mounted side airbags (SRS) [17]

	Side Roll-Sensing Curtain Airbag (RSCA) (SRS) [17]	
Third-Row Passengers	Side Roll-Sensing Curtain Airbag (RSCA) (SRS) [17]	
Seatbelts		
	Three-point seatbelts for all seating positions	
	Seatbelt pre-tensioners for front- and second-row outboard seats	
	Seatbelt force limiters for front-row seats	
	Automatic Locking Retractor/ Emergency Locking Retractor (ALR/ELR) seatbelts for all passenger-seating positions. Emergency Locking Retractor (ELR) only for driver's seat	
	Height-adjustable shoulder belt anchors for front and outboard second row	
Active Headrests	Active headrests [18] for the driver and front passenger	
Child Restraint	Child Restraint Seat (CRS) anchorage for second-row outboard positions	
Impact Resistance	Reinforced ladder-type frame	
	Side-impact door beams	
	Impact-dissipating upper interior trim	
Construction	High-strength, high-rigidity, axial-compression safety frame structure	
Crumple Zones	Highly rigid body structure with front and rear crumple zones	
Steering Column	Collapsible steering column	
Pre-Collision System (PCS) with Dynamic Radar Cruise Control	Pre-Collision System (PCS) [19] with Dynamic Radar Cruise Control [20]	Optional
Electronic Traction Control	Active Traction Control (A-TRAC)	
Electronic Stability Control	Vehicle Stability Control (VSC) [9]	
Crawl Control	Crawl Control [10] with Downhill Assist Control (DAC) [11]	
Electronic Grade Control	Hill-start Assist Control (HAC) [12]	
Electronic Park Assist	Intuitive Parking Assist	Optional
Braking		
Brakes	Four-wheel, power-assisted ventilated disc brakes	
Anti-Lock Braking (ABS)	Multi-terrain Anti-lock Braking System (ABS)	
Braking Assist	Brake Assist [13]	
Electronic Brakeforce Distribution (EBD)	Electronic Brakeforce Distribution (EBD)	
Tire Pressure	Direct Tire Pressure Monitor System [16]	
Differential	Full-time four-wheel drive with TORSEN® [8] limited-slip center differential (with manual locking feature)	
Anti-Theft Protection	Theft-deterrent and engine immobilizer, with in-key transponder	
Lighting		
Headlamps	See-through outer lens with four-beam multireflectors and projector-type low beams with Dual-swivel Adaptive Front Lighting System (AFS)	
Headlamp washers	Headlamp washers	
Daytime Running Lights	Daytime running lights	
Foglamps	Integrated foglamps	
Taillamps	LED taillamps	
Mirrors	Power-adjustable, power-folding outside mirrors with defoggers, electrochromic auto-dimming and auto tilt-down in reverse	
	Electrochromic auto-dimming inside rearview mirror	
Glass	Water-repellent front-door glass with UV reduction	
	Rear privacy glass with in-glass antenna	
	Laminated windshield and front-door glass	
Windshield Wipers	Rain-sensing intermittent front windshield wipers with mist cycle and deicer	
	Intermittent rear window wiper with washer	
Defroster	Rear-window defroster with auto-off timer	
First Aid Kit	Included	
Tool Kit	Included	

**Exterior Specs**

Length (in / mm)	196.5 / 4,991	
Width (in / mm)	77.6 / 1,971	
Height (in / mm) with roof rack	75.6 / 1,920 [21]	
Wheelbase (in / mm)	112.2 / 2,850	
Ground Clearance (in / mm)	8.9 / 225	
Approach Angle, X-AHC high	31 degrees	
Approach Angle, X-AHC normal	29 degrees	
Departure Angle, X-AHC high	23 degrees	
Departure Angle, X-AHC normal	20 degrees	
Curb Weight (lb / kg)	5,995 / 2,719	
Max Towing (lb / kg)	8,500 / 3,856 [5]	
Max Payload (lb / kg)	1,411 / 640 [6]	

**Exterior Features**

Lighting		
Headlamps	See-through outer lens with four-beam multireflectors and projector-type low beams with <u>Dual-swivel Adaptive Front Lighting System (AFS)</u>	
Headlamp washers	Headlamp washers	
Daytime Running Lights	Daytime running lights	
Fog lamps	Integrated fog lamps	
Taillamps	<u>LED taillamps</u>	
Mirrors	Power-adjustable, power-folding outside mirrors with defoggers, <u>electrochromic</u> auto-dimming and auto tilt-down in reverse	
	<u>Electrochromic</u> auto-dimming inside rearview mirror	
Glass	Water-repellent front-door glass with UV reduction	
	Rear privacy glass with in-glass antenna	
	Laminated windshield and front-door glass	
Windshield Wipers	Rain-sensing intermittent wipers with mist cycle	
	Intermittent rear window wiper with washer	
Rear Spoiler	Rear spoiler	
Roof Rack	Roof rack with rails [22]	
Bike Rack	Roof rack attachment - bike rack [22]	Optional
Ski / Snowboard	Roof rack attachment - ski/snowboard [22]	Optional
Wheel locks	Wheel locks	Optional
Towing equipment	Trailer ball	Optional

**Interior Specs**

Seating Capacity	Eight	
Headroom, Front (in / mm)	38.3 / 973	
Headroom, Second-Row (in / mm)	38.9 / 988	
Headroom, Third-Row (in / mm)	35.8 / 909	
Legroom, Front (in / mm)	42.9 / 1,090	
Legroom, Second-Row (in / mm)	34.4 / 874	
Legroom, Third-Row (in / mm)	28.3 / 719	

Shoulder Room, Front (in / mm)	61.0 / 1,549	
Shoulder Room, Second-Row (in / mm)	61.4 / 1,560	
Shoulder Room, Third-Row (in / mm)	62.3 / 1,582	
Max Cargo Capacity (cu ft / L)	83.1 / 23.53 (second-row seats folded, third-row seats folded to the side) [23]	

### Interior Features

Trim	Medium brown walnut interior wood trim Leather-trimmed interior	
Seat Trim	Leather	
Door Trim	Wood and leather	
Steering Wheel Trim	Wood and leather	
Shift Knob Trim	Wood and leather	
Center Console Trim	Wood and leather	
Center Console	Dual-compartment center console with accessory power outlet and wireless phone storage capability	
Seating		
Driver	14-way driver's (including lumbar and cushion extender) power seat Heated driver's seat	
Front Passenger	12-way front passenger's (including lumbar) power seat Heated front passenger's seat	
Climate-Comfort Seats, Front	Climate-comfort driver and front-passenger seats with heat/cool knob and heated second-row seats	Optional
Second-Row	Power-sliding, 60/40 split second-row seat with 40/20/40 seatback	
Third-Row	Power-folding, 50/50 split third-row seat	
Headrests	Height-adjustable headrests for all seating positions <u>Active Headrests</u> [18] for the driver and front passenger	
Memory Systems	<u>Lexus Memory System</u> to control power driver's seat (except lumbar), outside mirrors and steering wheel <u>Lexus Personalized Settings (LPS)</u> [24] to customize select electronic functions	
Cupholders	Front, second-row and third-row	
Floor Mats	Carpeted floor mats	Optional
Cargo Mat	Carpeted cargo mat	Optional
Cargo Net	Trunk cargo net	Optional
<b>Comfort &amp; Convenience</b>		
<u>SmartAccess</u> [25] System	<u>SmartAccess</u> [25] auto lock/unlock with anti-lockout feature Remote keyless entry Keyless ignition with <u>push-button Start/Stop</u> Remote-linked windows	
Anti-Theft Protection	Theft-deterrent and <u>engine-immobilizer</u> system with in-key transponder	
Illuminated Entry	Illuminated entry system	
Illuminated Scuff Plates	Illuminated doorsill scuff plates	
Power Rear Tailgate	Power opening and closing upper tailgate with manual-lower tailgate	
Navigation System	Voice-activated <u>HDD Navigation System</u> [26] with <u>Bluetooth®</u> technology [27] and <u>XM NavTraffic®</u> [28] [29]	
Backup Camera	Full-color display [30]	
<u>Wide-view Front and Side Monitor</u>	<u>Wide-view Front and Side Monitor</u> [31] with camera in front grille and passenger side mirror	Optional
<u>Bluetooth®</u> Technology	Included with voice-activated <u>HDD Navigation System</u> [26] [27]	
Telematics	<u>Lexus Link®</u> [32]	Optional

<a href="#">HomeLink® Transceiver</a>	Operates compatible garage, gate, home lighting and home security systems	
<a href="#">Lexus Link®</a> [33] [32]	Dedicated cellular phone, Global Positioning Satellite (GPS) technology and 24-hour live support provide assistance at the touch of a button. Services include Remote Door Lock/Unlock, Emergency Services Notification, Stolen Vehicle Location Assistance, Driving Directions and Personal Calling.	Optional
Climate Control	<a href="#">Four-zone automatic climate control</a> with automatic recirculation mode <a href="#">Interior air filter with smog sensor</a>	
Steering Wheel	Power tilt-and-telescopic steering column with automatic tilt-away Audio, navigation, phone and <a href="#">multi-information display</a> steering-wheel-mounted controls. (If equipped with <a href="#">PCS</a> [19] and <a href="#">Dynamic Radar Cruise Control</a> [20], Cruise Control button also included on steering wheel)	
Cruise Control	Cruise control	
<a href="#">Pre-Collision System (PCS) with Dynamic Radar Cruise Control</a>	<a href="#">Pre-Collision System (PCS)</a> [19] with <a href="#">Dynamic Radar Cruise Control</a> [20]	Optional
Electronic Park Assist	Intuitive Parking Assist	Optional
Mirrors	Power-adjustable, power-folding outside mirrors with defoggers, <a href="#">electrochromic auto-dimming</a> and auto tilt-down in reverse <a href="#">Electrochromic auto-dimming</a> inside rearview mirror	
Seating		
Driver	14-way driver's (including lumbar and cushion extender) power seat Heated driver's seat	
Front Passenger	12-way front passenger's (including lumbar) power seat Heated front passenger's seat	
Climate-Comfort Seats, Front	Climate-comfort driver and front-passenger seats with heat/cool knob and heated second-row seats	Optional
Second-Row	Power-sliding, 60/40 split second-row seat with 40/20/40 seatback	
Third-Row	Power-folding, 50/50 split third-row seat	
Headrests	Height-adjustable headrests for all seating positions <a href="#">Active Headrests</a> [18] for the driver and front passenger	
Memory Systems	<a href="#">Lexus Memory System</a> to control power driver's seat (except lumbar), outside mirrors and steering wheel <a href="#">Lexus Personalized Settings (LPS)</a> [24] to customize select electronic functions	
<a href="#">Power Windows</a>	<a href="#">Power windows</a> with one-touch auto open/close	
Moonroof	Power tilt-and-slide moonroof with one-touch open/close and sliding sunshade. Remote-linked	
<a href="#">Retained Accessory Power</a>	<a href="#">Retained accessory power</a> for windows, moonroof and audio system	
Instrumentation	<a href="#">Electroluminescent instrumentation</a>	
Trip Computer	<a href="#">Multi-information Display</a>	
Outside Temperature Gauge	External temperature display	
<b>Audio &amp; Entertainment</b>		
Audio System	Premium Sound System with Digital Sound Processor, <a href="#">Automatic Sound Levelizer (ASL)</a> and in-dash, single-feed, six-disc CD auto-changer 9 speakers	
<a href="#">Mark Levinson® Reference Surround Sound Audio System</a> [34]	<a href="#">Mark Levinson® Reference Surround Sound Audio System</a> [34] with Hard Disk Drive (HDD) that stores up to 2,000 songs, 7.1 architecture and in-dash, single-feed, six-disc DVD/CD auto-changer featuring DVD-audio and DVD-video playback 19 speakers	Optional
	450 watts @ less than 0.1% THD; 20-20,000 Hz [35]	Optional
<a href="#">Satellite Radio</a>	<a href="#">XM® Satellite Radio</a> [36] and <a href="#">real-time traffic capability</a> [29]	
Auxiliary Port	Auxiliary iPod® [37]/MP3/Windows Media® Audio (WMA) port	
Antenna	In-glass antenna with FM-diversity system Shark-fin antenna	

Entertainment System	DVD <u>Rear-Seat Entertainment System (RSES)</u> with nine-inch power LCD screen	Optional
Wireless Headphones	Two included with <u>Rear-Seat Entertainment System (RSES)</u> [38]	Optional

#### Limited Warranty (see your Lexus dealer for details)

Basic (months)	48	
Basic (miles)	50,000	
<u>Powertrain</u> (months)	72	
<u>Powertrain</u> (miles)	70,000	
Rust (months)	72	
Rust (miles)	Unlimited	
Roadside Assistance (months)	48 [39]	

Vehicle(s) shown may feature optional equipment.

MSRP does not include delivery, processing and handling fee of \$765. Excludes taxes, title, license and optional equipment. Dealer price may vary.

©2006-2008 Lexus, a Division of Toyota Motor Sales, U.S.A., Inc. All information contained herein applies to U.S. vehicles only.

Specifications, features, equipment, technical data, performance figures, options, and color and trim are based upon information available at time of posting, are subject to change without notice, are for mainland U.S.A. vehicles and may differ in the state of Hawaii, Puerto Rico, the U.S. Virgin Islands and in other regions.

Some vehicles shown with optional equipment. Optional equipment listed may not be available separately or in all regions. Please see your Lexus dealer for details. Lexus reminds you to wear seatbelts, secure children in rear seat, obey all traffic laws and drive responsibly.

For more information, call 800-USA-LEXUS (872-5398). To learn more about your financing options, contact your Lexus dealer or call Lexus Financial Services at 800-874-7050.

- [1] MSRP does not include delivery, processing and handling fee of \$765. Excludes taxes, title, license and optional equipment. Dealer price may vary.
- [2] "Delivery, processing and handling fee" is based on the value of the processing, handling and delivery services Lexus provides, as well as Lexus' overall pricing structure. Lexus may make a profit on the delivery, processing and handling fee.
- [3] Ratings achieved using the required premium unleaded gasoline with an octane rating of 91 or higher. If premium fuel is not used, performance will decrease.
- [4] Performance figures are for comparison only and were obtained with prototype vehicles by professional drivers using special safety equipment and procedures. Do not attempt.
- [5] Before towing, confirm your vehicle and trailer are compatible, hooked up properly and you have any necessary additional equipment. If gross trailer weight is above 5,000 lbs (2,268 kg), it is necessary to use a weight distributing hitch with sufficient capacity. Do not exceed any Weight Ratings and follow all instructions and cautions from your trailer-hitch manufacturer and vehicle Owner's Manual. The maximum amount you can tow depends on the total weight of any cargo, occupants and available equipment.
- [6] Payload is the GVWR minus curb weight and includes weight of occupants, optional equipment and cargo, limited by weight distribution. Payload is not the Vehicle Capacity Weight as defined by FMVSS 110, which will vary according to installed optional equipment.
- [7] EPA-estimated ratings. Actual mileage will vary. For more information on MPG and EPA ratings please visit the [FAQ page](#).
- [8] TORSEN® is a registered trademark of Zexel Torsen, Inc.
- [9] Vehicle Stability Control (VSC) is an electronic system designed to help the driver maintain vehicle control under adverse conditions. It is not a substitute for safe driving practices. Factors including speed, road conditions and driver steering input can all affect whether VSC will be effective in preventing a loss of control. Please see your *Owner's Manual* for further details.
- [10] The LX 570 is designed to meet most off-road driving requirements, but off-roading is inherently dangerous. Abusive use may result in bodily harm or damage. Lexus encourages responsible operation to protect you, your vehicle and the environment. Seatbelts should be worn at all times.
- [11] DAC is designed to help the driver maintain vehicle control and speed on steep downhill descents. It is not a substitute for safe driving judgment and practices. Factors including speed, grade, surface conditions and driver input can all affect whether DAC will be effective in preventing a loss of control. Please see your *Owner's Manual* for further details.
- [12] HAC is designed to help minimize backward rolling on steep ascents. It is not a substitute for safe driving judgment and practices. Factors including grade, surface conditions and driver input can all affect whether HAC will be effective in preventing a loss of control. Please see your *Owner's Manual* for further details.
- [13] Brake Assist is designed to help the driver take full advantage of the benefits of ABS. It is not a substitute for safe driving practices. Braking effectiveness also depends on proper brake-system maintenance and tire and road conditions.
- [14] 20-in tires are expected to experience greater tire wear than conventional tires. Tire life may be substantially less than 20,000 miles, depending on driving conditions. Please see your Lexus dealer for details and other information relating to tire selection.
- [15] Do not change the OEM wheel size. Using other than the OEM wheel size could cause damage to the vehicle. If you replace the wheels, be sure they are the

- [16] The Lexus Tire Pressure Monitor System alerts the driver when tire pressure is critically low. For optimal tire wear and performance, tire pressure should be checked regularly with a gauge; do not rely solely on the monitor system. Please see your *Owner's Manual* for details.
- [17] All the airbag ("AB") systems are Supplemental Restraint Systems. All ABs (if installed) are designed to inflate only under certain conditions and in certain types of severe collisions: frontal and knee ABs typically inflate in frontal collisions; side and side curtain ABs in side collisions; Roll-Sensing Curtain ABs at a severe tilt degree, roll or lateral G-force. In all other accidents, the ABs will not inflate. To decrease the risk of injury from an inflating AB, always wear seatbelts, sit upright in the middle of the seat as far back as possible and do not lean against the door. Do not put objects in front of an AB or around the seatback. Do not use a rearward-facing child seat in any front passenger seat. The force of an inflating AB may cause serious injury or death. Please see your *Owner's Manual* for further information/warnings.
- [18] Active headrests can help prevent or limit the extent of whiplash in certain types of rear-end collisions.
- [19] The Pre-Collision System is designed to help reduce the crash speed and damage in certain frontal collisions only. It is not a collision-avoidance system and is not a substitute for safe and attentive driving. System effectiveness depends on many factors, such as speed, driver input and road conditions. Please see your *Owner's Manual* for further information.
- [20] Dynamic Radar Cruise Control is designed to assist the driver and is not a substitute for safe and attentive driving practices. Please see your *Owner's Manual* for important cautions and instructions.
- [21] Measurement of vehicle in Active Height Control (X-AHC) Normal setting.
- [22] Roof rack with CrossBars is not recommended for luggage.
- [23] Cargo and load capacity limited by weight and distribution.
- [24] The Lexus Personalized Settings (LPS) Program is a one-time, complimentary offer for the first 12 months from the date the vehicle is sold. Please see your Lexus dealer for more information.
- [25] The SmartAccess system may interfere with some pacemakers or cardiac defibrillators. If you have one of these medical devices, please talk to your doctor to see if you should deactivate this system.
- [26] The voice-activated HDD Navigation System is designed to assist in locating an address or point of interest. XM NavTraffic® requires a monthly service fee and is designed to provide real-time traffic or alternative routes of travel. Discrepancies may be encountered between the system and your actual location. Road system changes may affect the accuracy of the information provided. Rely on your common sense to decide whether to follow a specified route. Detailed coverage not available in every city or roadway. Periodic Navigation updates available at an additional cost. Please see your *Navigation System Owner's Manual* for further details.
- [27] The Bluetooth® technology phones listed on [lexus.com](http://lexus.com) have been tested for compatibility with Lexus vehicles. Performance will vary based on phone software version, coverage and your wireless carrier. Phones are warranted by their manufacturer, not Lexus.
- [28] XM® Satellite Radio and XM NavTraffic® subscriptions sold separately. XM NavTraffic only available in select markets. Visit [www.xmradio.com](http://www.xmradio.com) for details.
- [29] XM NavTraffic® includes a 90-day trial subscription.
- [30] The backup camera does not provide a comprehensive view of the rear area of the vehicle. You should also look around outside your vehicle and use your mirrors to confirm rearward clearance. Cold weather will limit effectiveness and view may become cloudy.
- [31] The Wide-view Front and Side Monitor does not provide a comprehensive view of the front and side areas of the vehicle. You should also look around outside your vehicle, and use your mirrors to confirm clearance. Cold weather will limit effectiveness and view may become cloudy.
- [32] An active Lexus Link® subscription (including a signed Lexus Link Service Subscription Agreement) is required in order to receive Lexus Link services. Lexus Link services require vehicle electrical system and wireless service to be available and operating for features to function properly. Lexus Link uses existing emergency service providers as well as wireless and satellite technologies. A one-year subscription to the Safety Plan is included with the purchase of a new vehicle. Other plans are available at an additional cost.
- [33] Lexus Link® is a factory-installed option and is available for LS 600h L and LX 570 (2008 model year and later), LS 460, GS 430/350, GS 450h (2007 model year and later) and LX 470 and GX 470 (2006 model year and later).
- [34] Mark Levinson is a registered trademark of Harman International Industries, Inc.
- [35] Continuous average power, all channels driven, at less than 0.1% THD; 20–20,000 Hz.
- [36] Functioning XM® Satellite Radio requires a compatible receiver and monthly service fee. Please see your Lexus dealer for further details. Reception of the satellite signal may vary depending on location. All fees and programming subject to change. Subscriptions subject to the terms and conditions available at [www.xmradio.com](http://www.xmradio.com). Available only in the 48 contiguous United States.
- [37] iPod is a registered trademark of Apple Inc.
- [38] Headphones are for passenger use only. Do not use while operating vehicle.
- [39] Coverage only available in the continental U.S. and Canada. Please see your Lexus dealer for details.