SPECIFICATION AND PRICING

4007 Range Model Comparison

Leather upholstery

SE GT

	Electrically operated & heated driver's seats
	CD Autochanger
	Xenon headlights
	Rear parking sensors
	Dark tinted rear windows
16" Alloy wheels	18" Alloy wheels
Electronic "On Demand" 4WD System	Electronic "On Demand" 4WD System
Cruise control	Cruise control
Roof bars	Roof bars
Alarm	Alarm
Leather steering wheel	Leather steering wheel
Automatic air conditioning with climate control	Automatic air conditioning with climate control
Radio / CD player with MP3 playback	Radio / CD player with MP3 playback
Isofix child seat fixings on R2 outer rear seats	Isofix child seat fixings on R2 outer rear seats
Front fog lights	Front fog lights
Trip computer	Trip computer
Electrically operated folding & heated door mirrors	Electrically operated folding & heated door mirrors
One touch electric front & rear windows with anti- pinch feature	One touch electric front & rear windows with anti- pinch feature
Remote control central locking with deadlocks	Remote control central locking with deadlocks
Curtain airbags for rows 1 & 2	Curtain airbags for rows 1 & 2
Front side airbags	Front side airbags
Driver and passenger front airbags	Driver and passenger front airbags
ESP (Electronic Stability Programme)	ESP (Electronic Stability Programme)
ABS + EBFD	ABS + EBFD

Prices effective from 14/01/08	SE	GT
HDi 156 FAP	£22,995	£25,695

Equipment & Options

4007	SE	GT
BODY STYLE		
5 door Sports Utility Vehicle	•	_
ENGINE AVAILABILITY	•	•
2.2 HDi FAP 16v Diesel (156 bhp)	•	•
SEATING AVAILABILITY		•
7 seats	•	•
SAFETY		
Driver airbag	•	•
Front passenger airbag with deactivate switch	•	•
Front side airbags	•	
Curtain airbags for rows 1 & 2	•	•
ABS with EBFD	•	•
ESP (Electronic Stability Programme)	•	•
Pre-tensioning and force limiting seat belts for front and row 2 seats	•	•
Height adjustable front seat belts	•	•
Three point inertia reel seat belts on all seats	•	•
Isofix location points (R2 rear seats only)	•	•
Seat belt unbuckled audible and visual alert	•	•
Side impact reinforcement on front and rear doors	•	•
Side impact absorbant padding on front doors	•	<u> </u>
Door and tailgate open warning indicator	•	`
SECURITY	-	•
Rolling code transponder immobiliser	•	•
Visible VIN number		
Lockable glovebox		
Locking wheel nuts for alloy wheels		
Deadlocks		
High frequency plip key Littracenie alarm (Thatsham Cat. 1 approved)		
Ultrasonic alarm (Thatcham Cat. 1 approved) COMFORT AND CONVENIENCE		•
	•	•
Height adjustable steering wheel Variable rate power assisted steering		
Cruise control	•	
Rear parking aid		•
Remote central locking of doors & tailgate	•	•
One-touch electric front windows with anti pinch feature		
One-touch electric rear windows with anti-pinch feature		
Electrically operated folding and heated door mirrors Dark tinted R2 & R3 side windows		
IN-CAR ENTERTAINMENT/ COMMUNICATION		•
	•	
Radio / CD player with MP3 playback Radio / CD player with MP3 playback & 6 disc CD autochanger	•	•
Colour Satellite Navigation with touch screen operation, radio/ CD player, MP3 music storage and rear view		
camera	0	0
Bluetooth hands free telephone kit	O	O
Steering wheel mounted remote controls	•	•
HEATING AND VENTILATION		
Automatic air conditioning with climate control	•	•
Pollen filter	•	•

Equipment & Options

4007	SE	GT
INSTRUMENTS		
Speedometer	•	•
Rev counter	•	•
Monochrome multi function display screen	•	•
16:9 touchscreen colour multi function display (only available when Colour Satellite Navigation is specified)	•	•
Warning light display module with odometer & trip recorder	•	•
Trip computer	•	•
Instrument panel lighting dimmer	•	•
INTERIOR FEATURES		
Leather trimmed steering wheel	•	•
Upper dash storage compartments	•	•
Front door bins with 0.5 litre bottle holder recess and storage area	•	•
2nd row door bins with 0.5 litre bottle holder recess and storage area	•	•
Multi purpose centre console with 12v outlet socket	•	•
Courtesy lights for all three rows	•	•
Two front sunvisors	•	•
Passenger grab handles (R1 & R2 outer seats only)	•	•
Load area cover for 5 seat configuration	•	•
12V accessory power point in centre console	•	•
12V accessory power point in in armrest storage area	•	•
12V accessory power point in load area	•	•
EXTERIOR FEATURES		
Metallic paint	0	0
Body colour front and rear bumpers	•	•
Body colour door mirrors	•	•
Satin chrome roof bars	•	•
Chrome tailgate trim	•	•
Split tailgate with 200kg load capacity	•	•
16" Manyara alloy wheels with anti theft wheel nuts	•	
18" Tanganyika alloy wheels with anti theft wheel nuts		•
EXTERIOR LIGHTING & VISIBILITY		
Automatic headlamps on		•
Xenon Headlamps with automatic height adjustment and headlamp washers		•
Front fog lights	•	•
Remote headlight adjustment from fascia (except with Xenon Headlamps)	•	
Lights on warning alarm	•	•
Rear fog and reversing lights	•	•
Heated rear window	•	•
Intermittent rear wash / wipe	•	•
SEATING		
Fore / aft adjustment of front passenger / driver seats	•	•
Height adjustment of driver seat	•	•
Electrically operated and heated driver's seat		•
2nd row seating: 60/40 sliding split rear seat with switch actuation of folding operation and back rest angle adjustment	•	•
3rd row seating :Two place bench seat with manual folding operation	•	•
Diamond Black cloth interior trim	•	
Astrakan Black leather interior trim		•

Technical Specification

4007 HDi 156 FAP

4007	
TRIM LEVEL / ENGINE AVAILABILITY	
SE	•
GT	•
ENGINE	
Fuel type	Diesel with particulate filter
Cubic capacity (cc)	2179
Bore x stroke (mm)	86 x 96
Number of valves	16
Maximum power bhp (Kw) at rpm	156 (115) @ 4000
Maximum torque lb ft (Nm) at rpm	285 (380)@ 2000
Induction	Turbo charger
TRANSMISSION	Turbo charger
'On Demand" four wheel drive system with three driving modes	•
S speed manual gearbox	<u> </u>
BRAKES	_
Ventilated front discs	•
Rear brake discs	•
Servo assisted dual circuit system	•
ABS with Electronic Brake Force Distributor (EBFD)	•
STEERING	
Engine speed variable rate power assistance	•
Turns lock to lock	3.16
Turning Circle between kerbs (m)	10.6
SUSPENSION	
Front (Mc Pherson struts with anti-roll bar)	•
Rear (Multi link with anti-roll bar)	•
ESP (Electronic Stability Programme)	•
TYRES	
Size (16" wheel)	215 / 70 R 16
Size (18" wheel)	225 / 55 R 18
Space saver spare wheel	•
FUEL TANK	
Capacity (litres)	60
PERFORMANCE (DRIVER ONLY)*	
Maximum speed (mph)	124
Acceleration 0-62 mph (sec)	9.9
0-1000 m (sec)	31.8
FUEL CONSUMPTION (EU directive '1999/100)** (16" Wheel Versions)	
Jrban drive cycle MPG (litres/100km)	29.7 (9.5)
Extra Urban drive cycle MPG (litres/100km)	47.8 (5.9)
Combined drive cycle MPG (litres/100km)	39.2 (7.2)
FUEL CONSUMPTION (EU directive '1999/100)** (18" Wheel Versions)	
Jrban drive cycle MPG (litres/100km)	29.4 (9.6)
Extra Urban drive cycle MPG (litres/100km)	47.0 (6.0)
Combined drive cycle MPG (litres/100km)	38.6 (7.3)
	/
EMISSIONS INFORMATION (16" Wheel Versions)	
•	Euro 4
Regulated Emission Standard	Euro 4 191
Regulated Emission Standard Carbon Dioxide (CO ₂) emissions (g/km)	191
Regulated Emission Standard Carbon Dioxide (CO ₂) emissions (g/km) Carbon Monoxide (CO) emissions (g/km)	191 0.221
EMISSIONS INFORMATION (16" Wheel Versions) Regulated Emission Standard Carbon Dioxide (CO ₂) emissions (g/km) Carbon Monoxide (CO) emissions (g/km) Regulated Emission (HC) Standard (g/km) Regulated Emission (Nox) Standard (g/km)	191

Technical Specification

4007 HDi 156 FAP

### ### ### ### ### ### ### ### ### ##	TRIM LEVEL / ENGINE AVAILABILITY	
articulates (g/km) 0.001 cise Level dB(A) moving 74.9 MISSIONS INFORMATION (18" Wheel Versions) 8 egulated Emission Standard Euro 4 arbon Dioxide (CO) emissions (g/km) 194 arbon Monoxide (CO) emissions (g/km) 0.221 egulated Emission (HC) Standard (g/km) 0.201 egulated Emission (HC) Standard (g/km) 0.231 articulates (g/km) 0.001 oise Level dB(A) moving 74.9 VEIGHTS (Kg) 74.9 VEIGHTS (kg) 2410 ross vehicle weight 1825 ross train weight 4510 laximum braked trailer weight*** 2000 laximum braked trailer weight 100 DIMENSIONS (mm) 1670 laximum height (without roof bars) 1670 laximum height (without roof bars) 1670 laximum height (without roof bars) 1715 rheebase 2672 olume dm² Row 3 seats in place to parcel shelf height **** 441 to 510 olume dm² Row 3 seats folded to parcel shelf height **** 1686 ro	SE	•
cise Level dB(A) moving 74.9 EMISSIONS INFORMATION (18" Wheel Versions) Euro 4 egulated Emission Standard Euro 4 arbon Dioxide (CO ₂ emissions (g/km) 19.4 arbon Monoxide (CO) emissions (g/km) 0.221 egulated Emission (HC) Standard (g/km) n/a egulated Emission (Nox) Standard (g/km) 0.201 egulated Emission (HC+Nox) Standard (g/km) 0.231 articulates (g/km) 0.001 osice Level dB(A) moving 74.9 VEIGHTS (kg) 2410 ross vehicle weight 2410 erb weight 4510 asimum braked trailer weight*** 2000 asimum braked trailer weight*** 2000 asimum braked trailer weight 4635 inflicts - excluding door mirrors 1805 earimum height (without roof bars) 1670 asimum height (without roof bars) 1715 rheelbase 2672 olume dm² Row 3 seats in place to parcel shelf height **** 41 to 510 olume dm² Row 3 seats folded to roof height **** 41 to 510 olume dm² Row 3 seats folded to roof	GT	•
EMISSIONS INFORMATION (18" Wheel Versions) Euro 4 arbon Dioxide (CO ₂) emissions (g/km) 194 arbon Dioxide (CO ₂) emissions (g/km) 0.221 egulated Emission (HC) Standard (g/km) 0.201 egulated Emission (Nox) Standard (g/km) 0.201 egulated Emission (Nox) Standard (g/km) 0.231 articulates (g/km) 0.001 oise Level dB(A) moving 74.9 VEIGHTS (kg) 2410 ross vehicle weight 2410 erb weight 4510 faximum braked trailer weight*** 2000 laximum braked trailer weight*** 2000 laximum braked trailer weight (without roof bars) 1670 datinum height (without roof bars) 1670 faximum height (without roof bars) 1670 faximum height (with roof bars) 1715 feelbase 2672 olume dm² Row 3 seats in place to parcel shelf height **** 411 to 510 olume dm² Row 3 seats folded to parcel shelf height **** 415 do olume dm² Row 3 seats folded to roof height **** 815 olume dm² Row 3 seats folded to roof height **** 415 do<	Particulates (g/km)	0.001
egulated Emission Standard Euro 4 arbon Dioxide (CO ₂) emissions (g/km) 194 arbon Monoxide (CO) emissions (g/km) 0.221 egulated Emission (HC) Standard (g/km) 0.201 egulated Emission (Nox) Standard (g/km) 0.231 egulated Emission (HC+Nox) Standard (g/km) 0.001 oise Level dB(A) moving 74.9 VEIGHTS (kg) 2410 cross vehicle weight 2410 etb weight 4510 eximum braked trailer weight*** 2000 laximum braked trailer weight*** 2000 laximum braked trailer weight 100 DIMENSIONS (mm) 1670 laximum height (without roof bars) 1670 laximum height (without roof bars) 1670 laximum height (with roof bars) 1670 dolume dm² Row 3 seats in place to parcel shelf height **** 41 to 510 dolume dm² Row 3 seats folded to roof heigh	Noise Level dB(A) moving	74.9
arbon Dioxide (CO ₂) emissions (g/km) 194 arbon Monoxide (CO) emissions (g/km) 0.221 egulated Emission (HC) Standard (g/km) n/a egulated Emission (HC) Standard (g/km) 0.201 egulated Emission (HC+Nox) Standard (g/km) 0.231 articulates (g/km) 0.001 oise Level dB(A) moving 74.9 VEIGHTS (kg) 2410 erb weight 1825 ross vehicle weight erb weight (with erb weight (with erb weight) 100 laximum braked trailer weight*** 2000 laximum tow ball weight 100 DIMENSIONS (mm) 165 laximum height (without roof bars) 1670 laximum height (without roof bars) 1670 laximum height (without roof bars) 1715 r/hebase 2672 olume dm² Row 3 seats in place to parcel shelf height **** 411 to 510 olume dm² Row 3 seats folded to parcel shelf height **** 411 to 510 olume dm² Row 3 seats folded to roof height **** 415 to 61 olume dm² Row 3 seats folded to roof height **** 415 to 61 olume dm² Row 3 seats folded to roof height ****	EMISSIONS INFORMATION (18" Wheel Versions)	
arbon Monoxide (CO) emissions (g/km) 0.221 egulated Emission (HC) Standard (g/km) 0.201 egulated Emission (Nox) Standard (g/km) 0.231 articulates (g/km) 0.001 oise Level dB(A) moving 74.9 VEIGHTS (kg) ross vehicle weight 2410 erb weight 1825 ross train weight 4510 laximum braked trailer weight*** 2000 laximum tow ball weight 100 DIMENSIONS (mm) 1805 laximum tow ball weight of very collapse of the first of the excluding door mirrors 1805 laximum height (with roof bars) 1670 laximum height (with roof bars) 1715 theelbase 2672 olume dm³ Row 3 seats in place to parcel shelf height **** 441 to 510 olume dm³ Row 3 seats folded to roof height **** 4515 olume dm³ Row 3 seats folded to roof height **** 4516 olume dm³ Row 3 seats folded to roof height **** 4516 olume dm³ Row 3 seats folded to roof height **** 4516 olume dm³ All rear seats folded to roof height **** 4516	Regulated Emission Standard	Euro 4
egulated Emission (HC) Standard (g/km) 0.201 egulated Emission (Nox) Standard (g/km) 0.231 articulates (g/km) 0.001 oise Level dB(A) moving 74.9 VEIGHTS (kg) 2410 ross vehicle weight 2410 reb weight 4510 laximum braked trailer weight*** 2000 laximum to ball weight 100 DIMENSIONS (mm) 1805 ength 4635 //dth - excluding door mirrors 1805 laximum height (with out roof bars) 1670 laximum height (with roof bars) 1715 //heelbase 2672 olume dm³ Row 3 seats in place to parcel shelf height **** 441 to 510 olume dm³ Row 3 seats folded to parcel shelf height **** 1866 rott wheel track 1540 ear wheel track 1540 rott wheel track 1540 rott wheel track 1540	Carbon Dioxide (CO ₂) emissions (g/km)	194
egulated Emission (Nox) Standard (g/km) 0.201 egulated Emission (HC+Nox) Standard (g/km) 0.231 articulates (g/km) 0.001 oise Level dB(A) moving 74.9 VEIGHTS (kg) ross vehicle weight 2410 erb weight 1825 ross train weight 4510 laximum braked trailer weight*** 2000 laximum tow ball weight 100 DIMENSIONS (mm) 100 ength 4635 //dth - excluding door mirrors 1805 laximum height (without roof bars) 1670 laximum height (with roof bars) 1715 //heelbase 2672 olume dm³ Row 3 seats in place to parcel shelf height **** 441 to 510 olume dm³ Row 3 seats folded to parcel shelf height **** 441 to 510 olume dm³ Row 3 seats folded to roof height **** 1686 rort wheel track 1540 ear wheel track 1540 NSURANCE GROUP	Carbon Monoxide (CO) emissions (g/km)	0.221
egulated Emission (HC+Nox) Standard (g/km) 0.231 articulates (g/km) 0.001 oise Level dB(A) moving 74.9 VEIGHTS (kg) 2410 erb weight 1825 ross train weight 4510 laximum braked trailer weight*** 2000 laximum tow ball weight 100 VIMENSIONS (mm) 1805 laximum height (without roof bars) 1805 laximum height (without roof bars) 1670 laximum height (with roof bars) 1715 //heelbase 2672 olume dm³ Row 3 seats in place to parcel shelf height **** 184 olume dm³ Row 3 seats folded to parcel shelf height **** 441 to 510 olume dm³ Row 3 seats folded to roof height **** 815 olume dm³ All rear seats folded to roof height **** 1686 root wheel track 1540 NSURANCE GROUP	Regulated Emission (HC) Standard (g/km)	n/a
articulates (g/km) 0.001 bise Level dB(A) moving 74.9 VEIGHTS (kg) 2410 bross vehicle weight 1825 bross train weight 4510 daximum braked trailer weight**** 2000 daximum tow ball weight 100 DIMENSIONS (mm) 805 ength 4635 //dth - excluding door mirrors 1805 laximum height (without roof bars) 1670 laximum height (with roof bars) 1715 //heelbase 2672 olume dm³ Row 3 seats in place to parcel shelf height **** 441 to 510 olume dm³ Row 3 seats folded to parcel shelf height **** 4515 olume dm³ All rear seats folded to roof height **** 1686 root wheel track 1540 ear wheel track 1540 NSURANCE GROUP	Regulated Emission (Nox) Standard (g/km)	0.201
oise Level dB(A) moving 74.9 VEIGHTS (kg) 2410 erb weight 1825 ross train weight 4510 daximum braked trailer weight*** 2000 daximum tow ball weight 100 DIMENSIONS (mm) 4635 ength 4635 fidth - excluding door mirrors 1805 laximum height (without roof bars) 1670 laximum height (with roof bars) 1715 /heelbase 2672 olume dm³ Row 3 seats in place to parcel shelf height **** 184 olume dm³ Row 3 seats folded to parcel shelf height **** 441 to 510 olume dm³ Row 3 seats folded to roof height **** 815 olume dm³ All rear seats folded to roof height **** 1686 root wheel track 1540 NSURANCE GROUP	Regulated Emission (HC+Nox) Standard (g/km)	0.231
VEIGHTS (kg) 2410 erb weight 1825 erb weight 4510 laximum braked trailer weight*** 2000 laximum tow ball weight 100 DIMENSIONS (mm) **** ength 4635 //idth - excluding door mirrors 1805 laximum height (without roof bars) 1670 laximum height (with roof bars) 1715 //heelbase 2672 olume dm³ Row 3 seats in place to parcel shelf height **** 184 olume dm³ Row 3 seats folded to parcel shelf height **** 441 to 510 olume dm³ All rear seats folded to roof height **** 815 olume dm³ All rear seats folded to roof height **** 1686 root wheel track 1540 NSURANCE GROUP	Particulates (g/km)	0.001
ross vehicle weight 2410 erb weight 1825 ross train weight 4510 laximum braked trailer weight*** 2000 laximum tow ball weight 100 DIMENSIONS (mm) ength 4635 flotth - excluding door mirrors 1805 laximum height (without roof bars) 1670 laximum height (with roof bars) 1715 //heelbase 2672 olume dm³ Row 3 seats in place to parcel shelf height **** 184 olume dm³ Row 3 seats folded to parcel shelf height **** 441 to 510 olume dm³ Row 3 seats folded to roof height **** 815 olume dm³ All rear seats folded to roof height **** 1686 root wheel track 1540 ear wheel track 1540 NSURANCE GROUP	Noise Level dB(A) moving	74.9
### ### ### ### ### ### ### ### ### ##	WEIGHTS (kg)	
A	Gross vehicle weight	2410
laximum braked trailer weight*** 2000 200	Kerb weight	1825
laximum tow ball weight 100 DIMENSIONS (mm) ength 4635 laximum height (without roof bars) 1670 laximum height (with roof bars) 1715 laximum height (with roof bars) 2672 olume dm³ Row 3 seats in place to parcel shelf height **** 184 olume dm³ Row 3 seats folded to parcel shelf height **** 441 to 510 olume dm³ Row 3 seats folded to roof height **** 1686 root wheel track 1540 NSURANCE GROUP	Gross train weight	4510
DIMENSIONS (mm) ength 4635 Active excluding door mirrors 1805 Active meight (without roof bars) 1670 Active meight (with roof bars) 1715 Anneelbase 1806 Colume dm³ Row 3 seats in place to parcel shelf height **** 184 Colume dm³ Row 3 seats folded to parcel shelf height **** 184 Colume dm³ Row 3 seats folded to roof height **** 185 Colume dm³ All rear seats folded to roof height **** 1686 Front wheel track 1540 NSURANCE GROUP	Maximum braked trailer weight***	2000
rength //idth - excluding door mirrors //idth - excluding door m	Maximum tow ball weight	100
Aidth - excluding door mirrors Iaximum height (without roof bars) Iaximum height (with roof bars) Intellation Intellat	DIMENSIONS (mm)	
laximum height (without roof bars) laximum height (with roof bars) /heelbase olume dm³ Row 3 seats in place to parcel shelf height **** olume dm³ Row 3 seats folded to parcel shelf height **** olume dm³ Row 3 seats folded to roof height **** olume dm³ Row 3 seats folded to roof height **** olume dm³ All rear seats folded to roof height **** olume dm³ All rear seats folded to roof height **** 1686 ront wheel track ear wheel track NSURANCE GROUP	Length	4635
laximum height (with roof bars) /heelbase olume dm³ Row 3 seats in place to parcel shelf height **** olume dm³ Row 3 seats folded to parcel shelf height **** olume dm³ Row 3 seats folded to roof height **** olume dm³ Row 3 seats folded to roof height **** olume dm³ All rear seats folded to roof height **** olume dm³ All rear seats folded to roof height **** 1686 ront wheel track ear wheel track NSURANCE GROUP	Width - excluding door mirrors	1805
Theelbase 2672 olume dm³ Row 3 seats in place to parcel shelf height **** olume dm³ Row 3 seats folded to parcel shelf height **** 441 to 510 olume dm³ Row 3 seats folded to roof height **** 815 olume dm³ All rear seats folded to roof height **** 1686 ront wheel track ear wheel track NSURANCE GROUP	Maximum height (without roof bars)	1670
olume dm³ Row 3 seats in place to parcel shelf height **** olume dm³ Row 3 seats folded to parcel shelf height **** olume dm³ Row 3 seats folded to roof height **** olume dm³ Row 3 seats folded to roof height **** olume dm³ All rear seats folded to roof height **** 1686 ront wheel track ear wheel track NSURANCE GROUP	Maximum height (with roof bars)	1715
olume dm³ Row 3 seats folded to parcel shelf height **** olume dm³ Row 3 seats folded to roof height **** solume dm³ All rear seats folded to roof height **** 1686 ront wheel track ear wheel track NSURANCE GROUP	Wheelbase	2672
olume dm³ Row 3 seats folded to roof height **** olume dm³ All rear seats folded to roof height **** 1686 ront wheel track ear wheel track NSURANCE GROUP	Volume dm³ Row 3 seats in place to parcel shelf height ****	184
olume dm³ All rear seats folded to roof height **** 1686 ront wheel track ear wheel track NSURANCE GROUP	Volume dm³ Row 3 seats folded to parcel shelf height ****	441 to 510
ront wheel track 1540 ear wheel track 1540 NSURANCE GROUP	Volume dm³ Row 3 seats folded to roof height ****	815
ear wheel track NSURANCE GROUP	Volume dm³ All rear seats folded to roof height ****	1686
NSURANCE GROUP	Front wheel track	1540
	Rear wheel track	1540
E 12F / 27F	INSURANCE GROUP	
	SE	12E / 27E
T 13E / 28E	GT	13E / 28E

As recommended by the Association of British Insurers (20 Group / 50 Group classification)

Standard

- * Manufacturer's own figures.
- ** Government Approved.
- *** Maximum braked trailer towing weight is within the overall Gross Train Weight
- **** VDA method

Colours and Trims 4007

SE	GT
Diamond Black**	Astrakan Black**
Cloth	Leather

SOLID COLOURS		
Antarctic White	*	*
METALLIC COLOURS*		
Arctic Silver	*	*
Baikal Blue	*	*
Garrigue Green	*	*
Pearl Black	*	*
Pilbara Grey	*	*
Istria Blue	*	*

- * Metallic paint is an EXTRA COST OPTION
- ** Diamond Black cloth and Leather Upholstery are not available on the third row bench seat

MANUFACTURER'S RECOMMENDED RETAIL PRICES PEUGEOT 4007 OPTION PRICES AND AVAILABILITY

Effective date:	1st April 2008	Issue No:		V2/08-OPT1				
OP	OPTION PRICES							
		BASIC	VAT	TOTAL				
		MRRP	£	MRRP				
Metallic Paint		297.87	52.13	350.00				
Colour Satellite Navigation with radio/ CD player, MP3 music	storage and rear view camera	1,361.70	238.30	1,600.00				
Bluetooth handsfree telephone kit		148.93	26.07	175.00				
OPTION AVAILABILTY			SE	GT				
Metallic Paint			O	O				
Colour Satellite Navigation with radio/ CD player, MP3 music	storage and rear view camera		•	O				
Bluetooth handsfree telephone kit			O	O				

O = Option as Cost / ● = Standard

MANUFACTURER'S RECOMMENDED RETAIL PRICES PEUGEOT 4007 PRICE LIST

Effective date: 1st April 2008 Issue No: V2/08-D1

MODEL		CO2 g/km	Code	BASIC MRRP	VAT £	TOTAL MRRP	On the Road MRRP
SE HDi 156 FAP	7 Seat	191	2 - 4	18,891.91	3,306.09	22,198.00	22,995.00
GT HDi 156 FAP	7 Seat	194	2 - 4	21,189.78	3,708.22	24,898.00	25,695.00

On the road includes Delivery, Number Plates, 12 months Road Fund Licence and First Registration Fee

MANUFACTURERS RECOMMENDED RETAIL PRICE ON THE ROAD

The On the Road MRRP featured includes the following:

	BAND A 100 CO ² g/km & below				BAND C		BAI	ND D
					121 to 150	121 to 150 CO2 g/km		5 CO² g/km
	Petrol	Diesel	Petrol	Diesel	Petrol	Diesel	Petrol	Diesel
Delivery to Dealer & Number Plates	£452.76	£452.76	£452.76	£452.76	£452.76	£452.76	£452.76	£452.76
VAT	£79.24	£79.24	£79.24	£79.24	£79.24	£79.24	£79.24	£79.24
Vehicle Excise Duty	£0.00	£0.00	£35.00	£35.00	£120.00	£120.00	£145.00	£145.00
First Registration Fee	£55.00	£55.00	£55.00	£55.00	£55.00	£55.00	£55.00	£55.00
Total OTR costs	£587.00	£587.00	£622.00	£622.00	£707.00	£707.00	£732.00	£732.00

	BAND E 166 to 185 CO² g/km		BAND F km 186 to 225 CO ² g/km		BAND G 226 CO ² g/km & above	
	Petrol	Diesel	Petrol	Diesel	Petrol	Diesel
Delivery to Dealer & Number Plates	£452.76	£452.76	£452.76	£452.76	£452.76	£452.76
VAT	£79.24	£79.24	£79.24	£79.24	£79.24	£79.24
Vehicle Excise Duty	£170.00	£170.00	£210.00	£210.00	£400.00	£400.00
First Registration Fee	£55.00	£55.00	£55.00	£55.00	£55.00	£55.00
Total OTR costs	£757.00	£757.00	£797.00	£797.00	£987.00	£987.00

VAT is calculated at 17.5 %

VAT is not applicable to cars sold in the Channel Islands

PEUGEOT 3 YEARS OF WARRANTY

All vehicles first registered in the UK and purchased from a UK Peugeot Dealer benefit from a Peugeot 2 - Year unlimited mileage manufacturer's warranty and a free optional additional 1 year of warranty provided by the Peugeot Dealer Network in the UK. This additional warranty carries a mileage limit of 60,000 miles from first registration and is dependent upon the manufacturer's recommended servicing being carried out at the specified time or distance intervals. For full terms and conditions, please consult your Peugeot Dealer in the UK.

PEUGEOT ASSISTANCE

All new Peugeots come with Peugeot Assistance, our breakdown assistance service.

Provided by the AA, Peugeot Assistance is available every minute of the day and night; 365 days of the year, for you and anyone else driving your Peugeot with your permission.

Please note that Peugeot Assistance provides assistance in relation to vehicle warranty based faults on your Peugeot. It does not provide cover for non-vehicle warranty faults such as:

- the use of incorrect fuel, or lack of fuel
- · wheel changes, punctured tyres
- instances where keys have been locked inside the vehicle, lost or stolen
- · road traffic accidents

Peugeot Assistance is free for the first year (36 months for 607) and includes European cover, homestart, roadside assistance, vehicle recovery and a free replacement car or hotel accommodation if required. Peugeot Assistance can be extended for a further 12 or 24 months, or to protect you against non-vehicle warranty fault incidents, at specially discounted rates for Peugeot owners by calling 0870 752 7050

PEUGEOT FINANCIAL SERVICES

We can arrange a finance plan quicky and conveniently. What's more, it will be as suited to your needs as your new Peugeot.

Our finance plans combine all the know how of a company that has an extensive knowledge of the car market with a financial service you can trust.

Your Peugeot Dealer will discuss the method of financing your car with you and all the necessary paperwork

Written quotations are available on request from Peugeot Financial Services, Quadrant House, Princess Way, Redhill Rh1 1QA. Finance is subject to status. Over 18's only, a guarantee may be required.

For further information call Peugeot on 0845 200 1234 or visit our website at www.peugeot.co.uk

PEUGEOT OPEN ROAD

At Peugeot, we believe that you shouldn't have to worry about servicing bills and repair costs. Open road not only helps you to manage the cost of your vehicle's servcing bils, it also includes cover for any unexpected repairs that are caused by natural wear and tear.

With Open Road you simply pay a small monthly premium by Direct Debit instead of paying the whole bill every time your vehicle has a service or repairs undertaken on it.

To become a member of Open Road, please contact your local Peugeot Dealer for full details

PEUGEOT INSURANCE

Peugeot Insurance has been specifically arranged for Peugeot owners. Offering discounted premiums and a fast and efficient claims service, it is another benefit of owning a Peugeot. Your Dealer can provide a proposal form for a free quotation or you can call the Peugeot Insurance centre direct on 0870 024 0206 for a free quotation.

Whatever Peugeot you drive, we guarantee you a competitive premium for your Motor Insurance. As a valued customer of Peugeot we'll make sure you get the very best premium quotation possible from Peugeot Insurance.

HM FORCES MILITARY SALES

For details of HM Forces tax-free military sales contact Peugeot Export, 454-490 Mile End Road, London E1 4PE. For further information call 020 7791 9050 or peugeot.export@peugeotmail.co.uk.

TERMS AND CONDITIONS

Every endeavour has been made to ensure that the information, details and descriptions set out in this literature are correct, at the time of going to print. It is our policy to continually improve our vehicles in every way and we reserve the right to modify our vehicles price, specification (including colour), equipment, accessories and characteristics or to discontinue any model, without notice, at any time. To avoid any misunderstandings you are advised to check with your Peugeot dealer the specification (including colour), equipment accessories and equipment relating to any Peugeot vehicle and the exact cost and availability prior to ordering

Where a feature is described as an option in this publication it should be assumed that it is at extra cost unless specifically stated otherwise. Issued by Sales and Marketing, Peugeot Motor Company PLC, Aldermoor House, PO Box 227, Aldermoor Lane, Coventry CV3 1LT.

For further information call Peugeot on 0845 200 1234 or visit our website at www.peugeot.co.uk.